













- routing problem: minimizing fuel consumption,” *Optim. Lett.*, vol. 11, no. 1, pp. 121–134, 2017.
- [13] J. F. Ehmke, A. M. Campbell, and B. W. Thomas, “Vehicle routing to minimize time-dependent emissions in urban areas,” *Eur. J. Oper. Res.*, vol. 251, no. 2, pp. 478–494, 2016.
- [14] X. Tian *et al.*, “A bibliometric analysis on trends and characters of carbon emissions from transport sector,” *Transp. Res. Part D Transp. Environ.*, vol. 59, pp. 1–10, 2018.
- [15] T. Pinto, C. Alves, and J. V. de Carvalho, “Variable neighborhood search algorithms for pickup and delivery problems with loading constraints,” *Electron. Notes Discret. Math.*, vol. 58, pp. 111–118, 2017.
- [16] K. Braekers, K. Ramaekers, and I. van Nieuwenhuysse, “The vehicle routing problem: State of the art classification and review,” *Comput. Ind. Eng.*, vol. 99, pp. 300–313, 2016.
- [17] Z. W. Geem, J. H. Kim, and G. V. Loganathan, “A new heuristic optimization algorithm: harmony search,” *Simulation*, vol. 76, no. 2, pp. 60–68, 2001.
- [18] P. Hansen, N. Mladenović, and J. A. M. Pérez, “Variable neighbourhood search: methods and applications,” *Ann. Oper. Res.*, vol. 175, no. 1, pp. 367–407, 2010.
- [19] N. Bianchessi and G. Righini, “Heuristic algorithms for the vehicle routing problem with simultaneous pick-up and delivery,” *Comput. Oper. Res.*, vol. 34, no. 2, pp. 578–594, 2007.
- [20] M. Goetschalckx and C. Jacobs-Blecha, “The vehicle routing problem with backhauls,” *Eur. J. Oper. Res.*, vol. 42, no. 1, pp. 39–51, 1989.
- [21] S. P. Anbuudayasankar, K. Ganesh, and S. Mohapatra, *Models for practical routing problems in logistics*. Springer, 2016.
- [22] N. Wassan, N. Wassan, G. Nagy, and S. Salhi, “The multiple trip vehicle routing problem with backhauls: Formulation and a two-level variable neighbourhood search,” *Comput. Oper. Res.*, vol. 78, pp. 454–467, 2017.