













- [32] A. Demirdoven, S. Karabiyıklı, K. Tokatlı and N. Öncül, "Inhibitory effects of red cabbage and sour cherry pomace anthocyanin extracts on food borne pathogens and their antioxidant properties", *J. of Food Sci. and Tech.*, vol. 63, no. 1, pp. 8–13, 2015. DOI:10.1016/j.lwt.2015.03.101.
- [33] Z. Yang and W. Zhai, "Optimization of microwave-assisted extraction of anthocyanins from purple corn (*Zea mays* L.) cob and identification with HPLC-MS", *J. of Innovative Food Sci. and Emerging Tech.*, vol. 11, no. 3, pp. 470-476, 2010. DOI: <https://doi.org/10.1016/j.ifset.2010.03.003>.
- [34] V. Gowd, Z. Jia, and W. Chen, "Anthocyanins as promising molecules and dietary bioactive components against diabetes—a review of recent advances", *J. of Trends in Food Sci. and Technology*, vol. 68, no. 1, pp. 1-13, 2017. DOI:10.1016/j.tifs.2017.07.015.
- [35] Y. Shen, D. L. Zeng, H. Zhang, F. Prinyawiwatkul, M. Alonso, and Z. Xu, "Butterfly pea (*Clitoria ternatea*) seed and petal extracts decreased HE p-2 carcinoma cell viability", *J. of Food Sci. and Tech.*, vol. 51, pp. 8, pp. 1860-1868, 2016. DOI: 10.1111/ijfs.13158.
- [36] W. E. A. Santoso dan T. Estiasih, "Kopigmentasi ubi jalar ungu (*Ipomoea batatas* var. Ayamurasaki) dengan kopigmen na-kaseinat dan protein whey serta stabilitasnya terhadap pemanasan", *J. Pangan dan Agroindustri*, vol. 2, no. 4, pp. 121-126, 2014.
- [37] M. Priska, N. Peni, L. Carvallo dan Y. Ngapa, "Antosianin dan pemanfaatannya", *J. Cakra Kimia*, vol. 6, no. 2, pp. 79-97, 2013.
- [38] S. Kamiloglu, E. Capanoglu, C. Grootaert and J. Camp, "Anthocyanin Absorption and Metabolism by Human Intestinal Caco-2 Cells-A Review", *Intl. J. of Molecular Sci.*, vol. 16, pp. 21555 – 21574, 2015.
- [39] D. Pratiwi, F. Nurosyid, A. Supriyanto and R. Suryana, "Efficiency enhancement of dye-sensitized solar cells (DSSC) by addition of synthetic dye into natural dye (anthocyanin)", In *IOP Conference Series: Materials Sci. and Engineering*, vol. 176, no. 1, pp. 101-112, 2017. DOI:10.1088/1757-99X/176/1/012012.
- [40] X. Liu, H. Sun, M. Zhang, and J. Chen, "Optimisation of aqueous two-phase extraction of anthocyanins from purple sweet potatoes by response surface methodology", *J. Food Chem.*, vol. 141, no. 1, pp. 3034 – 3041, 2013. DOI: 10.1016/j.foodchem.2013.05.119.
- [41] T. N. Pham, D. Nguyen, P. Van Thinh, X. T. Quang, dan H. V. Bach, L. G, "Extraction of anthocyanins from Butterfly pea (*Clitoria ternatea* L.) in Southern Vietnam: Response surface modeling for optimization of the operation conditions", *J. of Materials Sci. and Engineering*, vol. 542, no. 1, pp. 12-32, 2019. DOI: 10.1088/1757-899X/542/1/012032.
- [42] B. K. Tiwari., C.P. O'donnell, A. Patras, N. Brunton and P.J. Cullen, "Anthocyanins and color degradation in ozonated grape juice", *J. of Food and Chem. Toxicology*, vol. 47, no. 11, pp. 2824-2829, 2009. DOI: 10.1016/j.fct.2009.09.001.
- [43] I. Choi, J. Y. Lee, M. Lacroix and J. Han, "Intelligent pH indicator film composed of agar/potato starch and anthocyanin extracts from purple sweet potato", *J. of Food Chem.*, vol. 218, no. 1, pp. 122–128, 2017. DOI: 10.1016/j.foodchem.2016.09.050.
- [44] N. Andarwulan, F. Kusnandar, dan D. Herawati, *Analisis Pangan*, Jakarta : Dian Rakyat, 2011.
- [45] M. Terahara, T. Matsui, Y. Osajima, N. Saito, K. Toki, and T. Honda, "Five new anthocyan ins, ternatins A3, B4, B3, B2 and O2, from elitaria trenalea flower", *J. of Nat. Prod.*, vol. 59, no. 1, pp. 139-144, 1996. DOI: 10.1021/np960050a.
- [46] J. Alvionita, D. Darwis, dan M. Efdi. "Ekstraksi dan identifikasi senyawa antosianin dari jantung pisang raja (*Musa paradisiaca* L.) serta uji aktivitas antioksidannya" *J. Riset Kimia*, vol 9, no. 2, pp. 21-27, 2016. DOI: 10.25077/jrk.v9i2.284.
- [47] S. G. Rudra, B. C Sarkar, and U. S. Shivhare, "Thermal degradation kinetics of chlorophyll in pureed coriander leaves", *J. of Food and Bioprocess Tech.*, vol. 1, no. 1, pp. 91-99, 2008. DOI: <https://doi.org/10.1007/s11947-007-0016-z>.
- [48] C. F. Fasakin, C. C. Udenigwe and R. E. Aluko, "Antioxidant properties of chlorophyll-enriched and chlorophyll-depleted polyphenolic fractions from leaves of *Vernonia amygdalina* and *Gongronema latifolium*", *J. of Food Research Intl.*, vol. 44, no. 8, pp. 2435–2441, 2011. DOI: 10.1016/j.foodres.2010.12.019.
- [49] S. Zhang and P. Huang, "High-resolution, real-time 3D shape acquisition", In *Conference on Computer Vision and Pattern Recognition*. pp. 28-38, 2004. DOI: 10.1016/j.tifs.2017.07.015.