to Menu Analysis. Lansing, MI: Hospitality Publications, 1982.

[30] B. M. Noone and G. Cachia, "Menu engineering re-engineered: Accounting for menu item substitutes in pricing and menu placement decisions," *Int. J. Hosp. Manag.*, vol. 87, no. February, p. 102504, 2020, doi: 10.1016/j.ijhm.2020.102504.

[31] N. Setiyawati *et al.*, "Penerapan Metode Two-Step Cluster Dalam Analisis Menu the Implementation of Two-Step Clustering Method in Menu," vol. 7, no. 2, 2020, doi: 10.25126/jtiik.202072012.

[32] S. Xia, G. Wang, Y. Liu, Q. Liu, and H. Yu, "Noise self-filtering K-nearest neighbors algorithms," *Proc. - 2017 IEEE Int. Conf. Big Data, Big Data 2017*, vol. 2018-Janua, pp. 1860–1865, 2017, doi: 10.1109/BigData.2017.8258130.

[33] G. Rigas, "Menu Profitability Analysis Models: Linking Theory and Practice in the Greek Hospitality Context," no. December 2019, [Online]. Available: https://repository.ihu.edu.gr/xmlui/handle/11544/29230.

[34] S. Arsic, D. Pamucar, and M. Suknovic, "Determining The Weights of Criteria in Menu Evaluation Using Best-Worst Method," in *XVI International symposium Symorg 2018: Doing Business in The Digital Age: Challenges, Approaches and Solutions*, 2018, pp. 292–297.

[35] D. V. Pavesic, "Cost/margin analysis: a third approach to menu pricing and design," *Int. J. Hosp. Manag.*, vol. 2, no. 3, pp. 127–134, 1983, doi: 10.1016/0278-4319(83)90033-6.

[36] M. Sandeep, "Menu Engineering Model To Menu of a Resort Restaurant- a Case Study Approach," 1997.

[37] R. Adeng and A. Firman, "Improvement of The Operation for KOPIBIKE Restaurant Using Menu Engineering Approach," *Indones. J. Bus. Adm.*, vol. 2, no. 6, pp. 672–680, 2013.

[38] S. M. LeBruto, W. J. Quain, and R. A. Ashley, "Menu engineering: a model including labor," *Hosp. Rev.*, vol. 13, no. 1, pp. 41–49, 1995.

[39] B. W. Horton, "Labor and menu category: effects on analysis," *Hosp. Rev.*, vol. 19, no. 2, pp. 35–46, 2001.

[40] K. Huang, Y.-W. Wen, and C.-K. Ting, "Enhancing k -Nearest Neighbors through Learning Transformation Functions by Genetic Programming," in *2019 IEEE Congress on Evolutionary Computation, CEC 2019 - Proceedings*, 2019, no. 1, pp. 1891–1897.

[41] A. Millana *et al.*, "Optimisation of children z-score calculation based on new statistical techniques," *PLoS ONE 13*, pp. 1–14, 2018, doi: https://doi.org/10.1371/journal.pone.0208362 December.

[42] S. Raschka, "Model Evaluation, Model Selection , and Algorithm Selection in Machine Learning," 2018.

[43] H. B. Moss, D. S. Leslie, and P. Rayson, "Using J-K-fold cross validation to reduce variance when tuning NLP models," *arXiv*, pp. 2978–2989, 2018.

[44] C. A. Ramezan, T. A. Warner, and A. E. Maxwell, "Evaluation of Sampling and Cross-Validation Tuning Strategies for Regional-Scale Machine Learning Classification," *Remote Sens.*, 2019, doi: 10.3390/rs11020185.

[45] H. Sujaini, "Image Classification of Tourist Attractions with K-Nearest Neighbor, Logistic Regression, Random Forest, and Support Vector Machine," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 10, no. 6, pp. 2207–2212, 2020, doi: 10.18517/ijaseit.10.6.9098.

[46] Y. Zhongguo, L. Hongqi, Z. Liping, L. Qiang, and S. Ali, "A case based method to predict optimal k value for k-NN algorithm," *J. Intell. Fuzzy Syst.*, vol. 33, pp. 55–65, 2017, doi: 10.3233/JIFS-161062.

[47] R. Rizaldi, A. Kurniawati, and C. V. Angkoso, "Implementasi Metode Euclidean Distance untuk Rekomendasi Ukuran Pakaian pada Aplikasi Ruang Ganti Virtual," *J. Teknol. Inf. dan Ilmu Komput.*, vol. 5, no. 2, p. 129, 2018, doi: 10.25126/jtiik.201852592.

[48] X. Wang, Y., Li, J., Li, Y., Wang, R., & Yang, "Confidence interval for F1 mea- sure of algorithm performance based on blocked 3 × 2 cross-validation," *IEEE Trans. Knowl. Data Eng.*, vol. 27, pp. 651–659, 2015.

[49] P. Galdi and R. Tagliaferri, "Data Mining : Accuracy and Error Measures for Classification and Prediction," *Elsevier*, no. January, pp. 1–15, 2017, doi: 10.1016/B978-0-12-809633-8.20474-3.