



















- chinensis*) peel extract and their application as chicken thigh packaging". *Food Packaging and Shelf Life*, 28, 100636. 2021.
- [23] S. Pandey, and S. Tiwari, "Facile approach to synthesize chitosan based composite-characterization and cadmium (II) ion adsorption studies. *Carbohydrate polymers*, 134, pp.646-656. 2015.
- [24] S. Kumari, S. H. K. Annamareddy, S. Abanti, and P.K. Rath, "Physicochemical properties and characterization of chitosan synthesized from fish scales, crab and shrimp shells". *International journal of biological macromolecules*, 104, pp.1697-1705. 2017.
- [25] M. M. Benamar, N. Ammar-Khodja, and L. Adour, "Biopolymers isolation (chitin and chitosan) from mushroom biomass of *Pleurotus ostreatus* (Jacq: Fries) Kummer". *Algerian Journal of Environmental Science and Technology*. 2021.
- [26] M. Hamdi, A. Hammami, S. Hajji, M. Jridi, M. Nasri, and R. Nasri, "Chitin extraction from blue crab (*Portunus segnis*) and shrimp (*Penaeus kerathurus*) shells using digestive alkaline proteases from *P. segnis* viscera. *International journal of biological macromolecules*, 101, pp.455-463. 2017.
- [27] M. Muthu, J. Gopal, S. Chun, A. J. P. Devadoss, N. Hasan, and I. Sivanesan, "Crustacean Waste-Derived Chitosan: Antioxidant Properties and Future Perspective". *Antioxidants*, 10(2), 228. 2021.
- [28] E. Rochima, S.Y. Azhary, R. I. Pratama, C. Panatarani, and I. M. Joni, "Preparation and Characterization of Nano Chitosan from Crab Shell Waste by Beads-milling Method". In *IOP Conference Series: Materials Science and Engineering*. IOP Publishing (Vol. 193, No. 1, p. 012043). April 2017.
- [29] S. Kalliola, E. Repo, V. Srivastava, J. P. Heiskanen, J. A. Sirviö, H. Liimatainen, and M. Sillanpää, "The pH sensitive properties of carboxymethyl chitosan nanoparticles cross-linked with calcium ions". *Colloids and Surfaces B: Biointerfaces*, 153, pp.229-236. 2017.
- [30] E. Lee, S. J. Park, J. H. Lee, M. S. Kim, and C. H. Kim, Preparation of chitosan-TPP nanoparticles and their physical and biological properties: *Asian Journal of Pharmaceutical Sciences*, 11(1), pp.166-167. 2016.
- [31] W. Lee, C. M. Petit, G. Cornilescu, J. L. Stark, and J. L. Markley, "The AUDANA algorithm for automated protein 3D structure determination from NMR NOE data". *Journal of biomolecular NMR*, 65(2), pp.51-57. 2016.
- [32] C. M. Yoshida, V.B.V. Maciel, M. E. D. Mendonça, and T. T. Franco, "Chitosan biobased and intelligent films: Monitoring pH variations". *LWT-Food Science and Technology*, 55(1), pp.83-89. 2014.
- [33] T. T. Nguyen, A. R.. Barber, P. Smith, X. Luo, and W. Zhang, "Application and optimization of the highly efficient and environmentally-friendly microwave-intensified lactic acid demineralization of deproteinized Rock lobster shells (*Jasus edwardsii*) for chitin production". *Food and Bioproducts Processing*, 102, pp.367-374. 2017.
- [34] B. Bradic, D. Bajec, A. Pohar, U. Novak, and B. Likozar, "A reaction-diffusion kinetic model for the heterogeneous N-deacetylation step in chitin material conversion to chitosan in catalytic alkaline solutions". *Reaction Chemistry & Engineering*, 3(6), 920-929. 2018.
- [35] A. Rampino, M. Borgogna, P. Blasi, B. Bellich, and A. Cesàro, "Chitosan nanoparticles: Preparation, size evolution and stability". *International journal of pharmaceutics*, 455(1), pp.219-228. 2013.
- [36] J. Hafsa, M. A. Smach, B. Charfeddine, K. Limem, H. Majdoub, and S. Rouatbi, "Antioxidant and antimicrobial proprieties of chitin and chitosan extracted from *Parapenaeus Longirostris* shrimp shell waste". In *Annales pharmaceutiques francaises* (Vol. 74, No. 1, pp. 27-33). 2016.
- [37] H. S. Adhikari, A. Garai, B. P. Marasini, R. Adhikari, and P.N. Yadav, "Synthesis and Characterization of High Molecular Weight Chitosan, and Antioxidant Activity of Its Chitosan Oligosaccharide Encapsulation". *Journal of Nepal Chemical Society*, 42(1), 29-38. 2021.
- [38] Y. L. Huang, and Y. H. Tsai, "Extraction of chitosan from squid pen waste by high hydrostatic pressure: Effects on physicochemical properties and antioxidant activities of chitosan". *International Journal of Biological Macromolecules*, 160, 677-687. 2020.