sponsored by Universiti Teknologi MARA, Malaysia under grant 600-RMI/DANA 5/3/LESTARI (20/2015).

REFERENCES

- M. N. Noorhuzaimi, S. Junaida, A. Noraziah, and K. H. Chen, "Evisitor information management system (E-VIMS) using MyKad," in *Proc. ICADIWT'08*, 2008, p. 44.
- [2] I. M. Yassin, A. Zabidi, M. S. A. M. Ali, N. M. Tahir, H. A. Hassan, H. Z. Abidin, and Z. I. Rizman, "Binary particle swarm optimization structure selection of nonlinear autoregressive moving average with exogenous inputs (NARMAX) model of a flexible robot arm," *International Journal on Advanced Science, Engineering and Information Technology*, vol. 6, pp. 630-637, Oct. 2016.
- [3] M. N. M. Nor, R. Jailani, N. M. Tahir, I. M. Yassin, Z. I. Rizman, and R. Hidayat, "EMG signals analysis of BF and RF muscles in autism spectrum disorder (ASD) during walking," *International Journal on Advanced Science, Engineering and Information Technology*, vol. 6, pp. 793-798, Oct. 2016.
- [4] N. Anwar, M. N. Masrek, and Y. R. Rambli, "Visitor management system by applying the model of UTAUT," in *Proc. IEEE ISBEIA'12*, 2012, p. 223.
- [5] S. Xiwen, "RFID technology-based museum ticketing and visitor management systems," in *Proc. ICIMIMIE'13*, 2013, p. 304.
- [6] S. Kumari, "Real time authentication system for RFID applications," *Indian Journal of Science and Technology*, vol. 7, pp. 47-51, Mar. 2014.
- [7] B. S. Satari, N. A. A. Rahman, and Z. M. Z. Abidin, "Face recognition for security efficiency in managing and monitoring visitors of an organization," in *Proc. ISBAST'14*, 2014, p. 95.
- [8] W. L. Zhao and C. W. Ngo, "Flip-invariant SIFT for copy and object detection," *IEEE Transactions on Image Processing*, vol. 22, pp. 980-991, Mar. 2013.
- [9] Y. Li, J. Zhou, A. Cheng, X. Liu, and Y. Y. Tang, "SIFT keypoint removal and injection via convex relaxation," *IEEE Transactions on Information Forensics and Security*, vol. 11, pp. 1722-1735, Aug. 2016.
- [10] X. Pan, C. Nian, T. Bochao, W. Shaowei, and W. Han, "Efficient SIFT descriptor via color quantization," in *Proc. ICCEC'14*, 2014, p. 1.
- [11] A. Kelman, M. Sofka, and C. V. Stewart, "Keypoint descriptors for matching across multiple image modalities and non-linear intensity variations," in *Proc. IEEE CCVPR'07*, 2007, p. 1.

- [12] S. Banerjee, J. Sweet, C. Sweet, and M. Lieberman, "Visual recognition of paper analytical device images for detection of falsified pharmaceuticals," in *Proc. IEEE WACV'16*, 2016, p. 1.
- [13] R. Girshick, J. Donahue, T. Darrell, and J. Malik, "Region-based convolutional networks for accurate object detection and segmentation," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. 38, pp. 142-158, Jan. 2016.
- [14] K. Lee, C. Lee, S. A. Kim, and Y. H. Kim, "Fast object detection based on color histograms and local binary patterns," in *Proc. IEEE TENCON'12*, 2012, p. 1.
- [15] Z. Hongming, G. Wen, C. Xilin, and Z. Debin, "Learning informative features for spatial histogram-based object detection," in *Proc. IEEE IJCNN'05*, 2005, p. 1806.
- [16] R. Palmer, G. West, and T. Tan, "Scale proportionate histograms of oriented gradients for object detection in co-registered visual and range data," in *Proc. DICTA'12*, 2012, pp. 1.
- [17] R. C. W. Phan and L. A. Mohammed, "On the security and design of MyKad," in *Proc. APCC'03*, 2003, p. 721.
- [18] D. G. Lowe, "Distinctive image features from scale-invariant keypoints," *International Journal of Computer Vision*, vol. 60, pp. 91-110, Nov. 2004.
- [19] P. Viola and M. Jones, "Rapid object detection using a boosted cascade of simple features," in *Proc. IEEE CVPR'01*, 2001, p. 511.
- [20] F. Kamaruzaman and A. A. Shafie, "Recognizing faces with normalized local Gabor features and spiking neuron patterns," *Pattern Recognition*, vol. 53, pp. 102-115, May 2016.
 [21] A. M. Martinez and R. Benavente, "The AR face database,"
- [21] A. M. Martinez and R. Benavente, "The AR face database," Computer Vision Center, Barcelona, Spain, CVC Technical Report, 1998.
- [22] A. M. Martinez, "Matching expression variant faces," Vision Research, vol. 43, pp. 1047-1060, Apr. 2003.
- [23] F. K. Zaman, A. A. Shafie, and Y. M. Mustafah, "Robust face recognition against expressions and partial occlusions," *International Journal of Automation and Computing*, vol. 13, pp. 319-337, Aug. 2016.
- [24] G. Lange, C. Y. Low, K. Johar, F. A. Hanapiah, and F. Kamaruzaman, "Classification of electroencephalogram data from hand grasp and release movements for BCI controlled prosthesis," *Procedia Technology*, vol. 26, pp. 374-381, Dec. 2016.