Melaka, and Center of Computing Technology and Network (CTN) Faculty of Computer Science and Mathematical Universiti Teknologi Mara, Malaysia, for offering facilities in term of research provision.

REFERENCES

[1] P. Alves, L. Antônio, S. Barreto, and N. Paulo, "Data centers ' services restoration based on the decision-making of distributed agents," *Telecommun. Syst.*, 2020, doi: 10.1007/s11235-020-00660-2.

[2] Y. Jin and H. J. Lee, "On-demand computation offloading architecture in fog networks," *Electron.*, vol. 8, no. 10, 2019, doi: 10.3390/electronics8101076.

[3] E. Hassan, Z. M. Yusof, and K. Ahmad, "Factors Affecting Information Quality in the Malaysian Public Sector," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 9, no. 1, pp. 32–38, 2019, doi: 10.18517/ijaseit.9.1.6385.

[4] J. Eloff and M. Bihina Bella, *Software Failure Investigation A Near-Miss Analysis Approach*, 1st ed. Cham, Switzerland: Springer International Publishing, 2018.

[5] J. Liu, F. Liu, X. Li, K. He, Y. Ma, and J. Wang, "Web Service Clustering Using Relational Database Approach," *Int. J. Softw. Eng. Knowl. Eng.*, vol. 25, no. 8, pp. 1365–1393, 2015, doi: 10.1142/S021819401550028X.

[6] J. Rahme and H. Xu, "A software reliability model for cloud-based software rejuvenation using dynamic fault trees," *Int. J. Softw. Eng. Knowl. Eng.*, vol. 25, no. 9–10, pp. 1491–1513, 2015, doi: 10.1142/S021819401540029X.

[7] M. H. Naim, M. K. A. Ghani, A. S. H. Basari, B. Aboobaider, L. Salahuddin, and W. N. A. Rashid, "Synchronization technique via raspbery Pi as middleware for hospital information system," *Adv. Intell. Syst. Comput.*, vol. 734, pp. 262–271, 2018, doi: 10.1007/978-3-319-76351-4_27.

[8] M. R. Mesbahi, A. M. Rahmani, and M. Hosseinzadeh, "Highly reliable architecture using the 80/20 rule in cloud computing datacenters," *Futur. Gener. Comput. Syst.*, vol. 77, pp. 77–86, 2017, doi: 10.1016/j.future.2017.06.011.

[9] K. Syed and K. Vijaya, "Cloud Computing: Review on Recent Research Progress and Issues," *Int. J. Adv. Trends Comput. Sci. Eng.*, vol. 8, no. 3, pp. 959–962, 2019, doi: 10.30534/ijatcse/2019/96832019.

[10] M. R. Mesbahi, A. M. Rahmani, and M. Hosseinzadeh, "Reliability and high availability in cloud computing environments: a reference roadmap," *Human-centric Comput. Inf. Sci.*, vol. 8, no. 1, 2018, doi: 10.1186/s13673-018-0143-8.

[11] I. Sittón-Candanedo, R. S. Alonso, J. M. Corchado, S. Rodríguez-González, and R. Casado-Vara, "A review of edge computing reference architectures and a new global edge proposal," *Futur. Gener. Comput. Syst.*, vol. 99, no. 2019, pp. 278–294, 2019, doi: 10.1016/j.future.2019.04.016.

[12] P. Hu, S. Dhelim, H. Ning, and T. Qiu, "Survey on fog computing: architecture, key technologies, applications and open issues," *J. Netw. Comput. Appl.*, vol. 98, no. September, pp. 27–42, 2017, doi: 10.1016/j.jnca.2017.09.002.

[13] K. Bilal, O. Khalid, A. Erbad, and S. U. Khan, "Potentials, trends, and prospects in edge technologies: Fog, cloudlet, mobile edge, and micro data centers," *Comput. Networks*, vol. 130, no. 2018, pp. 94–120, 2018, doi: 10.1016/j.comnet.2017.10.002.

[14] F. A. Kraemer, A. E. Braten, N. Tamkittikhun, and D. Palma, "Fog Computing in Healthcare-A Review and Discussion," *IEEE Access*, vol. 5, no. 2169, pp. 9206–9222, 2017, doi: 10.1109/ACCESS.2017.2704100.

[15] Y. Ren, R. Pazzi, and a Boukerche, "Monitoring patients via a secure and mobile healthcare system," *Wirel. Commun. IEEE*, vol. 17, no. February, pp. 59–65, 2010, doi: 10.1109/MWC.2010.5416351.

[16] A. M. Rahmani *et al.*, "Exploiting smart e-Health gateways at the edge of healthcare Internet-of-Things: A fog computing approach," *Futur. Gener. Comput. Syst.*, vol. 78, pp. 641–658, 2018, doi: 10.1016/j.future.2017.02.014.

[17] B. Snyder, J. Ringenberg, R. Green, V. Devabhaktuni, and M. Alam, "Evaluation and design of highly reliable and highly utilized cloud computing systems," *J. Cloud Comput.*, vol. 4, no. 1, 2015, doi: 10.1186/s13677-015-0036-6.

[18] R. Moreno-Vozmediano, R. S. Montero, E. Huedo, and I. M. Llorente, "Orchestrating the deployment of high availability services on multi-zone and multi-cloud scenarios," *J. Grid Comput.*, vol. 16, no. 1, pp. 39–53, 2017, doi: 10.1007/s10723-017-9417-z.

[19] H. Shahzad, X. Li, and M. Irfan, "Review of data replication techniques for mobile computing environment," *Res. J. Appl. Sci. Eng. Technol.*, vol. 6, no. 9, pp. 1639–1648, 2013, doi: 10.19026/rjaset.6.3883.

[20] R. K. Lomotey, S. Jamal, and R. Deters, "SOPHRA : A Mobile Web Services Hosting Infrastructure in mHealth," *2012 IEEE First Int. Conf. Mob. Serv.*, pp. 88–95, 2012, doi: 10.1109/MobServ.2012.14.

[21] L. Acquaviva *et al.*, "NoMISHAP: A Novel Middleware Support for High Availability in Multicloud PaaS," *IEEE Cloud Comput.*, vol. 4, no. 4, pp. 60–72, Jul. 2017, doi: 10.1109/MCC.2017.3791011.

[22] M. Singh and V. M. Srivastava, "Implementing architecture of fog computing for healthcare systems based on iot," *Int. J. Eng. Adv. Technol.*, vol. 8, no. 4C, pp. 23–27, 2019.

[23] H. Zhang, Y. Xiao, S. Bu, D. Niyato, R. Yu, and Z. Han, "Fog computing in multi-tier data center networks: A hierarchical game approach," *2016 IEEE Int. Conf. Commun. ICC 2016*, pp. 1–6, 2016, doi: 10.1109/ICC.2016.7511146.

[24] M. Tortonesi, M. Govoni, A. Morelli, G. Riberto, C. Stefanelli, and N. Suri, "Taming the IoT data deluge: An innovative information-centric service model for fog computing applications," *Futur. Gener. Comput. Syst.*, vol. 93, pp. 888–902, 2019, doi: 10.1016/j.future.2018.06.009.

[25] C. Bahn, "IEEE Standard Computer Dictionary: IEEE Standard Computer Glossaries." .

[26] L. Cassandra *et al.*, "Adopting an ISO / IEC 27005 : 2011-based Risk Treatment Plan to Prevent Patients from Data Theft," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 10, no. 3, pp. 914–919, 2020.

[27] Y. Tang, H. Sun, X. Wang, and X. Liu, "Achieving convergent causal consistency and high availability for cloud storage," *Futur. Gener. Comput. Syst.*, vol. 74, pp. 20–31, 2017, doi: 10.1016/j.future.2017.04.016.

[28] M. R.Kaseb, M. H. Khafaqy, I. A. Ali, and E. M.Saad, "An Improved Technique For Increasing Availability in Big Data Replication," *Futur. Gener. Comput. Syst.*, no. 91, pp. 493–505, 2019.

[29] P. Alves Lima, A. Sá Barreto Neto, and P. Romero Martins MacIel, "Data Centers Service Restoration Based on Distributed Agents Decision," *Proc. - 2018 IEEE Int. Conf. Syst. Man, Cybern. SMC 2018*, pp. 1611–1616, 2019, doi: 10.1109/SMC.2018.00279.

[30] M. Stoicescu, J. C. Fabre, and M. Roy, "Architecting resilient computing systems: A component-based approach for adaptive fault tolerance," *J. Syst. Archit.*, vol. 73, pp. 6–16, 2017, doi: 10.1016/j.sysarc.2016.12.005.

[31] M. Jammal, H. Hawilo, A. Kanso, and A. Shami, "Generic input template for cloud simulators: A case study of CloudSim," *Softw. - Pract. Exp.*, vol. 49, no. 5, pp. 720–747, 2019, doi: 10.1002/spe.2674.

[32] A. Alelaiwi, "An efficient method of computation offloading in an edge cloud platform," *J. Parallel Distrib. Comput.*, vol. 127, pp. 58–64, 2019, doi: 10.1016/j.jpdc.2019.01.003.

[33] Y. Aldwyan and R. O. Sinnott, "Latency-aware failover strategies for containerized web applications in distributed clouds Cloud Failover Techniques :," *Futur. Gener. Comput. Syst.*, vol. 101, pp. 1081–1095, 2019, doi: 10.1016/j.future.2019.07.032.

[34] F. Tang, C. Liu, K. Li, Z. Tang, and K. Li, "Task Migration Optimization for Guaranteeing Delay Deadline with Mobility Consideration in Mobile Edge Computing," *J. Syst. Archit.*, p. 101849, 2020, doi: 10.1016/j.sysarc.2020.101849.

[35] J. H. Lee and J. M. Gil, "Adaptive fault-tolerant scheduling strategies for mobile cloud computing," *J. Supercomput.*, vol. 75, no. 8, pp. 4472–4488, 2019, doi: 10.1007/s11227-019-02745-5.