



















- Food Sci. Nutr.*, vol. 60, no. 22, pp. 3807–3821, Dec. 2020, doi: 10.1080/10408398.2019.1708264.
- [15] D. Giacalone, T. K. Degn, N. Yang, C. Liu, I. Fisk, and M. Münchow, “Common roasting defects in coffee: Aroma composition, sensory characterization and consumer perception,” *Food Qual. Prefer.*, vol. 71, pp. 463–474, Jan. 2019, doi: 10.1016/j.foodqual.2018.03.009.
- [16] N. Bhumiratana, K. Adhikari, and E. Chambers, “Evolution of sensory aroma attributes from coffee beans to brewed coffee,” *LWT - Food Sci. Technol.*, vol. 44, no. 10, pp. 2185–2192, 2011, doi: 10.1016/j.lwt.2011.07.001.
- [17] L. M. Hamilton and J. Lahne, “Assessment of instructions on panelist cognitive framework and free sorting task results: A case study of cold brew coffee,” *Food Qual. Prefer.*, vol. 83, no. August 2019, p. 103889, 2020, doi: 10.1016/j.foodqual.2020.103889.
- [18] J. Baggenstoss, L. Poisson, R. Kaegi, R. Perren, and F. Escher, “Coffee Roasting and Aroma Formation: Application of Different Time-Temperature Conditions,” *J. Agric. Food Chem.*, vol. 56, pp. 5836–5846, 2008, doi: 10.1021/jf800327j.
- [19] C. N. Cain *et al.*, “Analytical Determination of the Severity of Potato Taste Defect in Roasted East African Arabica Coffee,” *J. Agric. Food Chem.*, vol. 69, no. 7, pp. 2253–2261, Feb. 2021, doi: 10.1021/acs.jafc.1c00605.
- [20] E. Bary, “Coffee delivery from indie shops is surging amid COVID-19, new data show,” 2020. <https://www.marketwatch.com/story/coffee-delivery-from-indie-shops-is-surging-amid-covid-19-new-data-show-2020-05-21>.
- [21] M. Münchow, J. Alstrup, I. Steen, and D. Giacalone, “Roasting conditions and coffee flavor: A multi-study empirical investigation,” *Beverages*, vol. 6, no. 2, pp. 1–14, Jun. 2020, doi: 10.3390/beverages6020029.
- [22] J. S. Cho, H. J. Bae, B. K. Cho, and K. D. Moon, “Qualitative properties of roasting defect beans and development of its classification methods by hyperspectral imaging technology,” *Food Chem.*, vol. 220, pp. 505–509, Apr. 2017, doi: 10.1016/j.foodchem.2016.09.189.
- [23] H. T. Lawless and H. Heymann, *Sensory Evaluation of Food: Principles and Practices*. New York: Chapman & Hall, 1998.
- [24] A. Abdelwareth, A. Zayed, and M. A. Farag, “Chemometrics-based aroma profiling for revealing origin, roasting indices, and brewing method in coffee seeds and its commercial blends in the Middle East,” *Food Chem.*, vol. 349, p. 129162, 2021, doi: 10.1016/j.foodchem.2021.129162.
- [25] K. Williamson and E. Hatzakis, “Evaluating the effect of roasting on coffee lipids using a hybrid targeted-untargeted NMR approach in combination with MRI,” *Food Chem.*, vol. 299, no. July, p. 125039, 2019, doi: 10.1016/j.foodchem.2019.125039.
- [26] I. Steen, S. S. Waehrens, M. A. Petersen, M. Münchow, and W. L. P. Bredie, “Influence of serving temperature on flavour perception and release of Bourbon Caturra coffee,” *Food Chem.*, vol. 219, pp. 61–68, 2017, doi: 10.1016/j.foodchem.2016.09.113.
- [27] I. Kim *et al.*, “Physicochemical characteristics of Ethiopian Coffea arabica cv. Heirloom coffee extracts with various roasting conditions,” *Food Sci. Biotechnol.*, vol. 30, no. 2, pp. 235–244, 2021, doi: 10.1007/s10068-020-00865-w.
- [28] M. Ginz, H. H. Balzer, A. G. W. Bradbury, and H. G. Maier, “Formation of aliphatic acids by carbohydrate degradation during roasting of coffee,” *Eur. Food Res. Technol.*, vol. 211, no. 6, pp. 404–410, 2000, doi: 10.1007/s002170000215.
- [29] M. Weers, H. Balzer, A. Bradbury, and O. G. Vitzthum, “Analysis of acids in coffee by capillary electrophoresis,” in *Association Scientifique Internationale du Café (ASIC) Paris (ed). 16th International Scientific Colloquium on Coffee, Kyoto 9.4.-14.4.1995*, 1995, pp. 218–223.
- [30] L. A. Mielby *et al.*, “See, feel, taste: The influence of receptacle colour and weight on the evaluation of flavoured carbonated beverages,” *Foods*, vol. 7, no. 8, Aug. 2018, doi: 10.3390/foods7080119.
- [31] F. M. Carvalho and C. Spence, “Cup colour influences consumers’ expectations and experience on tasting specialty coffee,” *Food Qual. Prefer.*, vol. 75, pp. 157–169, Jul. 2019, doi: 10.1016/j.foodqual.2019.03.001.
- [32] M. J. Higgins and J. E. Hayes, “Learned color taste associations in a repeated brief exposure paradigm,” *Food Qual. Prefer.*, vol. 71, pp. 354–365, Jan. 2019, doi: 10.1016/j.foodqual.2018.08.013.
- [33] N. Dulsat-Serra, B. Quintanilla-Casas, and S. Vichi, “Volatile thiols in coffee: A review on their formation, degradation, assessment and influence on coffee sensory quality,” *Food Res. Int.*, vol. 89, pp. 982–988, Nov. 2016, doi: 10.1016/j.foodres.2016.02.008.
- [34] J. K. Moon and T. Shibamoto, “Role of roasting conditions in the profile of volatile flavor chemicals formed from coffee beans,” *J. Agric. Food Chem.*, vol. 57, no. 13, pp. 5823–5831, 2009, doi: 10.1021/jf901136e.
- [35] N. Caporaso, M. B. Whitworth, C. Cui, and I. D. Fisk, “Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS,” *Food Res. Int.*, vol. 108, pp. 628–640, 2018, doi: <https://doi.org/10.1016/j.foodres.2018.03.077>.
- [36] M. Haile, H. M. Bae, and W. H. Kang, “Comparison of the Antioxidant Activities and Volatile Compounds of Coffee Beans Obtained Using Digestive Bio-Processing (Elephant Dung Coffee) and Commonly Known Processing Methods,” 2020.
- [37] M. Fakhri, K. Nuri, and N. Wulandari, “Metabolomic approach for understanding phenolic compounds and melanoidin roles on antioxidant activity of Indonesia robusta and arabica coffee extracts,” *Food Sci. Biotechnol.*, 2017, doi: 10.1007/s10068-017-0228-6.
- [38] N. Caporaso, M. B. Whitworth, C. Cui, and I. D. Fisk, “Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS,” *Food Res. Int.*, vol. 108, pp. 628–640, 2018, doi: 10.1016/j.foodres.2018.03.077.
- [39] F. B. Mortzfeld, C. Hashem, K. Vranková, M. Winkler, and F. Rudroff, “Pyrazines: Synthesis and Industrial Application of these Valuable Flavor and Fragrance Compounds,” *Biotechnology Journal*, vol. 15, no. 11, Wiley-VCH Verlag, Nov. 01, 2020, doi: 10.1002/biot.202000064.
- [40] I. Blank, A. Sen, and W. Grosch, “Potent odorants of the roasted powder and brew of Arabica coffee,” *Z. Lebensm. Unters. Forsch.*, vol. 195, no. 3, pp. 239–245, 1992, doi: 10.1007/BF01202802.