



















- [8] P. K. Sappati, B. Nayak, and P. VanWalsum, "Effect of Glass Transition on The Shrinkage of Sugar Kelp (*Saccharina Latissima*) During Hot Air Convective Drying," *J. Food Eng.*, vol. 210, pp. 50–61, 2017, doi: <https://doi.org/10.1016/j.jfoodeng.2017.04.018>.
- [9] S. Suherman, M. Djaeni, A. C. Kumoro, R. A. Prabowo, S. Rahayu, and S. Khasanah, "Comparison Drying Behavior of Seaweed in Solar, Sun and Oven Tray Dryers," *MATEC Web Conf.*, vol. 156, pp. 1–4, 2018, doi: 10.1051/mateconf/201815605007.
- [10] H. Phang, C. Chu, S. Kumaresan, M. Rahman, and S. Yasir, "Preliminary Study of Seaweed Drying Under a Shade and in a Natural Draft Solar Dryer," *Int. J. Sci. Eng.*, vol. 8, no. 1, pp. 10–14, 2015, doi: 10.12777/ijse.8.1.10-14.
- [11] M. Naim, B. Burhanuddin, D. Lapondu, and R. Roslan, "Rancang Bangun Protipe Oven Pengering Rumput Laut untuk UKM di Wilayah Kabupaten Luwu Timur," *Din. J. Ilm. Tek. Mesin*, vol. 10, no. 1, pp. 47–54, 2018, doi: 10.33772/djitm.v10i1.4845.
- [12] I. Ardiansah, N. Bafdal, E. Suryadi, and A. Bono, "Greenhouse monitoring and automation using arduino: A review on precision farming and Internet of Things (IoT)," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 10, no. 2, pp. 703–709, 2020, doi: 10.18517/ijaseit.10.2.10249.
- [13] L. Zheng, Y. Ying, and W. Wang, "Automatic Monitoring System of Temperature-Humidity for Lab," in *2010 Chinese Control and Decision Conference*, 2010, pp. 4258–4261, doi: 10.1109/CCDC.2010.5498394.
- [14] M. Simic, "Design and Development of Air Temperature and Relative Humidity Monitoring System with AVR Processor-Based Web Server," in *2014 International Conference and Exposition on Electrical and Power Engineering (EPE)*, 2014, pp. 038–041, doi: 10.1109/ICEPE.2014.6969864.
- [15] Y. Y. Maulana, G. Wiranto, D. Kurniawan, I. Syamsu, and D. Mahmudin, "Online Monitoring of Shrimp Aquaculture in Bangka Island using Wireless Sensor Network," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 8, no. 2, pp. 358–364, 2018, doi: 10.18517/ijaseit.8.2.2428.
- [16] S. Azhani *et al.*, "Sensory and Physical Properties of Pla-duk-ra (Dried Fermented Catfish) at Different Conditions of Drying," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 8, p. 1597, 2018, doi: <https://www.researchgate.net/deref/http%3A%2F%2Fdx.doi.org%2F10.18517%2Fijaseit.8.4-2.7038>.
- [17] B. Chang and X. Zhang, "Design of indoor temperature and humidity monitoring system based on CC2430 and fuzzy-PID," 2011, doi: 10.1109/CSQRWC.2011.6037121.
- [18] A. B. Putranto, B. I. Laksono, and B. Nurdianto, "Aplikasi Sensor SHT11 Pada Pengukuran Suhu Tanah," *J. Meteorol. dan Geofis.*, vol. 10, no. 1, pp. 66–72, 2009, doi: <http://dx.doi.org/10.31172/jmg.v10i1.34>.
- [19] Purnomo and Purnamawati, "Pengendali Home Appliances Menggunakan Telepon Selluler Berbasis Mikrokontroler ATMega 16," *JETC*, vol. 12, no. 1, pp. 25–37, 2017.
- [20] A. R. Agusta, J. Andjarwirawan, and R. Lim, "Implementasi Internet of Things Untuk Menjaga Kelembaban Udara Pada Budidaya Jamur," *J. Infra*, vol. 7, no. 2, pp. 95–100, 2019.
- [21] A. H. Saptadi, "Perbandingan Akurasi Pengukuran Suhu dan Kelembaban Antara Sensor DHT11 dan DHT22 Studi Komparatif pada Platform ATMEL AVR dan Arduino," *J. Inform. dan Elektron.*, 2015, doi: 10.20895/infotel.v6i2.73.
- [22] X. Wang, "Temperature and Humidity Monitoring System Based on GSM Module," *Int. J. Comput. Consum. Control*, vol. 3, no. 1, pp. 41–49, 2014.
- [23] A. Goeritno, D. J. Nugroho, and R. Yatim, "Implementasi Sensor SHT11 untuk Pengkondisian Suhu dan Kelembaban Relatif Berbantuan Mikrokontroler," in *Seminar Nasional Sains dan Teknologi*, 2014, pp. 1–13.