













## ACKNOWLEDGMENT

This research is one of the Malaysian Government funded projects under Ministry of Higher Education (MOHE) Long Term Research Grant (LRGS) with reference number LRGS/TD/2011/UKM/ICT/02.

## REFERENCES

- [1] O. Amft, and P. Lukowicz, "From backpacks to smartphones: Past, present, and future of wearable computers". *IEEE Pervasive Computing*, vol. 3, pp. 8-13, 2009.
- [2] P. Wuttidittachotti, and T. Daengsi, "QoE of social network applications: A study of VoIP quality from Skype vs LINE over 3G and 4G", in *Seventh International Conference on Ubiquitous and Future Networks (ICUFN)*, 2015, pp. 462-464.
- [3] M. Lin, H. Choi, T. Dawson, and T. La Porta. "Network integration in 3G and 4G wireless networks," in *Proceedings of 19th International Conference on Computer Communications and Networks (ICCCN)*, 2010, 2000, pp. 1-8.
- [4] Y. Cui, P. Wu, M. Xu, J. Wu, Y. L. Lee, A. Durand, and C. Metz "Network layer virtualization for IPv4-IPv6 coexistence," *IEEE Network*, 26(5), pp. 44-48, 2012.
- [5] C. K. Toh, *Ad Hoc Mobile Wireless Networks: Protocols and Systems*. Pearson Education. 2001.
- [6] (2015) Smart City & Smart Village. [Online]. Available: <http://www.gsiac.org/programmes/smart-city-smart-village-2/>
- [7] J. Kwak, J. H. Jin, and M. J. Lee, "A Mobile Application for Information Sharing and Collaboration among Co-located People," in *Proceedings of the 7th International Interdisciplinary Workshop Series, 2015*, Vol.106, pp.17-21.
- [8] Y. Wang, L. Wei, Q. Jin, and J. Ma, "AllJoyn based direct proximity service development: Overview and prototype," in *17th International Conference on Computational Science and Engineering (CSE)*, 2014, pp. 634-641.
- [9] F. Lin, B. Chen, C. Y. Chan, C. H. Wu, W. H. Ip, A. Mai, H. Wang, and W. Liu, "The design of a lightweight RFID middleware," *International Journal of Engineering Business Management*, vol. 1(2), pp. 25-30, 2009.
- [10] B. S. Prabhu, X. Su, C. Qiu, H. Ramamurthy, P. Chu, and R. Gadh, "WinRFID—middleware for distributed RFID infrastructure," *International Workshop on Radio Frequency Identification (RFID) and Wireless Sensors*, 2015.
- [11] P. Tran, P. Greenfield, and I. Gorton, "Behavior and performance of message-oriented middleware systems," in *22<sup>nd</sup> International Conference on Distributed Computing Systems Workshops*, 2002, pp. 645-650.
- [12] W. Tian, R. Xue, X. Dong, and H. Wang, "An approach to design and implement RFID middleware system over cloud computing," *International Journal of Distributed Sensor Networks*, vol. 2013, pp. 1-13, 2013.
- [13] (2016) Facebook for developers. [Online]. Available: <https://developers.facebook.com/docs/android/>
- [14] (2016) Spotify developer. [Online]. Available: <https://developer.spotify.com/technologies/spotify-android-sdk/>
- [15] (2016) Qualcomm developer network. [Online]. Available: <https://developer.qualcomm.com/software/lte-broadcast-sdk>
- [16] N. Al-Rawahi and Y. Baghdadi, "Approaches to identify and develop Web services as instance of SOA architecture," in *International Conference Services Systems and Services Management, ICSSSM'05. 2005*, vol. 1, pp. 579-584.
- [17] D. Controneo, C. D. Flora, and S. Russo, "Improving dependability of service oriented architectures for pervasive computing," in *Eighth International Workshop on Object-Oriented Real-Time Dependable Systems, WORDS, 2003*, pp. 74-81.
- [18] R. Welke, R. Hirschheim, and A. Schwarz (2011). Service oriented architecture maturity. [Online]. Available: <https://www.infoq.com/articles/soa-maturity-model>.
- [19] S. Kumari, and S. K. Rath, "Performance comparison of SOAP and REST based Web Services for Enterprise Application Integration," in *International Conference on Advances in Computing, Communications and Informatics (ICACCI), 2015*, pp. 1656-1660.
- [20] X. Shi, "Sharing service semantics using SOAP-based and REST web services." *IT Professional*, vol. 8(2), pp. 18-24, 2006.
- [21] O. Liskin , L. Singer, and K. Schneider, "Welcome to the real world: A notation for modeling REST services," *Internet Computing*, vol. 16(4), 36-44. 2012.
- [22] J. Li, Y. Xiong, X. Liu, and L. Zhang, "How does web service API evolution affect clients?" in *20<sup>th</sup> IEEE International Conference on Web Services (ICWS), 2013*, pp. 300-307.
- [23] L. Garber, "The lowly API is ready to step front and center". *Computer*, vol.8, pp. 14-17. 2013.
- [24] (2014) R. Horrigan. API Vs. SDK: What The What?. [Online] Available: <http://robhorrigan.com/api-vs-sdk-what-the-what/>
- [25] (2009) G. Simon. Infrastructureless Wireless networks. [Online] Available: <http://www.slideshare.net/gwendal-/infrastructureless-wireless-networks>
- [26] (2014) HTG Explains: What's the Difference between Ad-Hoc and Infrastructure Mode?. [Online]. Available: <http://www.howtogeek.com/180649/htg-explains-whats-the-difference-between-ad-hoc-and-infrastructure-mode/>
- [27] Introducing JSON [Online]. Available: <http://www.json.org/>
- [28] J. Jeong, D. Shin, and D. Shin, "An XML-based single sign-on scheme supporting mobile and home network service environments," *IEEE Transactions on Consumer Electronics*, vol. 50(4), pp. 1081-1086. 2004.
- [29] S. Hodges, S. Taylor, N. Villar, J. Scott, D. Bial., and P. T. Fischer, "Prototyping connected devices for the Internet of Things". *Computer*, vol. 46(2), pp. 26-34. 2013.
- [30] N. H Azizul, M. F. Nasruddin, M. R. Mokhtar and A. M. Zin, "Advanced ubiquitous computing to support smart city smart village applications," in *International Conference on Electrical Engineering and Informatics (ICEEI), 2015*, pp. 720-725.
- [31] F. Lin, and B. Chen, "The design of a lightweight RFID middleware", *International Journal of Engineering Business Management*, vol. 1(2), pp. 25-30, 2009.
- [32] B. S. Prabhu, X. Su, H. Ramamurthy, C. Chu, R. Gadh, "WinRFID: a middleware for the enablement of radio frequency identification (RFID) based applications", in *Proceedings of the Wireless Internet for the Mobile Enterprise Consortium (WINMEC '05), 2005*. In *Mobile, Wireless and Sensor Networks: Technology, Applications and Future*, pp. 331-336, John Wiley & Sons, 2005.
- [33] P. Tran, P. Greenfield, I. Gorton, "Behavior and performance of message-oriented middleware systems," in *Proceedings of the 22<sup>nd</sup> International Conference on Distributed Computing Systems*, 2002.
- [34] W. Tian, R. Xue, X. Dong, and H. Wang, "An Approach to Design and Implement RFID Middleware System over Cloud Computing". *International Journal of Distributed Sensor Network*, vol. 9(10), 2013.