Boundary-Layer Meteorol., vol. 149, no. 1, pp. 105-132, 2013, doi: 10.1007/s10546-013-9838-6.

- [9] H. Duan, Y. Li, T. Zhang, Z. Pu, C. Zhao, and Y. Liu, "Evaluation of the Forecast Accuracy of Near-Surface Temperature and Wind in Northwest China Based on the WRF Model," *J. Meteorol. Res.*, vol. 32, no. 3, pp. 469–490, 2018, doi: 10.1007/s13351-018-7115-9.
- [10] S. Sharma, R. Siddique, S. Reed, P. Ahnert, and A. Mejia, "Hydrological model diversity enhances streamflow forecast skill at short-to medium-range timescales," *Water Resour. Res.*, vol. 55, no. 2, pp. 1510–1530, 2019, doi: 10.1029/2018WR023197.
- [11] S. Höfinger, T. Ruh, and E. Haunschmid, "Fast Approximate Evaluation of Parallel Overhead from a Minimal Set of Measured Execution Times," *Parallel Process. Lett.*, vol. 28, no. 1, pp. 1–12, 2018, doi: 10.1142/S0129626418500032.
- [12] W. Wu, L. He, W. Lin, R. Mao, and S. Jarvis, "SAFA: A semiasynchronous protocol for fast federated learning with low overhead," *IEEE Trans. Comput.*, vol. 70, no. 5, pp. 1–16, 2019, doi: 10.1109/tc.2020.2994391.
- [13] D. Meyer *et al.*, "WRF-TEB: Implementation and Evaluation of the Coupled Weather Research and Forecasting (WRF) and Town Energy Balance (TEB) Model," *J. Adv. Model. Earth Syst.*, vol. 12, no. 8, p. 18, 2020, doi: 10.1029/2019MS001961.
- [14] A. Golzio, S. Ferrarese, C. Cassardo, G. Adele, and D. Manuela, "Land-Use Improvements in the Weather Research and Forecasting Model over Complex Mountainous Terrain and Comparison of Different Grid Sizes," *Boundary-Layer Meteorol.*, p. 33, 2021, doi: 10.1007/s10546-021-00617-1.
- [15] H. Schmitz, "Schnek: A C++ library for the development of parallel simulation codes on regular grids," *Comput. Phys. Commun.*, vol. 226, pp. 151–164, 2018, doi: 10.1016/j.cpc.2017.12.023.
- [16] D. Koo et al., "An empirical study of I/O separation for burst buffers in HPC systems," J. Parallel Distrib. Comput., vol. 148, pp. 96–108,

2021, doi: 10.1016/j.jpdc.2020.10.007.

- [17] C. Hollowell, J. Barnett, C. Caramarcu, W. Strecker-Kellogg, A. Wong, and A. Zaytsev, "Mixing HTC and HPC Workloads with HTCondor and Slurm," *J. Phys. Conf. Ser.*, vol. 898, no. 8, p. 8, 2017, doi: 10.1088/1742-6596/898/8/082014.
- [18] N. Malitsky et al., "Building near-real-time processing pipelines with the spark-MPI platform," in 2017 New York Scientific Data Summit (NYSDS), 2017, pp. 1–8, doi: 10.1109/NYSDS.2017.8085039.
- [19] E. R. Cook, S. G. Shiyatov, V. S. Mazepa, A. Ecology, and U. Branch, *Treering standardization and growth-trend estimation . In .: Cook E . Kairiukstis L . (eds .)*, no. April 2016. Springer-Science+Business Media, B. V., 1990.
- [20] P. Singh, B. Khan, A. Vidyarthi, H. H. Alhelou, and P. Siano, "Energyaware online non-clairvoyant scheduling using speed scaling with arbitrary power function," *Appl. Sci.*, vol. 9, no. 7, 2019, doi: 10.3390/app9071467.
- [21] Y. Monno, D. Kiku, M. Tanaka, and M. Okutomi, "Adaptive residual interpolation for color and multispectral image demosaicking," *Sensors (Switzerland)*, vol. 17, no. 12, pp. 1–21, 2017, doi: 10.3390/s17122787.
- [22] E. V. Konopatskiy and A. A. Bezditnyi, "Geometric modeling of multifactor processes and phenomena by the multidimensional parabolic interpolation method," *J. Phys. Conf. Ser.*, vol. 1441, no. 1, 2020, doi: 10.1088/1742-6596/1441/1/012063.
- [23] Z. Ye, W. Zhou, L. Zhang, Y. Ge, K. Xiao, and Y. Deng, "Multi-user mobile sequential recommendation: An efficient parallel computing paradigm," in *Proceedings of the ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, 2018, pp. 2624–2633, doi: 10.1145/3219819.3220111.
- [24] R. Moreno *et al.*, "Analysis of a New MPI Process Distribution for the Weather Research and Forecasting (WRF) Model," *Sci. Program.*, vol. 2020, no. i, p. 13, 2020, doi: 10.1155/2020/8148373.