











- "Effects of soil conservation practices on soil erosion and the size selectivity of eroded sediment on cultivated slopes," *J. Mt. Sci.* 2021 185, vol. 18, no. 5, pp. 1222–1234, May 2021, doi: 10.1007/S11629-020-6569-2.
- [4] S. Swarnkar, A. Malini, S. Tripathi, and R. Sinha, "Assessment of uncertainties in soil erosion and sediment yield estimates at ungauged basins: An application to the Garra River basin, India," *Hydrol. Earth Syst. Sci.*, vol. 22, no. 4, pp. 2471–2485, Apr. 2018, doi: 10.5194/HESS-22-2471-2018.
- [5] C. Setyawan, C.-Y. Lee, and M. Prawitasari, "Investigating spatial contribution of land use types and land slope classes on soil erosion distribution under tropical environment," *Nat. Hazards* 2019 982, vol. 98, no. 2, pp. 697–718, Aug. 2019, doi: 10.1007/S11069-019-03725-X.
- [6] S. A. Nehai and M. S. Guettouche, "Soil loss estimation using the revised universal soil loss equation and a GIS-based model: a case study of Jijel Wilaya, Algeria," *Arab. J. Geosci.* 2020 134, vol. 13, no. 4, pp. 1–13, Feb. 2020, doi: 10.1007/S12517-020-5160-Z.
- [7] B. P. Ganasri and H. Ramesh, "Assessment of soil erosion by RUSLE model using remote sensing and GIS - A case study of Nethravathi Basin," *Geosci. Front.*, vol. 7, no. 6, pp. 953–961, Nov. 2016, doi: 10.1016/J.GSF.2015.10.007.
- [8] A. Teshome *et al.*, "Soil erosion modelling using GIS and revised universal soil loss equation approach: a case study of Guna-Tana landscape, Northern Ethiopia," *Model. Earth Syst. Environ.* 2020 71, vol. 7, no. 1, pp. 125–134, Jun. 2020, doi: 10.1007/S40808-020-00864-0.
- [9] B. Das, A. Paul, R. Bordoloi, O. P. Tripathi, and P. K. Pandey, "Soil erosion risk assessment of hilly terrain through integrated approach of RUSLE and geospatial technology: a case study of Tirap District, Arunachal Pradesh," *model. Earth Syst. Environ.* 2018 41, vol. 4, no. 1, pp. 373–381, Mar. 2018, doi: 10.1007/S40808-018-0435-Z.
- [10] H. Abdo and J. Salloum, "Mapping the soil loss in Marqya basin: Syria using RUSLE model in GIS and RS techniques," *Environ. Earth Sci.* 2017 763, vol. 76, no. 3, pp. 1–10, Jan. 2017, doi: 10.1007/S12665-017-6424-0.
- [11] M. F. Danesh, M. R. D. Ghaleno, E. Alvandi, S. G. Meshram, and E. Kahya, "Predicting the Impacts of Optimal Residential Development Scenario on Soil Loss Caused by Surface Runoff and Raindrops Using TOPSIS and WetSpa Models," *Water Resour. Manag.* 2020 3410, vol. 34, no. 10, pp. 3257–3277, Jul. 2020, doi: 10.1007/S11269-020-02611-7.
- [12] C. J. L. M. Falcão, S. M. de A. Duarte, and A. da Silva Veloso, "Estimating potential soil sheet Erosion in a Brazilian semiarid county using USLE, GIS, and remote sensing data," *Environ. Monit. Assess.* 2019 1921, vol. 192, no. 1, pp. 1–11, Dec. 2019, doi: 10.1007/S10661-019-7955-5.
- [13] A. Bera, "Assessment of soil loss by universal soil loss equation (USLE) model using GIS techniques: a case study of Gumti River Basin, Tripura, India," *Model. Earth Syst. Environ.* 2017 31, vol. 3, no. 1, pp. 1–9, Mar. 2017, doi: 10.1007/S40808-017-0289-9.
- [14] R. D. Hariyanto, T. N. Harsono, and F. Fadiarman, "Prediksi Laju Erosi Menggunakan Metode USLE (Universal Soil Loss Equation) Di Desa Karang Tengah Kecamatan Babakan Madang Kabupaten Bogor," *J. Geogr. Edukasi dan Lingkungan.*, vol. 3, no. 2, pp. 92–99, Jul. 2019, doi: 10.29405/JGEL.V3I2.3580.
- [15] Y. Mukanov *et al.*, "Estimation of annual average soil loss using the Revised Universal Soil Loss Equation (RUSLE) integrated in a Geographical Information System (GIS) of the Esil River basin (ERB), Kazakhstan," *Acta Geophys.* 2019 673, vol. 67, no. 3, pp. 921–938, May 2019, doi: 10.1007/S11600-019-00288-0.
- [16] M. Ebrahimi, H. Nejadsoleymani, A. Sadeghi, and M. R. Mansouri Daneshvar, "Assessment of the soil loss-prone zones using the USLE model in northeastern Iran," *Paddy Water Environ.* 2020 191, vol. 19, no. 1, pp. 71–86, Sep. 2020, doi: 10.1007/S10333-020-00820-9.
- [17] I. Ahmad, M. A. Dar, and T. G. Andualem, "Assessment of soil loss rate—Lake Tana basin, Ethiopia," *Arab. J. Geosci.* 2019 131, vol. 13, no. 1, pp. 1–7, Dec. 2019, doi: 10.1007/S12517-019-5013-9.
- [18] T. Sabzevari and A. Talebi, "Effect of hillslope topography on soil erosion and sediment yield using USLE model," *Acta Geophys.* 2019 676, vol. 67, no. 6, pp. 1587–1597, Sep. 2019, doi: 10.1007/S11600-019-00361-8.
- [19] M. Belayneh, T. Yirgu, and D. Tsegaye, "Effects of soil and water conservation practices on soil physicochemical properties in Gumara watershed, Upper Blue Nile Basin, Ethiopia," *Ecol. Process.* 2019 81, vol. 8, no. 1, pp. 1–14, Aug. 2019, doi: 10.1186/S13717-019-0188-2.
- [20] M. Zare, M. Mohammady, and B. Pradhan, "Modeling the effect of land use and climate change scenarios on future soil loss rate in Kasilian watershed of northern Iran," *Environ. Earth Sci.* 2017 768, vol. 76, no. 8, pp. 1–15, Apr. 2017, doi: 10.1007/S12665-017-6626-5.
- [21] S. Yin *et al.*, "Regional soil erosion assessment based on a sample survey and geostatistics," *Hydrol. Earth Syst. Sci.*, vol. 22, no. 3, pp. 1695–1712, Mar. 2018, doi: 10.5194/HESS-22-1695-2018.
- [22] Herizal, "La Nina Sedang Berkembang di Samudra Pasifik, Waspadai Dampaknya di Indonesia | BMKG," *Badan Meteorologi, Klimatologi, dan Geofisika (BMKG)*, Oct. 03, 2020. <https://www.bmkg.go.id/berita/?p=la-nina-sedang-berkembang-di-samudra-pasifik-waspadai-dampaknya-di-indonesia&lang=ID&s=detail> (accessed Sep. 03, 2021).
- [23] Humas, "Cegah Longsor, Presiden Jokowi Instruksikan Kepala BNPB Tanam Akar Wangi di Area-Area Gundul," *Sekretariat Kabinet Republik Indonesia*, Jan. 05, 2020. <https://setkab.go.id/cegah-longsor-presiden-jokowi-instruksikan-kepala-bnpb-tanam-akar-wangi-di-area-area-gundul/> (accessed Sep. 03, 2021).
- [24] Nutrition Division, "Fats and fatty acid in human nutrition: Report of an expert consultation," Rome, 2010. Accessed: Sep. 03, 2021. [Online]. Available: <http://www.fao.org/documents/card/en/c/8c1967eb-69a8-5e62-9371-9c18214e6fce/>.
- [25] J.-W. Lee, W.-K. Kim, J. Han, W.-H. Jang, and C.-H. Kim, "Fault area estimation using traveling wave for wide area protection," *J. Mod. Power Syst. Clean Energy* 2016 43, vol. 4, no. 3, pp. 478–486, Jul. 2016, doi: 10.1007/S40565-016-0222-7.
- [26] S. Ullah, A. Ali, M. Iqbal, M. Javid, and M. Imran, "Geospatial assessment of soil erosion intensity and sediment yield: a case study of Potohar Region, Pakistan," *Environ. Earth Sci.*, vol. 77, no. 19, pp. 1–13, Oct. 2018, doi: 10.1007/S12665-018-7867-7.
- [27] J. Zhou, B. Fu, G. Gao, Y. Lü, and S. Wang, "An integrated probabilistic assessment to analyse stochasticity of soil erosion in different restoration vegetation types," *Hydrol. Earth Syst. Sci.*, vol. 21, no. 3, pp. 1491–1514, Mar. 2017, doi: 10.5194/HESS-21-1491-2017.
- [28] Supandi, Z. Zakaria, E. Sukiyah, and A. Sudradjat, "The Correlation of Exposure Time and Claystone Properties at The Warukin Formation Indonesia," *Int. J. GEOMATE*, vol. 15, no. 52, pp. 160–167, Dec. 2018, doi: 10.21660/2018.52.68175.
- [29] Supandi, Z. Zakaria, E. Sukiyah, and A. Sudradjat, "The Influence of Kaolinite - Illite toward mechanical properties of Claystone," *Open Geosci.*, vol. 11, no. 1, pp. 440–446, Jan. 2019, doi: 10.1515/GEO-2019-0035.
- [30] Supandi and H. G. Hartono, "Geomechanic Properties and Provenance Analysis of Quartz Sandstone from The Warukin Formation," *Int. J. GEOMATE*, vol. 18, no. 66, pp. 140–149, Feb. 2020, doi: 10.21660/2020.66.50081.
- [31] Supandi, Z. Zakaria, E. Sukiyah, and A. Sudradjat, "New Constants of Fracture Angle on Quartz Sandstone," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 10, no. 4, pp. 1597–1603, Aug. 2020, doi: 10.18517/IJASEIT.10.4.8272.
- [32] F. Erawan, E. Sukiyah, J. Hutabarat, and A. Sudradjat, "The Permeability of Granite Weathering Soil in Tanjungpinang, Bintan Island, Indonesia," *J. Geosci. Eng. Environ. Technol.*, vol. 5, no. 3, pp. 134–140, Aug. 2020, doi: 10.25299/JGEET.2020.5.3.5285.
- [33] The Editors of Encyclopaedia Britannica, "Erosion," *Encyclopaedia Britannica*, May 22, 2020. <https://www.britannica.com/science/erosion-geology> (accessed Sep. 03, 2021).
- [34] Daswir, "Peran Seraiwangi sebagai Tanaman Konservasi pada Pertanaman Kakao di Lahan Kritis," *Bul. Penelit. Tanam. Rempah dan Obat*, vol. 21, no. 2, pp. 117–128, Sep. 2016, doi: 10.21082/bullitro.v21n2.2010.9p.
- [35] A. Mahala, "Soil erosion estimation using RUSLE and GIS techniques—a study of a plateau fringe region of tropical environment," *Arab. J. Geosci.* 2018 1113, vol. 11, no. 13, pp. 1–18, Jun. 2018, doi: 10.1007/S12517-018-3703-3.