Marine Research in Indonesia, 43(1), 37–51. https://doi.org/10.14203/mri.v43i1.299.

- [13] L. Dsikowitzky, S.A. van der Wulp, Dwiyitno, F. Ariyani, K.J. Hesse, A. Damar, and J. Schwarzbauer. 2018. Transport of pollution from the megacity Jakarta into the ocean: Insights from organic pollutant mass fluxes along the Ciliwung River. Estuarine, Coastal and Shelf Science, Vol. 215: 219-228. https://doi.org/10.1016/j.ecss.2018.10.017.
- [14] D. Adyasari, M. A. Pratama, N. A. Teguh, A. Sabdaningsih, M. A. Kusumaningtyas, N. Dimova. 2021. Anthropogenic impact on Indonesian coastal water and ecosystems: Current status and future opportunities. Marine Pollution Bulletin, Vol. 171, 112689. https://doi.org/10.1016/j.marpolbul.2021.112689.
- [15] Koropitan, A. F. and Ikeda, M. 2016. Influences of physical processes and anthropogenic influx on biogeochemical cycle in the Java Sea: numerical model experiment. Procedia Environmental Sciences, Vol. 33, 532-552. https://doi.org/10.1016/j.proenv.2016.03.106.
- [16] Lyzenga, D.R. 1978. Passive remote sensing techniques for mapping water depth and bottom features. Applied Optics 17: 379-383.
 [Online]. Available: https://www.osapublishing.org/ao/abstract.cfm?URI=ao-17-3-379.
- [17] E. P. Green, A. J. Edwards, and P. J. Mumby, "Mapping bathymetry", in Remote Sensing Handbook for Tropical Coastal Management. Coastal Management Sourcebooks, 3. Edwards, A. J. (ed.). Paris: UNESCO Publishing, 2000, pp. 219-233.
- [18] Preston, B. L., Smith, T. F. Brooke, C., Gorddard, R., Maesham, T. G., Withycombe, G., McInnes, K., Abbs, D., Beveridge, D., and Morrison, C. 2008. Mapping Climate Change Vulnerability in the Sydney Coastal Councils Group. Prepared for the Sydney Coastal Councils Group. [Online]. Available: https://www.sydneycoastalcouncils.com.au/sites/default/files/systapp roachphaseonereport.pdf Accessed on: June 1, 2019.
- [19] IPCC. 2001. Climate Change 2001: The Scientific Basis. Contribution of Working Group I to the Third Assessment Report of the

Intergovernmental Panel on Climate Change [Houghton, J. T., Y. Ding, D.J. Griggs, M. Noguer, P.J. van der Linden, X. Dai, K. Maskell, and C.A. Johnson (eds.)]. Cambridge University Press, Cambridge, United Kingdom and New York, NY, USA, 881pp. [Online]. Available: https://www.ipcc.ch/report/ar3/wg1/.

- [20] Varela, R., Álvarez, I., Santos, F. et al. Has upwelling strengthened along worldwide coasts over 1982-2010?. Sci Rep 5, 10016 (2015). https://doi.org/10.1038/srep10016.
- [21] Hassim, M. E. E., & Timbal, B. (2019). Observed Rainfall Trends over Singapore and the Maritime Continent from the Perspective of Regional-Scale Weather Regimes, Journal of Applied Meteorology and Climatology, 58(2), 365-384. https://doi.org/10.1175/JAMC-D-18-0136.1.
- [22] A. R. As-syakur, T. Tanaka, T. Osawa, and M. S. Mahendra. (2013). Indonesian rainfall variability observation using TRMM multisatellite data, International Journal of Remote Sensing, 34:21, 7723-7738. https://doi.org/10.1080/01431161.2013.826837.
- [23] Kurniadi, A, Weller, E, Min, S-K, Seong, M-G. Independent ENSO and IOD impacts on rainfall extremes over Indonesia. Int J Climatol. 2021; 41: 3640–3656. https://doi.org/10.1002/joc.7040
- [24] Susilo, E. & Suniada K. I. (2015). The suitability of the predicted fishing ground maps (PPDPI) and micronecton biomass. Presented at The 1st International Symposium on Marine and Fisheries Research. [Online]. Available: http://www.bpol.litbang.kkp.go.id/pui/pemakalah_konferensi/2015/2 015_The%20Suitability%20of%20The%20Predicted%20Fishing%20 Grounds%20Maps%20(PPDPI)%20and%20Micronekton%20Biomas s.pdf.
- [25] Wijopriono. 2007. Analyzing Density and Environmental Factors of the Java Sea Pelagic Fish using Catch, Remote Sensing, and Hydro Acoustic Data. Ind. Fish Res. J. Vol. 13, No. 2: 63-8. http://dx.doi.org/10.15578/ifrj.13.2.2007.63-80.