[2] W.E. Marshall and N.W. Garrick. The effect of street network design on walking and biking, Journal of the Transportation Research Board, (2010) 103-115.
[3] E. Leslie, et al. Walkability of local communities: using geographic information systems to objectively assess relevant environmental attributes, Health Place, 13(1) (2007) 111-22.
[4] B.B. Cutts, et al. City structure, obesity, and environmental justice: an integrated analysis of physical and social barriers to walkable streets and park access, Soc Sci Med, 69(9) (2009) 1314-22.
[5] N.Z. Harun and R.A.J. Jalil. The morphological history of the Malaysian urban form, International Proceedings of Economics Development and Research, 48(24) (2012) 111-116.
[6] R. Ramele, Z. Isnin, and I.L. Jabar. Urban morphology of buffer zone and its survival in the historical city of Malacca, Journal of Built Environmental, 7(1) (2010) 35-41.
[7] J. Peponis, et al. On the generation of linear representations of spatial configuration, Proceeding of Space Syntax First International Symposium, 3 (1997)
[8] B. Jiang, C. Claramunt, and B. Klarqvist. Integration of space syntax into GIS for modelling urban spaces, Journal of Applied Earth Observation and Geoinformation, 2(3) (2000) 161–171.
[9] W.S.N. Wan Mohamad and I. Said. A review of variables of urban street connectivity for spatial connection, IOP Conference Series: Earth and Environmental Science, 18 (2014).
[10] O. Adegoke, A. Ab Aziz, and Y. Yusof. Formal analysis of an agent support model for behaviour change intervention, International Journal on Advanced Science, Engineering and Information Technology, 6(6) (2016) 1074-1080.
[11] F. van der Hoeven and A. van Nes. Improving the design of urban underground space in metro stations using the space syntax methodology, Tunnelling and Underground Space Technology, 40((2014) 64-74.
[12] S.K. Jeong and Y.U. Ban. Computational algorithms to evaluate design solutions using Space Syntax, Computer-Aided Design, 43(6) (2011) 664-676.
[13] D.E. Önder and Y. Gigi. Reading urban spaces by the space-syntax method: A proposal for the South Haliç Region, Cities, 27(4) (2010) 260-271.
[14] W.H.K. Lam, et al. Wayfinding in the passenger terminal of Hong Kong International Airport, Journal of Air Transport Management, 9((2003) 73-81.
[15] A. Churchill, et al. Quantifying and validating measures of airport terminal wayfinding, Journal of Air Transport Management, 14(3) (2008) 151-158.
[16] M.L. Tam. An optimization model for wayfinding problems in terminal building, Journal of Air Transport Management, 17(2) (2011) 74-79.
[17] I. Omer and R. Goldblatt. The implications of inter-visibility between landmarks on wayfinding performance: An investigation using a virtual urban environment, Computers, Environment and Urban Systems, 31(5) (2007) 520-534.
[18] P.C. Dawson. Space syntax analysis of Central Inuit snow houses, Journal of Anthropological Archaeology, 21 (2002) 464–480.
[19] S.-K. Jeong and Y.-U. Ban. Developing a topological information extraction model for space syntax analysis, Building and Environment, 46(12) (2011) 2442-2453.
[20] H.-K. Kim and D.W. Sohn. An analysis of the relationship between land use density of office buildings and urban street configuration, Journal of Cities, 19(6) (2002) 409–418.
[21] J. Peponis, S. Bafna, and Z. Zhang. The connectivity of streets: reach and directional distance, Journal of Environment and Planning B, 35 (2008) 881-901.
[22] B. Hillier and J. Hanson. The socio logic space. 1984, United Kingdom: Cambridge University Press.
[23] M. Batty, A new theory of space syntax. 2004, Centre for Advanced Spatial Analysis: University College London, London.
[24] S. Porta, P. Crucitti, and V. Latora. The network analysis of urban streets: a primal approach, Journal of Environment and Planning B, 33 (2006) 705-725.
[25] B. Jiang. A topological pattern of urban street networks: Universality and peculiarity, Physica A: Statistical Mechanics and its Applications, 384(2) (2007) 647-655.
[26] B. Jiang, C. Claramunt, and M. Batty. Geometric accessibility and geographic information: extending desktop GIS to space syntax, Journal of Computers, Environment and Urban Systems, 23 (1999) 127-146.
[27] A.K. Sołtys. Small towns in Poland - barriers and factors of growth, Procedia - Social and Behavioral Sciences, 19 (2011) 363-370.
[28] N.Z. Harun, M. Mansor, and I. Said. The Experience of Diversity in Open Spaces of Two Historical Towns in Malaysia, Procedia - Social and Behavioral Sciences, 85 (2013) 582-591.
[29] S.M. Rifaat, R. Tay, and A. de Barros. Effect of street pattern on the severity of crashes involving vulnerable road users, Accid Anal Prev, 43(1) (2011) 276-83.
[30] E. Anas and Y. Yuzirwan. Evaluation of land use change in the district Dhamasraya, International Journal on Advanced Science, Engineering and Information Technology, 6(1) (2016) 97-103.
[31] M.Z. Maleki, M.F.M. Zain, and A. Ismail. Variables communalities and dependence to factors of street system, density, and mixed land use in sustainable site design, Sustainable Cities and Society, 3 (2012) 46-53.