













- biomedical and pharmaceutical aids”, *Carbohydrate Polymers*, 77, 2009, 1-9.
- [19] N. Nagahama, H. Maeda, T. Kashiki, R. Jayakumar, T. Furuike, H. Tamura, “Preparation and characterization of novel chitosan/gelatin membranes using chitosan hydrogel”, *Carbohydrate Polymers*, 76, 2009, 255-260.
- [20] Y.F. Tang, Y.M. Du, X.W. Hu, X.W. Shi, J.F. Kennedy, “Rheological characterization of a novel thermosensitive chitosan/poly(vinyl alcohol) blend hydrogel”, *Carbohydrate Polymers*, 67, 2007, 491-499.
- [21] H. Tanuma, T. Saito, K. Nishikawa, T. Dong, K. Yazawa, Y. Inoue, “Preparation and characterization of PEG-cross-linked chitosan hydrogel films with controllable swelling and enzymatic degradation behavior”, *Carbohydrate Polymers*, 80, 2010, 260-265.
- [22] J.A.G. Barros, A.J.C. Brant, L.H. Catalani, “Hydrogels from chitosan and a novel copolymer Poly (N-vinyl-2-pyrrolidone-co-acrolein)”, *Materials Sciences and Application*, 2, 2011, 1058-1069.
- [23] A.S.G. Magalhães, M.P.A. Neto, M.N. Bezerra, N.M.P.S. Ricardo, J.P.A. Feitosa, “Application of FTIR in the determination of acrylate content in poly (sodium acrylate-co-acrylamide) superabsorbent hydrogels”, *Quim. Nova*, 35 (7), 2012, 1464-1467.
- [24] D.R. Barleany, F. Ulfyiani, S. Istiqomah, H. Heriyanto, Rahmayetty, Erizal, “Swelling properties of Cassava starch grafted with Poly (potassium acrylate-co-acrylamide) superabsorbent prepared by ionizing radiation”, *AIP Proceeding*, December 2015.
- [25] Erizal, “Synthesis of poly (acrylamide-co-acrylic acid)- starch based superabsorbent hydrogels by gamma radiation: Study its swelling behavior”, *Indo. J. Chem*, 12 (2), 2012, 113-118.
- [26] G. Huacai, P. Wan, L. Dengke, “Graft Copolymerization of Chitosan with Acrylic Acid under Microwave Irradiation and its Water Absorbency”, *Carbohydrate Polymers*, 3, 2006, 372-378.
- [27] C. Spagnol, F.H.A. Rodrigues, A.G.B. Pereira, P.A.R. Fajardo, “Super absorbent Hydrogel Composite Made of Cellulose Nanofibrils and Chitosan-grafted- Poly (Acrylic Acid)”, *Carbohydrate Polymers*, 87, 2012, 2038-2045.
- [28] J. Liu, Q. Wang, A. Wang, “Synthesis and Characterization of Chitosan-g-Poly (Acrylic Acid)/Sodium Humate Superabsorbent”, *Carbohydrate Polymers*, 70, 2007, 166-173.
- [29] H. Ge, S. Wang, “Thermal Preparation of Chitosan-Acrylic Acid Superabsorbent: Optimization, Characteristic, and Water Absorbency”, *Carbohydrate Polymers*, 113, 2014, 296-303.
- [30] D. M. Soler, Y. Rodríguez, H. Correa, A. Moreno, L. Carrizales, “Pilot scale-up and shelf stability of hydrogel wound dressings obtained by gamma radiation”, *Radiation Physics and Chemistry*, 81, 2012, 1249-1253.
- [31] Erizal, B. Abbas, S.G. Sukaryo, D.R. Barleany, “Synthesis and characterization super absorbent hydrogels of partially neutralized acrylic acid prepared using Gamma irradiation; swelling and thermal behavior”, *Indonesian Journal of Chemistry*, 15 (03), 2015, 281-287.
- [32] F. Kazemi, Z. Mohamadnia, B. Kaboudin, H. Gharibi, E. Ahmadinejad, Z. Taran, “Synthesis, characterization and swelling behavior investigation of hydrogel based on Aam and AA using CdSnanorods as photocatalyst initiator under different irradiations”, *Journal of Photochemistry and Photobiology A: Chemistry*, 330, 2016, 102-109.
- [33] S. Zhang, W. Wang, H. Wang, W. Qi, L. Yue, Q. Ye, “Synthesis and characterisation of starch grafted superabsorbent via 10 MeV electron-beam irradiation”, *Carbohydrate Polymers*, 101, 2014, 798-803.
- [34] [webspectra.chem.ucla.edu/irtable.html](http://webspectra.chem.ucla.edu/irtable.html)