













- [6] A. Cumani, "Feature Localization Refinement for Improved Visual Odometry Accuracy," *Int. Jour. Circuits, Systems and Signal Processing*, vol. 5, no. 2, pp. 151–158, 2011.
- [7] D. Nist'er, O. Naroditsky, and J. Bergen, "Visual odometry," in *Proceedings of the 2004 IEEE Computer Society Conference on Computer Vision and Pattern Recognition, 2004. CVPR 2004.*, vol. 1. Ieee, 2004, pp. 652–659.
- [8] B. Kitt, A. Geiger, and H. Lategahn, "Visual odometry based on stereo image sequences with RANSAC-based outlier rejection scheme," in *2010 IEEE Intelligent Vehicles Symposium. IEEE*, Jun. 2010, pp. 486–492.
- [9] A. Geiger, J. Ziegler, and C. Stiller, "Stereoscan: Dense 3d reconstruction in real-time," in *Intelligent Vehicles Symposium (IV)*, 2011 IEEE, pp. 963–968.
- [10] S. Choi, J. Park, and W. Yu, "Resolving scale ambiguity for monocular visual odometry," *2013 10th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*, Jeju, 2013, pp. 604–608.
- [11] F. Fraundorfer, D. Scaramuzza, and M. Pollefeys, "A constricted bundle adjustment parameterization for relative scale estimation in visual odometry," *2010 IEEE International Conference on Robotics and Automation*, Anchorage, AK, 2010, pp. 1899–1904.
- [12] A. T. N. Nishitani and D. F. Wolf, "Solving the Monocular Visual Odometry Scale Problem with the Efficient Second-Order Minimization Method," *2015 12th Latin American Robotics Symposium and 2015 3rd Brazilian Symposium on Robotics (LARS-SBR)*, Uberlandia, 2015, pp. 126–131.
- [13] D. Zhou, Y. Dai, and H. Li, "Reliable scale estimation and correction for monocular Visual Odometry," *2016 IEEE Intelligent Vehicles Symposium (IV)*, Gothenburg, 2016, pp. 490–495.
- [14] M. Agrawal, K. Konolige, and M. Blas, "Censure: Center surround extremes for realtime feature detection and matching," in *Proc. European Conf. Computer Vision*, 2008, pp. 102–115.
- [15] H. Bay, A. Ess, T. Tuytelaars, and L. Van Gool, "SURF: Speeded up robust features," *Computer Vision and Image Understanding (CVIU)*, vol. 110, no. 3, pp. 346–359, 2008.
- [16] P. Viola and M. Jones, "Robust real-time face detection," In: *ICCV* 2001.
- [17] H. Longuet-Higgins, "A computer algorithm for reconstructing a scene from two projections," *Nature*, vol. 293, no. 10, pp. 133–135, 1981.
- [18] D. G. Lowe. Distinctive image features from scale-invariant keypoints. *International Journal of Computer Vision*, 60(2):91-110, 2004.
- [19] M.A. Fischler and R. C. Bolles," Random sample consensus: A paradigm for model fitting with applications to image analysis and automated cartography," *Communication of the ACM* 24 (1981), 381-395.