

- recommender system: a Literature Review,” *J. Theor. Appl. Inf. Technol.*, vol. 96, no. 09, pp. 2677–2695, 2018.
- [5] E. Çano and M. Morisio, “Hybrid recommender systems: A systematic literature review,” *Intell. Data Anal.*, vol. 21, no. 6, pp. 1487–1524, 2017.
- [6] M. Elahi, F. Ricci, and N. Rubens, “A survey of active learning in collaborative filtering recommender systems,” *Comput. Sci. Rev.*, vol. 20, pp. 29–50, 2016.
- [7] F. Belletti, K. Lakshmanan, W. Krichene, Y.-F. Chen, and J. Anderson, “Scalable Realistic Recommendation Datasets Through Fractal Expansions,” *arXiv Prepr. arXiv1901.08910*, 2019.
- [8] C. C. Aggarwal, *Recommender systems: The Textbook*. London: Springer International Publishin, Switzerland, 2016.
- [9] D. Kotkov, S. Wang, and J. Veijalainen, “A survey of serendipity in recommender systems,” *Knowledge-Based Syst.*, vol. 111, no. August, pp. 180–192, 2016.
- [10] J. Wei, J. He, K. Chen, Y. Zhou and Z. Tang, “Collaborative filtering and deep learning based recommendation system for cold start items,” *Expert Syst. Appl.*, vol. 69, pp. 1339–1351, 2017.
- [11] A. van den Oord, S. Dieleman, and B. Schrauwen, “Deep Content-Based Music Recommendation,” *NIPS*, pp. 2643–2651, 2013.
- [12] X. Wang and Y. Wang, “Improving Content-based and Hybrid Music Recommendation Using Deep Learning,” *Proc. 22Nd ACM Int. Conf. Multimedia.*, pp. 627–636, 2014.
- [13] S. Jaradat, “Deep Cross-Domain Fashion Recommendation,” *Proc. Elev. ACM Conf. Recomm. Syst. - RecSys '17*, pp. 407–410, 2017.
- [14] K. Park, J. Lee, and J. Choi, “Deep Neural Networks for News Recommendations,” *CIKM'17, November. 6-10, 2017, Singapore*, 2017.
- [15] X. Wang *et al.*, “Dynamic Attention Deep Model for Article Recommendation by Learning Human Editors’ Demonstration,” *Proc. 23rd ACM SIGKDD Int. Conf. Knowl. Discov. Data Min. - KDD '17*, pp. 2051–2059, 2017.
- [16] F. Ricci, L. Rokach, and B. Shapira, *Recommender Systems Handbook*, 2nd ed. London: Springer New York Heidelberg Dordrecht London, 2015.
- [17] Y. Koren, R. Bell, and C. Volinsky, “Matrix Factorization Techniques for Recommender Systems,” *IEEE*, vol. 40, no. 8, pp. 42–49, 2009.
- [18] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl, “Incremental Singular Value Decomposition Algorithms for Highly Scalable Recommender Systems,” *Am. Lab.*, vol. 37, no. 10, p. 4, 2005.
- [19] S. Zhang, W. Wang, J. Ford, and F. Makedon, “Learning from Incomplete Ratings Using Non-negative Matrix Factorization,” *Proc. 2006 SIAM Int. Conf. Data Min.*, pp. 549–553, 2006.
- [20] R. Salakhutdinov and A. Mnih, “Probabilistic Matrix Factorization.” *Proc. Adv. Neural Inf. Process. Syst. 20 (NIPS 07)*, pp. 1257–1264, 2007.
- [21] L. Zheng, *A Survey and Critique of Deep Learning on Recommender Systems*, 1st ed., no. September. Chicago: University Of Illinois At Chicago, 2016.
- [22] R. J. R. Filho, J. Wehrmann, and R. C. Barros, “Leveraging Deep Visual Features for Content-based Movie Recommender Systems,” *Proc. Int. Jt. Conf. Neural Networks*, vol. 2017-May, pp. 604–611, 2017.
- [23] X. Dong, L. Yu, Z. Wu, Y. Sun, L. Yuan, and F. Zhang, “A Hybrid Collaborative Filtering Model with Deep Structure for Recommender Systems,” *Aaai*, pp. 1309–1315, 2017.
- [24] P. Covington, J. Adams, and E. Sargin, “Deep Neural Networks for YouTube Recommendations,” *Proc. 10th ACM Conf. Recomm. Syst. - RecSys '16*, pp. 191–198, 2016.
- [25] H. Wang and D. Yeung, “Collaborative Deep Learning for Recommender Systems arXiv: 1409. 2944v1 [cs . LG] 10 Sep 2014,” no. July 2015, 2014.
- [26] C. Wang and D. M. Blei, “Collaborative Topic Modeling for Recommending Scientific Articles,” *Proc. 17th ACM SIGKDD Int. Conf. Knowl. Discov. data Min. - KDD '11*, p. 448, 2011.
- [27] L. Zheng, V. Noroozi, and P. S. Yu, “Joint Deep Modeling of Users and Items Using Reviews for Recommendation,” in *WSDM 2017*, 2017, no. February, pp. 425–434.
- [28] Y. Kim, “Convolutional Neural Networks for Sentence Classification,” in *Proceedings of the 2014 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, 2014, pp. 1746–1751.
- [29] D. Kim, C. Park, J. Oh, S. Lee, and H. Yu, “Convolutional Matrix Factorization for Document Context-Aware Recommendation,” *Proc. 10th ACM Conf. Recomm. Syst. - RecSys '16*, pp. 233–240, 2016.
- [30] J. Pennington, R. Socher, and C. Manning, “Glove: Global Vectors for Word Representation,” *Proc. 2014 Conf. Empir. Methods Nat. Lang. Process.*, pp. 1532–1543, 2014.
- [31] E. Çano and M. Morisio, “A deep learning architecture for sentiment analysis,” *Proc. Int. Conf. Geoinformatics Data Anal. - ICGDA '18*, no. April, pp. 122–126, 2018.
- [32] H. Wang, N. Wang, and D.-Y. Yeung, “Collaborative Deep Learning for Recommender Systems,” in *KDD conference*, 2015, pp. 1235–1244.
- [33] F. M. Harper and J. A. Konstan, “The MovieLens Datasets: History and Context,” *ACM Trans. Interact. Intell. Syst.*, vol. 5, no. 4, pp. 19:1--19:19, 2015.
- [34] J. McAuley and J. Leskovec, “Hidden factors and hidden topics,” *Proc. 7th ACM Conf. Recomm. Syst. - RecSys '13*, pp. 165–172, 2013.