













the binarization process for time-saving. Experimental results show that the proposed system is a reliable and robust technique for character segmentation and feature extraction process. Features are now saved in a database and the authors are still carrying out further work of character recognition for these stored features.

#### ACKNOWLEDGMENTS

The authors would like to express their heartfelt thanks to the Palm Leaf Manuscripts Project, Oo Phoe Thee library, Thaton, Myanmar, for their collecting and supporting images from the database.

#### REFERENCES

- [1] Alahakoon, C. N. K., "Identification of physical problems of major palm leaf manuscripts collections", Sri Lanka. J. Univ. Libr. Assoc. Sri Lanka, 2006, October, pp.54–65.
- [2] Nwe Nwe Soe, Win Htay, "Finding region of interest and automatic cropping from Palm leaf manuscripts by using one-dimensional segmentation", 14th ICCA Conference, 2016, February.
- [3] Nwe Nwe Soe, Win Htay, "Syllabus segmentation from Palm leaf manuscripts", 16th ICCA Conference, 2018, February.
- [4] Nwe Nwe Soe, "Syllabus Line Segmentation from Palm Leaf Manuscripts by using Vector Neural Network", Journal of Applied Informatics and Technology (JIT), Thailand, 2018, Volume-1, Number 1, January – June.
- [5] Kumar, Neethu S., Dwivedi Sanjeet Kumar, S. Swathikiran, and Alex Pappachen James. "Ancient Indian document analysis using cognitive memory network." In *Advances in Computing, Communications and Informatics (ICACCI)*, 2014 International Conference on, 2014, pp. 2665- 2668. IEEE.
- [6] Likforman-Sulem, Laurence, Abderrazak Zahour, Bruno Taconet. "Text line segmentation of historical documents: a survey." *International Journal of Document Analysis and Recognition (IJ DAR)* 9, No. 2-4, 2007, pp.123-138.
- [7] Lakshmi, T. R., Panyam Narahari Sastry, Ramakrishnan Krishnan, N. V. Rao, and T. V. Rajinikanth. "Analysis of Telugu Palm Leaf Character Recognition Using 3D Feature." In *Computational Intelligence and Networks (CINE)*, 2015 International Conference on, 2015, pp. 36-41. IEEE.
- [8] Soumya, A., G. Hemantha Kumar. "Fourier Features for the Recognition of Ancient Kannada Text." In *Computational Intelligence in Data Mining—Volume 1*, 2016, pp. 421-428, Springer India.
- [9] R. Manmatha and J. L. Rothfeder, "A scale space approach for automatically segmenting words from historical handwritten documents," *Pattern Analysis and Machine Intelligence*, IEEE Transactions on, vol. 27,2005, pp. 1212-1225.
- [10] V. Lavrenko, et al., "Holistic word recognition for handwritten historical documents", in *Document Image Analysis for Libraries*, 2004. Proceedings, First International Workshop on, pp. 278-287.
- [11] A. Zahour, et al., "Arabic hand-written text-line extraction," in *Proceedings. Sixth International Conference on Document Analysis and Recognition*, 2001, pp. 281-285.
- [12] Y. H. Tseng and H. J. Lee, "Recognition-based handwritten Chinese character segmentation using a probabilistic Viterbi algorithm," *Pattern Recognition Letters*, vol. 20, pp. 791-806, 1999.
- [13] O. Surinta, "Optimization of line segmentation techniques for Thai handwritten documents," in *Eighth International Symposium on Natural Language Processing*, 2009, pp. 180-183.
- [14] M. Arivazhagan, et al., "A statistical approach to line segmentation in handwritten documents," in *Proc. SPIE on Document Recognition and Retrieval XIV*, CA, USA, 2007.
- [15] R. Chamchong and C. C. Fung, "Character segmentation from ancient palm leaf manuscripts in Thailand," in *Proceedings of the 2011 Workshop on Historical Document Imaging and Processing*, Beijing, China, 2011.
- [16] N. Tripathy and U. Pal, "Handwriting Segmentation of Unconstrained Oriya Text," presented at the *Ninth International Workshop on Frontiers in Handwriting Recognition (IWFHR'04)*, 2005.