















- [39] Ajani EK, Setufe SB, Oyebola OO. 2015. Effects of stocking density on haematological functions of juvenile African catfish (*Clarias gariepinus*) fed varying crude protein levels. *African Journal of Food Science*. 9(2): 65-69.
- [40] Talpur AD, Munir MB, Mary A, Hashim R. 2014. Dietary probiotics and prebiotics improved food acceptability, growth performance, hematology and immunological parameters and disease resistance against *Aeromonas hydrophyla* in snakehead (*Channa striata*) fingerlings. *Aquaculture*. 426-427: 14-20.
- [41] Barton BA. 2002. Stress in fishes: a diversity of responses with particular reference to changes in circulating corticosteroids. *Integrative and Comparative Biology*. 42: 517-525.
- [42] Tavares-Dias M, Moraes FR. 2007. Haematological and biochemical reference intervals for farmed Channel catfish. *J Fish Biol*. 71: 383-388.
- [43] Ren T, Koshio S, Teshima SI, Alam S, Panganiban A, Moe YY, Kojima T, Tokumitsu H. 2005. Optimum dietary level of L-ascorbic acid for Japanese eel *Anguilla japonica*. *J World Aquacult Soc*. 36: 437-443.
- [44] Fang Y., Babourina O., Rengel Z., Yang X. dan Pu P.M., 2007. Ammonium and nitrate uptake by the floating plant *Landoltia punctata*. *Ann of Bot*. 99(2): 365-370.
- [45] Zhao Z, Shi H, Liu Y, Zhao H, Su H, Wang M, Zhao Y. 2014. The influence of duckweed species diversity on biomass productivity and nutrient removal efficiency in swine wastewater. *Bioresource Technology*. 167: 383-389.
- [46] Brix H, Jensen KD, Lorenze B. 2002. Root-zone acidity and nitrogen source affects *Typha latifolia* L. growth and uptake kinetics of ammonium and nitrate. *J of Experi Bot*. 53(379): 2441-2450.
- [47] Carvalho PN, Basto MCP, Almeida CMR, Brix H. 2014. A review of plant-pharmaceutical interactions: from uptake and effects in crop plants to phytoremediation in constructed wetlands. *Environmental Science and Pollution Research* 21, 11729-11763.