- [6] N. Marashlian and M. El-Fadel, "The effect of food waste disposers on municipal waste and wastewater management," Waste Manag. Res., 2005.
- [7] W. Sun, C. Xia, M. Xu, J. Guo, and G. Sun, "Application of modified water quality indices as indicators to assess the spatial and temporal trends of water quality in the Dongjiang River," Ecol. Indic., 2016.
- [8] S. Fuhrimann et al., "Microbial contamination along the main open wastewater and storm water channel of Hanoi, Vietnam, and potential health risks for urban farmers," Sci. Total Environ., 2016.
- [9] M. Zhu, F. Lü, L. P. Hao, P. J. He, and L. M. Shao, "Regulating the hydrolysis of organic wastes by micro-aeration and effluent recirculation," Waste Manag., 2009.
- [10] S. Xu, A. Selvam, and J. W. C. Wong, "Optimization of microaeration intensity in acidogenic reactor of a two-phase anaerobic digester treating food waste," Waste Manag., 2014.
- [11] P. J. Dube, M. B. Vanotti, A. A. Szogi, and M. C. García-González, "Enhancing recovery of ammonia from swine manure anaerobic digester effluent using gas-permeable membrane technology," Waste Manag., 2016.
- [12] Y. Wei, J. Li, D. Shi, G. Liu, Y. Zhao, and T. Shimaoka, "Environmental challenges impeding the composting of biodegradable municipal solid waste: A critical review," Resources, Conservation and Recycling. 2017.
- [13] M. Palela, G. Ifrim, and G. Bahrim, "Microbial and Biochemical Characterization of Dairy and Brewery Wastewater Microbiota," Food Technol., 2005.
- [14] U. Aiman, A. Mahmood, S. Waheed, and R. N. Malik, "Enrichment, geo-accumulation and risk surveillance of toxic metals for different environmental compartments from Mehmood Booti dumping site, Lahore city, Pakistan," Chemosphere, 2016.
- [15] N. Landi et al., "A haem-peroxidase from the seeds of Araujia sericifera: Characterization and use as bio-tool to remove phenol from aqueous solutions," Biocatal. Agric. Biotechnol., 2019.
- [16] W. T. Lai et al., "A review: Modified agricultural by-products for the development and fortification of food products and nutraceuticals," Trends in Food Science and Technology. 2017.
- [17] J. K. Ludwig, "Green Chemistry: An Introductory Text," Green Chem. Lett. Rev., 2017.
- [18] Y. Lu, X. Wu, and J. Guo, "Characteristics of municipal solid waste and sewage sludge co-composting," Waste Manag., 2009.
- [19] Q. Xu, Y. Tian, S. Wang, and J. H. Ko, "A comparative study of leachate quality and biogas generation in simulated anaerobic and hybrid bioreactors," Waste Manag., 2015.
- [20] S. Ghosh, A. Gillis, J. Sheviryov, K. Levkov, and A. Golberg, "Towards waste meat biorefinery: Extraction of proteins from waste chicken meat with non-thermal pulsed electric fields and mechanical pressing," J. Clean. Prod., 2019.

- [21] Ó. J. Sánchez, D. A. Ospina, and S. Montoya, "Compost supplementation with nutrients and microorganisms in composting process," Waste Management. 2017.
- [22] Prayitno, K. Zaenal, B. Yanuwiadi, and R. W. Laksmono, "Study of Hospital Wastewater Characteristic in Malang City," Res. Inven. Int. J. Eng. Sci., 2013.
- [23] M. Van Tulder, T. Touray, A. Furlan, and et al, "Muscle relaxants for non-specific low-back pain (Review) Muscle relaxants for nonspecific low-back pain," *The Cochrane Collaberation*, 2008.
- [24] D. D. Chiras, "Principles of sustainable development: A new paradigm for the twenty first century," J. Environ. Sci. Heal. Part C, 1995.
- [25] M. I. Gunawan and S. A. Barringer, "Green color degradation of blanched broccoli (Brassica Oleracea) due to acid and microbial growth," J. Food Process. Preserv., 2000.
- [26] P. J. Wilkie, G. Hatzimihalis, P. Koutoufides, and M. A. Connor, "The contribution of domestic sources to levels of key organic and inorganic pollutants in sewage: The case of Melbourne, Australia," in *Water Science and Technology*, 1996.
- [27] M. N. Ingale and V. V. Mahajani, "Recovery of carboxylic acids, C2-C6, from an aqueous waste stream using tributylphosphate(TBP): Effect of presence of inorganic acids and their sodium salts," *Sep. Technol.*, 1996.
- [28] A. J. McCullough and M. A. Schuler, "AU-rich intronic elements affect pre-mRNA 5' splice site selection in Drosophila melanogaster.," *Mol. Cell. Biol.*, 1993.
- [29] L. A. Boos, A. J. Szalai, and S. R. Barnum, "Murine complement C4 is not required for experimental autoimmune encephalomyelitis," *Glia*, 2005.
- [30] M. C. Díaz-Maroto, N. Castillo, L. Castro-Vázquez, C. de Torres, and M. S. Pérez-Coello, "Authenticity Evaluation of Different Mints based on their Volatile Composition and Olfactory Profile," *J. Essent. Oil-Bearing Plants*, 2008.
- [31] D. S. Page, P. D. Boehm, G. S. Douglas, A. E. Bence, W. A. Burns, and P. J. Mankiewicz, "The natural petroleum hydrocarbon background in subtidal sediments of Prince William Sound, Alaska, USA," *Environ. Toxicol. Chem.*, 1996.
- [32] M. Rhodes, Introduction to Particle Technology: Second Edition. 2008.
- [33] G. F. Mu'min, P. Prawisudha, I. N. Zaini, M. Aziz, and A. D. Pasek, "Municipal solid waste processing and separation employing wet torrefaction for alternative fuel production and aluminum reclamation," *Waste Manag.*, 2017.
- [34] B. Pauwels and W. Verstraete, "The treatment of hospital wastewater: An appraisal," J. Water Health, 2006.
- [35] A. R. Mesdaghinia, K. Naddafi, R. Nabizadeh, R. Saeedi, and M. Zamanzadeh, "Wastewater characteristics and appropriate method for wastewater management in the hospitals," *Iran. J. Public Health*, 2009.