













- [20] Connor DO, Calautit J, and Hughes BR. Effect of rotation speed of rotary thermal wheel on ventilation supply rates of wind tower system. *Energy Procedia.*, vol.75, pp. 1705-1710, 2015.
- [21] Artiga-Artigas M., Lanjari-Perez Y., Martin-Belloso O. Curcumin-loaded nanoemulsions stability as affected by the nature and concentration of surfactant. *Food Chemistry*, vol. 266, pp. 466-474, 2018.
- [22] Moreira B, Goularte PG, Morais MG, Costa JAV. Preparation of beta-carotene nanoemulsion and evaluation of stability at a long storage period Juliana. *Food Sci. Technol, Campinas*, 39(3): 599-604, 2019.
- [23] Prince M V, Thangavel K, Meda V, Visvanathan R, and Ananthakrishnan D. Effect of carrier blend proportion and flavor load on physical characteristics of nutmeg (*Myristica fragrans* Houtt.) oleoresin microencapsulated by spray drying. *International Food Research. J.*, vol. 21, (5), pp. 2039-2044, 2014.
- [24] Dammak I., do Amaral Sobral PJ. Effect of different biopolymers on the stability of hesperidin-encapsulating O/W emulsions. *Journal of Food Engineering*, vol. 237, pp. 33-43, 2018.
- [25] Setyawati DM, Mardiyati E, Rahman S and Wijaya AF. Spray drying of mangosteen (*Garcinia mangostana* L.) juice and analysis of antioxidant activity and total phenolic content. IOP Conf. Series: Materials Science and Engineering 796. 2020. Doi:10.1088/1757-899X/796/1/012046.
- [26] Tsai FH., Kitamura Y., Kokawa M. Effect of gum Arabic-modified alginate on physicochemical properties, release kinetics, and storage stability of liquid-core hydrogel beads. *Carbohydrate Polymers*, vol. 174, pp. 1069-1077, 2017.
- [27] Hermanto RF, Khasanah LU, Kawiji, Atmaka W, Manuhara GJ, and Utami R. Physical characteristics of cinnamon oil microcapsule. *Joint Conference on Chemistry*. vol.107, pp. 1-9, 2016.
- [28] Mariod A. Chemical Properties of Gum Arabic Abdalbasit.p.67=73. <https://doi.org/10.1016/B978-0-12-812002-6.00006-3>
- [29] Chemmunique 1980. The HLB System a Time Saving Guide to Emulsifier Selection. Wilmington, Delaware 19897: ICI Americas Inc
- [30] Joshi M, Adhikari B, Aldred P, Panozzo JF, Kasapis S, Barrow CJ. 2012. Interfacial and emulsifying properties of lentil protein isolate. *Food Chemistry*, 134: 1343–1353
- [31] Bernardi, DS, Pereira TA, Maciel NR, Bortoloto J, Vieira GS, Oliveira, GC. Formation and stability of oil-in-water nanoemulsions containing rice bran oil: in vitro and in vivo assessments. *Journal of Nanobiotechnology*, 9(44), 1–9, 2011.<https://doi.org/10.1186/1477-3155-9-44>.
- [32] Clements DJ, Gumus CE. Natural Emulsifiers - Biosurfactants, Phospholipids, Biopolymers, and Colloidal Particles: Molecular and Physicochemical Basis of Functional Performance. *J Advances in Colloid and Interface Sci.*, pp. 1-100, 2016.
- [33] Sapei L , Sandy IGYH, Suputra IMKD and Ray M. 2017. The effect of different concentrations of tween-20 combined with rice husk silica on the stability of o/w emulsion: A kinetic study. IOP Conf. Series: Materials Science and Engineering 273: 012023. Doi:10.1088/1757-899X/273/1/012023.
- [34] Jumanca D., Matichescu A., Galuscan A. An experimental method of producing hydroxyapatite. *Rev. Chim*, vol. 6, (6), 2018.
- [35] Yu X., Xin X., Xu B., Wu T., Wang P. Synthesis and characterisation of alumina sol-modified polyacrylate emulsion. *Advanced Graphic Communications, Packaging Technology and Materials*, pp. 861-868, 2016.
- [36] Saeedi M, Rafati MR, Semnani KM, Rostam AY, and Kelidari HR. Evaluation of effect of Tween 80 on characteristics of tadalafil 0.1% suspension. *Pharm. and Biomedical Research.*, vol. 1, (2), pp. 35-43, 2015.
- [37] Prasetyo YA, Husni P, Mita SR. Long-Circulating Nanopartikel menggunakan polimer PLGA (PolyLactic-co-Glycolic Acid) dan Poloxamer, *Farmaka*, vol.15, (1), pp. 237-247, 2018.
- [38] Atun S., Arianingrum R., Cahyaningsih L., Pratiwi FA., Kusumaningrum R., Khairuddean M. Formulation and characterisation of quercitrin nanoemulsion isolated from *Dendrophloe falcate* and its antioxidant activity test. *Rasayan J. Chem*, vol. 13 (3), pp. 1347-1356, 2020.
- [39] Clements DJ, Gumus CE. Natural Emulsifiers - Biosurfactants, Phospholipids, Biopolymers, and Colloidal Particles: Molecular and Physicochemical Basis of Functional Performance. *J Advances in Colloid and Interface Sci.*, pp. 1-100, 2016.
- [40] Garcia LC, RV Tonona, and MD Hubingera. Effect of oil in emulsion and homogenisation pressure on the microencapsulation of basil oil, 2014.
- [41] Kohli HP., Gupta S., Chakraborty M. Stability, and performance study of emulsion nanofluid membrane: A combined approach of adsorption and extraction of Ethylparaben. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, vol. 579, pp. 123675, 2019.
- [42] Juniatic M, Hidayati K, Wulandari FP, Pangestuti N, Munawaroh N, Martien R, Utami S. Formulation of nanoemulsion mouthwash combination of lemongrass oil (*Cymbopogon citratus*) and kaffir lime oil (*Citrus hystrix*) AGAINST *Candida albicans* ATCC 10231. *Trad. Med. J.*, Vol. 22(1), p. 7-15, 2017.
- [43] Jusnita N, Haditjatoko L, Yusron M, Noor E. Production of Nanocurcumin from *Curcuma Xanthorrhiza Roxb.* By Homogenisation. *J of Biology, Agric and Healthcare*, vol. 4, (16), pp.79-83, 2014.