

- fermentation, *Jurnal Teknologi Industri dan Hasil Pertanian*, vol. 13, no. 2, pp. 73–84, 2008.
- [11] G. P. Ganda-Putra and N. M. Wartini, *Cocoa Fermentation Design*. Udayana University Press, Denpasar, 2017.
- [12] N. A. Yanti, Jamili, P. E. Susilowati, Cocoa beans quality improvement through microbial fermentation process by local origin Southeast Sulawesi, *Proc. The Semirata National Seminar*, IPB, Bogor, 2014.
- [13] BSN, *Biji kakao*. Badan Standardisasi Nasional, Jakarta, SNI Std. 2323:2008, pp. 1–37, 2008.
- [14] M. V. S. Sandhya, B. S. Yallappa, M. C. Varadaraj, J. Puranaik, L. J. Rao, P. Janardhan, P. S. Murthy, “Inoculum of the starter consortia and interactive metabolic process in enhancing quality of cocoa bean (*Theobroma cacao*) fermentation,” *LWT-Food Science and Technology*, vol. 65, pp. 731–738, 2016.
- [15] L. P. T. Darmayanti, N. S. Antara, and A. S. Duniaji, Physicochemical characteristic and protein profile of fermented urutan (Balinese sausage), *International Journal on Advanced Science, Engineering and Information Technology*, vol. 4, no. 2, pp. 75–79, 2014.
- [16] G. V. de M. Pereira, “Microbiological and Physicochemical Performance of Cocoa Bean Fermentations Carried Out in Different Systems and Screening of Yeast and Bacteria Strains Toward Development of a Starter Culture,” p. 179, 2012.
- [17] V. R. Reis, A. T. B. F. Antonangelo, A. P. G. Bassi, D. Colombi, and S. R. Ceccato-Antonini, “Bioethanol strains of *Saccharomyces cerevisiae* characterized by microsatellite and stress resistance,” *Brazilian Journal of Microbiology*, vol. 48, no. 2, pp. 268–274, 2017.
- [18] I. B. W. Gunam, N. S. Antara, A. A. M. D. Anggreni, Y. Setiyo, I. P. E. Wiguna, I. M. M. Wijaya, and I. W. W. P. Putra, “Chemical pretreatment of lignocellulosic wastes for cellulase production by *Aspergillus niger* FNU 6018,” *AIP Conf. Proc.*, 2155: 020040-1-10, 2019.
- [19] A. A. Gabriel and A. S. Alano-Budiao, “Thermal inactivation of *Pseudomonas aeruginosa* 1244 in salted *Sardinella fimbriata* meat homogenate,” *Agr. Nat. Resour.*, vol. 53, pp. 79–83, 2019.
- [20] SPSS, *SPSS for Windows, Version 16.0*. SPSS Inc. Chicago, IL, USA, 2007.
- [21] N. Camu, T. D. Winter, K. Verbrugge, I. Cleenwerck, P. Vandamme, J. S. Takrama, M. Van Canneyt, and L. De Vuyst, “Dynamics and biodiversity of populations of lactic acid bacteria and acetic acid bacteria involved in spontaneous heap fermentation of cocoa beans in Ghana,” *Applied and Environmental Microbiology*, vol. 73, no. 6, pp. 1809–1824, 2007.
- [22] X. Feng, H. Dong, P. Yang, R. Yang, J. Lu, J. Lv, J. Sheng, “Culture-dependent and -independent methods to investigate the predominant microorganisms associated with wet processed coffee,” *Current Microbiology*, vol. 73, no. 2, pp. 190–195, 2016.
- [23] B. W. Minifie, *Chocolate, Cocoa and Confectionary: Science and Technology*. Connecticut: The AVI Publishing, 1999.
- [24] A. Z. Diansari, Physical, chemical and microbiological characteristics of dry cocoa beans produced by PTPN XII. Unpublish. Faculty of Agricultural Technology, Jember University, Jember, 2015.
- [25] C. Hernández-Hernández, P. A. López-Andrade, M. A. Ramírez-Guillermo, D. Guerra Ramírez, and J. F. Caballero Pérez, “Evaluation of different fermentation processes for use by small cocoa growers in Mexico,” *Food Sci. Nutr.*, vol. 4, no. 5, pp. 690–695, 2016.
- [26] M. Ariyanti, Characteristics of the quality of cocoa beans (*Theobroma cacao* L.) with fermentation time treatment based on: SNI 2323-2008, *Jurnal Industri Hasil Perkebunan*, vol. 12, no. 1, pp. 34–42, 2017.
- [27] Rubiyo and W. Amaria, Resistance of cocoa to black pod disease (*Phytophthora palmivora* Butl.). *Perspektif*, vol. 12, no. 1, pp. 23–36, 2013.
- [28] D. M. H. Farah, A. H. Zaibunnisa, and Misnawi, “Optimization of cocoa beans roasting process using Response Surface Methodology based on concentration of pyrazine and acrylamide,” *International Food Research Journal*, vol. 19, no. 4, pp. 1355–1359, 2012.
- [29] G. A. Leal, L. H. Gomes, P. Efraim, F. C. De Almeida Tavares, and A. Figueira, “Fermentation of cacao (*Theobroma cacao* L.) seeds with a hybrid *Kluyveromyces marxianus* strain improved product quality attributes,” *FEMS Yeast Res.*, vol. 8, no. 5, pp. 788–798, 2008.
- [30] T. A. Reolofsen, Fermentation, “Drying and Storage of Cocoa Beans,” *Advances in Food Research*, vol. 8, pp. 225–296, 1958.
- [31] S. Suwasono and Susijahadi, Exploration of Anti-Agents from Lactic Acid Bacteria in Cocoa Fermentation: Its Potential to Improve the Quality of Exported Cocoa Commodities, Research Report, Faculty of Agricultural Technology, Jember University, 2007.
- [32] G. Ozturk and G. M. Young, “Food evolution: the impact of society and science on the fermentation of cocoa beans,” *Compr. Rev. Food Sci. Food Saf.*, vol. 16, no. 3, pp. 431–455, 2017.
- [33] S. Hatningsih, N. S. Antara, and I. B. W. Gunam, Microbiological and physicochemical changes of green coffee (*Coffea arabica*) fermentation in Kintamani, Bangli, Bali. *Scientific Journal of Food Technology*, vol. 5, no. 2, pp. 123–138, 2018.
- [34] L. Settanni, O. Massitili, D. Van Sinderen, and A. Corsetti, “In situ activity of a bacteriocin-producing *Lactococcus lactis* strain. Influence on the interactions between lactic acid bacteria during sourdough fermentation,” *Journal of Applied Microbiology*, vol. 99, pp. 670–681, 2005.
- [35] E. Yang, L. Fan, Y. Jiang, C. Doucette, and S. Fillmore, “Antimicrobial activity of bacteriocin-producing lactic acid bacteria isolated from cheeses and yogurts,” *AMB Express*, vol. 2, pp. 48, 2012.
- [36] I. Ganeswari, S. Khairul Bariah, M. A. Amizi, and K. Y. Sim, “Effects of different fermentation approaches on the microbiological and physicochemical changes during cocoa bean fermentation,” *Int. Food Res. J.*, vol. 22, no. 1, pp. 70–76, 2015.
- [37] J. F. Takrama, W. O. Kumi, G. Otoo, K. Addo, and N. Camu, “Optimization of cocoa pulp juice fermentation with yeast starter cultures of cocoa heap fermentations,” *J. Agric. Sci. Food Technol.*, vol. 1, no. 3, pp. 22–33, 2015.
- [38] R. F. Schwan, “Cocoa fermentations conducted with a defined microbial cocktail inoculum,” *Journal Microbiology*, vol. 14, pp. 1477–1483, 1998.
- [39] T. Wahyudi and P. Rahardjo, History and Prospects in Cocoa: Agribusiness Management from Upstream to Downstream, Complete Guidelines for Cocoa, Penerbar Swadaya, Jakarta, 2009.
- [40] A. Costa, C. Entzminger, A. Fredericq, M. Gilmour, R. Matissek, and S. Quintana, *Cocoa Beans: Chocolate & Cocoa Industry Quality Requirements*. ECA-Caobisco-FCC Cocoa Research Fund, 2015.
- [41] J. Wollgast and E. Anklam, “Review on polyphenols in *Theobroma cacao*: changes in composition during the manufacture of chocolate and methodology for identification and quantification,” *Food Research International*, vol. 33, pp. 423–444, 2000.
- [42] Misnawi, Physico-Chemical changes during cocoa fermentation and key enzymes involved. *Review Penelitian Kopi dan Kakao*, vol. 24, no. 1, pp. 47–64, 2008.
- [43] G. P. Ganda-Putra, L. P. Wrsiati, and N. M. Wartini, Fermentation process of cocoa based on optimum condition of pulp pectin depolymerization by endogenous pectolytic enzymes. *Pelita Perkebunan*, vol. 26, no. 2, pp. 122–132, 2010.
- [44] M. Apriyanto, Sutardi, E. Harmanyani, Supriyanto, Improvement of the fermentation process of non-fermented cocoa beans with the addition of pure cultures of *Saccharomyces cerevisiae*, *Lactobacillus lactis*, and *Acetobacter aceti*. *Agritech*, vol. 36, no. 4, pp. 410–415, 2016.
- [45] L. De Vuyst and S. Weckx, “The Functional Role of Lactic Acid Bacteria in Cocoa Bean Fermentation,” *Biotechnol. Lact. Acid Bact. Nov. Appl. Second Ed.*, pp. 248–278, 2015.
- [46] E. O. Afoakwa, J. E. Kongor, J. Takrama, and A. S. Budu, “Changes in nib acidification and biochemical composition during fermentation of pulp pre-conditioned cocoa (*Theobroma cacao*) beans,” *International Food Research Journal*, vol. 20, no. 4, pp. 1843–1853, 2013a.
- [47] E. O. Afoakwa, J. E. Kongor, J. F. Takrama, A. S. Budu, H. Mensah-Brown, “Effects of pulp preconditioning on total polyphenols, O-diphenols, and anthocyanin concentrations during fermentation and drying of cocoa (*Theobroma cacao*) beans,” *Journal of Food Science and Engineering*, vol. 3, pp. 235–245, 2013b.
- [48] I. M. da V. Moreira, M. G. da C. P. Miguel, W. F. Duarte, D. R. Dias, and R. F. Schwan, “Microbial succession and the dynamics of metabolites and sugars during the fermentation of three different cocoa (*Theobroma cacao* L.) hybrids,” *Food Research International*, vol. 54, no. 1, pp. 9–17, 2013.
- [49] A. S. Lopez and P. S. Dimick, *Cocoa Fermentation*. In: *Enzymes, Biomass, Food and Feed*, 2nd ed. Biotechnology, vol 9. Reed, G. and T.W. Nagodawithana (Eds.). VCH. Weinheim, Germany, 1995.
- [50] S. T. Beckket, *Industrial Chocolate Manufacture and Use*. 4th, Wiley-Blackwell, United Kingdom, 2009.