[39] J. Xiong *et al.*, "Carrier-Phase-Based Multi-Vehicle Cooperative Positioning Using V2V Sensors," *IEEE Trans. Veh. Technol.*, vol. 69, no. 9, pp. 9528–9541, 2020, doi: 10.1109/TVT.2020.3004832.

[40] A. Sakuraba, Y. Shibata, G. Sato, and N. Uchida, "Performance evaluation of V2V and V2R communication based on 2-wavelength cognitive wireless network on road state information gis platform," *Adv. Intell. Syst. Comput.*, vol. 1035, pp. 212–222, 2020, doi: 10.1007/978-3-030-29035-1_21.

[41] B. L. Nguyen, D. T. Ngo, N. H. Tran, M. N. Dao, and H. L. Vu, "Dynamic V2I/V2V Cooperative Scheme for Connectivity and Throughput Enhancement," *IEEE Trans. Intell. Transp. Syst.*, pp. 1–11, 2020, doi: 10.1109/tits.2020.3023708.

[42] Kanchan Nahar and Swati Sharma, "Congestion Control in VANET at MAC Layer: A Review," *Int. J. Eng. Res.*, vol. V9, no. 03, pp. 509–515, 2020, doi: 10.17577/ijertv9is030479.

[43] A. Attanasi, M. Pezzulla, L. Simi, L. Meschini, and G. Gentile, "A Scalable Approach for Short-Term Predictions of Link Traffic Flow by Online Association of Clustering Profiles," *Transp. Telecommun. J.*, vol. 21, no. 2, pp. 119–124, 2020, doi: 10.2478/ttj-2020-0009.

[44] D. R. I. M. Setiadi, R. R. Fratama, and N. D. A. Partiningsih, "Improved accuracy of vehicle counter for real-time traffic monitoring system," *Transp. Telecommun.*, vol. 21, no. 2, pp. 125–133, 2020, doi: 10.2478/ttj-2020-0010.

[45] H. Singh, V. Laxmi, A. Malik, and I. Batra, "Current Research on Congestion Control Schemes in VANET: A Practical Interpretation," *Int. J. Recent Technol. Eng.*, vol. 8, no. 4, pp. 4336–4341, 2019, doi: 10.35940/ijrte.d8213.118419.