















- applications,” *Sensors and Materials*, vol. 31, no. 11, pp. 3495–3516, 2019, doi: 10.18494/SAM.2019.2563.
- [39] J. Bai, S. Lian, Z. Liu, K. Wang, and D. Liu, “Deep learning based robot for automatically picking up garbage on the grass,” *IEEE Trans. Consum. Electron.*, vol. 64, no. 3, pp. 382–389, 2018, doi: 10.1109/TCE.2018.2859629.
- [40] B. Murdyantoro, D. S. Eka Atmaja, and H. Rachmat, “Application design of farmbot based on Internet of Things (IoT),” *Int. J. Adv. Sci. Eng. Inf. Technol. Vol. 9 No. 4*, pp. 1163–1170, 2019, doi: 10.18517/ijaseit.9.4.9483.
- [41] A. Anitha, “Garbage monitoring system using IoT,” *IOP Conf. Ser. Mater. Sci. Eng.*, vol. 263, p. 42027, 2017, doi: 10.1088/1757-899x/263/4/042027.
- [42] D. V. B. Pragna, D. L. Reddy, and SVS Prasad, “IoT driven automated object detection algorithm for urban surveillance system in smart city,” *International Journal of Engineering and Advanced Technology*, vol. 8, no. 6S3, pp. 1687–1691, 2019, doi: 10.35940/ijeat.F1317.0986S319.
- [43] S. Nuanmeesri, “Development of low-cost auto robot for plastic floating garbage collection using IoT,” *International Journal of Engineering and Advanced Technology*, vol. 9, no. 2, pp. 3727–3732, 2019, doi:10.35940/ijeat.B4557.129219.
- [44] Espressif Systems. (2019). Espressif Documentation. [Online]. Available: <https://www.espressif.com/en/support/documents/technical-documents/>
- [45] M. Muja and D. G. Lowe, “Fast approximate nearest neighbors with automatic algorithm configuration,” *Proc. of the Fourth International Conference on Computer Vision Theory and Applications*, 2009, vol. 1, pp. 331–340.
- [46] K. Hajebi, Y. Abbasi-Yadkori, H. Shahbazi, and H. Zhang, “Fast approximate nearest-neighbor search with k-nearest neighbor graph,” *Proc. of the Twenty-Second International Joint Conference on Artificial Intelligence*, 2000, pp. 1312–1317.
- [47] D. A. Suju and H. Jose, “FLANN: Fast approximate nearest neighbour search algorithm for elucidating human-wildlife conflicts in forest areas,” *Proc. of 2017 Fourth International Conference on Signal Processing, Communication and Networking*, 2017, pp. 1–6.
- [48] S. An *et al.*, “Quarter-point product quantization for approximate nearest neighbor search,” *Pattern Recognit. Lett.*, vol. 125, pp. 187–194, 2019, doi: 10.1016/j.patrec.2019.04.017.
- [49] C. Fu, C. Xiang, C. Wang, and D. Cai, “Fast Approximate Nearest Neighbor search with the navigating spreading-out graph,” *Proc. VLDB Endow.*, vol. 12, no. 5, pp. 461–474, 2019, doi: 10.14778/3303753.3303754.
- [50] J. Vargas Muñoz, M. A. Gonçalves, Z. Dias, and R. da S. Torres, “Hierarchical clustering-based graphs for large scale Approximate Nearest Neighbor search,” *Pattern Recognit.*, vol. 96, p. 106970, 2019, doi: 10.1016/j.patcog.2019.106970.
- [51] A. Sengupta, V. Varma, M. S. Kiran, A. Johari, and R. Marimuthu, “Cost-effective autonomous garbage collecting robot system using Iot and sensor fusion,” *International Journal of Engineering and Advanced Technology*, vol. 9, no. 1, pp. 1–7, 2019, doi: 10.35940/ijitee.a3880.119119.
- [52] M. Muja and D. G. Lowe, “Scalable Nearest Neighbor algorithms for high dimensional Data,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 36, no. 11, pp. 2227–2240, 2014, doi: 10.1109/TPAMI.2014.2321376.
- [53] L. Ai, J. Yu, Z. Wu, Y. He, and T. Guan, “Optimized residual vector quantization for efficient approximate nearest neighbor search,” *Multimed. Syst.*, vol. 23, no. 2, pp. 169–181, 2017, doi: 10.1007/s00530-015-0470-9.
- [54] B. Fan, Q. Kong, B. Zhang, H. Liu, C. Pan, and J. Lu, “Efficient nearest neighbor search in high dimensional hamming space,” *Pattern Recognit.*, vol. 99, p. 107082, 2020, doi: 10.1016/j.patcog.2019.107082.
- [55] X. Bai, C. Yan, H. Yang, L. Bai, J. Zhou, and E. R. Hancock, “Adaptive hash retrieval with kernel based similarity,” *Pattern Recognit.*, vol. 75, pp. 136–148, 2018, doi: 10.1016/j.patcog.2017.03.020.