



















- rice (*Oryza sativa* L.). *Journal of Materials and Environmental Science*, 4(3), pp.404-409.
- [51] S. M. Ulfah, D. Dorly, and S. Rahayu, "Flower development and pollen viability of *Aeschynanthus radicans* var. 'Monalisa' at Bogor Botanical Garden," *Bul. Kebun Raya*, vol. 19, no. 1, pp. 21–32, 2016.
- [52] R. B. Nugroho, W. B. Suwarno, N. Khumaida, and S. W. Ardie, "Male-sterile induction method in foxtail millet (*Setaria italica*)," *Biodiversitas J. Biol. Divers.*, vol. 21, no. 9, 2020.
- [53] J. M. S. de Oliveira, M. S. Martins, M. P. Dorneles, and C. C. de Freitas, "Starch distribution in anthers, microspores and pollen grains in *Aechmea recurvata* (Klotzsch.) L.B.Sm., *Dyckia racinae* L.B.Sm. and *Tillandsia aeranthos* (Loisel.) L.B.Sm. (Bromeliaceae)," *Acta Bot. Brasilica*, vol. 29, no. 1, pp. 103–112, 2015, doi: 10.1590/0102-33062014abb3698.
- [54] M. Eslami, A. Ahmadikhah, M. R. Azimi, and A. Saeidi, "Differential response of an international rice (*Oryza sativa* L.) collection to drought simulated stress (PEG) at vegetative stage," *Aust. J. Crop Sci.*, vol. 12, no. 6, pp. 855–869, 2018, doi: 10.21475/ajcs.18.12.06.PNE545.
- [55] A. Jabeen, K. Tv, D. Subrahmanyam, L. Dl, G. Bhagyanarayana, and D. Krishnaveni, "Variations in Chlorophyll and Carotenoid Contents in Tungro Infected Rice Plants," *Var. Chlorophyll Carotenoid Contents Tungro Infected Rice Plants*, vol. 5, no. 1, pp. 1–7, 2017, doi: 10.4172/2311-3278.1000153.
- [56] R. Herawati, Masdar, D. W. Ganefianti, B. Hermawan, and Alnopri, "Screening and identification of upland rice lines derived recurrent selection for drought tolerance," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 7, no. 6, pp. 2322–2327, 2017, doi: 10.18517/ijaseit.7.6.2955.
- [57] N. . Thuy and H. . Anh, "Vulnerability of Rice Production in Mekong River Delta under Impacts from Floods, Salinity and Climate Change," *IJASEIT*, vol. 5, no. 4, pp. 272–279, 2015.
- [58] B. Warman, I. Suliansyah, E. Swasti, A. Syarif, and H. Alfi, "Selection and semi-dwarf allele mutants segregation pattern as the result of gamma ray irradiation of West Sumatera black rice," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 5, no. 5, pp. 362–365, 2015, doi: 10.18517/ijaseit.5.5.560.
- [59] R. Herawati, E. Inorah, Rustikawati, and Mukhtasar, "Genetics Diversity and Characters Agronomic of F3 Lines Selected by Recurrent Selection for Drought Tolerance and Blast Resistance of Bengkulu Local Rice Varieties," *IJASEIT*, vol. 7, no. 3, pp. 922–927, 2017.