















- dengan ♂ ‘Hikadi Aromatik.’” *Biosfera*, vol. 35, no. 1, p. 44, 2018, doi: 10.20884/1.mib.2018.35.1.586.
- [12] P. Innark, T. Ratanachan, C. Khanobdee, S. Samipak, and C. Jantasuriyarat, “Downy mildew resistant/susceptible cucumber germplasm (*Cucumis sativus* L.) genetic diversity assessment using ISSR markers,” *Crop Prot.*, vol. 60, pp. 56–61, 2014, doi: 10.1016/j.cropro.2014.03.003.
- [13] M. Akash, N. Awad, and M. Kasrawi, “Genetic diversity among snake melon landraces (*Cucumis Melo* Var. *Flexuosus*) using molecular descriptors,” *Plant Biosyst.*, vol. 154, no. 2, pp. 206–212, 2020, doi: 10.1080/11263504.2019.1587536.
- [14] G. C. Luz, D. K. Strioto, C. A. Mangolin, and M. de F. P. S. Machado, “ISSR markers to assess genetic diversity of cultivated populations from artificial selection of *stevia rebaudiana* (Bert.) bertonii,” *Breed. Sci.*, vol. 70, no. 4, pp. 508–514, 2020, doi: 10.1270/jsbbs.20014.
- [15] M. A. Sihaloho, D. S. Hanafia, E. Julianti, and M. Basyuni, “Morphological Characters of Local Origin Durian (*Durio zibethinus* Murr.) Fruits and Seeds from Central Tapanuli Regency, North Sumatra, Indonesia,” *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 11, no. 1, pp. 213–222, 2021, doi: 10.18517/ijaseit.11.1.11211.
- [16] M. Basyuni *et al.*, “Cluster analysis of polyisoprenoid in oil palm (*Elaeis guineensis*) leaves in different land-uses to find the possible cause of yield gap from planting materials,” *Biodiversitas*, vol. 19, no. 4, pp. 1492–1501, 2018, doi: 10.13057/biodiv/d190440.
- [17] G. Acquah, *Principles of Plant Genetics and Breeding: Second Edition*. 2012.
- [18] E. Křístková, A. Lebeda, V. Vinter, and O. Blahoušek, “Genetic resources of the genus *Cucumis* and their morphological description (English-Czech version),” *Hortic. Sci.*, vol. 30, no. No. 1, pp. 14–42, 2018, doi: 10.17221/3812-hortsci.
- [19] C. Esteras, J. L. Rambla, G. Sánchez, A. Granell, and M. B. Picó, “Melon genetic resources characterization for rind volatile profile,” *Agronomy*, vol. 10, no. 10, 2020, doi: 10.3390/agronomy10101512.
- [20] N. Charoengchongsuk, D. Matsumoto, A. Itai, and H. Murayama, “Ripening characteristics and pigment changes in russeted pear fruit in response to ethylene and 1-MCP,” *Horticulturae*, vol. 4, no. 3, pp. 1–14, 2018, doi: 10.3390/horticulturae4030022.
- [21] A. S. Hermanns, X. Zhou, Q. Xu, Y. Tadmor, and L. Li, “Carotenoid Pigment Accumulation in Horticultural Plants,” *Hortic. Plant J.*, vol. 6, no. 6, pp. 343–360, 2020, doi: 10.1016/j.hpj.2020.10.002.
- [22] A. F. Yusuf, W. A. Wibowo, A. S. Subiastuti, and B. S. Daryono, “Morphological Studies of Stability and Identity of Melon (*Cucumis melo* L.) ‘Hikapel’ and Comparative Cultivars,” *AIP Conf. Proc.*, vol. 2260, no. September 2020, doi: 10.1063/5.0017606.
- [23] B. S. Daryono, A. S. Subiastuti, A. Fatmadanni, and D. Sartika, “Phenotypic and genetic stability of new Indonesian melon cultivar (*Cucumis melo* L. ‘Melonia’) based on ISSR markers,” *Biodiversitas*, vol. 20, no. 4, pp. 1069–1075, 2019, doi: 10.13057/biodiv/d200419.
- [24] A. Etminan *et al.*, “Genetic relationships and diversity among wild *Salvia* accessions revealed by ISSR and SCoT markers,” *Biotechnol. Biotechnol. Equip.*, vol. 32, no. 3, pp. 610–617, 2018, doi: 10.1080/13102818.2018.1447397.
- [25] A. Mondal, T. Pal, and K. K. De, “Fluorescent Inter Simple Sequence Repeat (F-ISSR) markers and capillary electrophoresis to assess genetic diversity and relatedness within commercial sugarcane varieties,” *Int. J. Agric. Technol.*, vol. 14, no. 5, pp. 717–730, 2018.
- [26] L. Ying Chang, S. Peng He, Q. Liu, J. Lin Xiang, and D. Feng Huang, “Quantifying muskmelon fruit attributes with A-TEP-based model and machine vision measurement,” *J. Integr. Agric.*, vol. 17, no. 6, pp. 1369–1379, 2018, doi: 10.1016/S2095-3119(18)61912-4.
- [27] P. Fei Leng, T. Lübberstedt, and M. Liang Xu, “Genomics-assisted breeding – A revolutionary strategy for crop improvement,” *J. Integr. Agric.*, vol. 16, no. 12, pp. 2674–2685, 2017, doi: 10.1016/S2095-3119(17)61813-6.
- [28] P. Sambo *et al.*, “Hydroponic Solutions for Soilless Production Systems: Issues and Opportunities in a Smart Agriculture Perspective,” *Front. Plant Sci.*, vol. 10, no. July 2019, doi: 10.3389/fpls.2019.00923.
- [29] W. L. Ng and S. G. Tan, “Inter-Simple Sequence Repeat (ISSR) markers: Are we doing it right?,” *ASM Sci. J.*, vol. 9, no. 1, pp. 30–39, 2015.