

REFERENCES

- [1] A. C. Aprotosoaic, S. V. Luca, and A. Miron, "Flavor chemistry of cocoa and cocoa products—an overview," *Compr. Rev. Food Sci. Food Saf.*, vol. 15, no. 1, pp. 73-91, 2016.
- [2] M. Á. Martín and S. Ramos, "Health beneficial effects of cocoa phenolic compounds: A mini review," *Curr. Opin. Food Sci.*, vol. 14, pp. 20-25, 2017.
- [3] J. Oracz, D. Zyzelewicz, and E. Nebesny, "The content of polyphenolic compounds in cocoa beans (*Theobroma cacao* L.), depending on variety, growing region, and processing operations: A review," *Crit. Rev. Food Sci. Nutr.*, vol. 55, no. 9, pp. 1176-1192, 2015.
- [4] B. Urbanska, and J. Kowalska, "Comparison of the total polyphenol content and antioxidant activity of chocolate obtained from roasted and unroasted cocoa beans from different regions of the world," *Antioxidants (Basel)*, vol. 8, no. 8, pp. 283, 2019.
- [5] V. Barišić, M. Kopjar, A. Jozinović, L. Flanjak, D. Ačkar, B. Miličević, ... and J. Babić, "The chemistry behind chocolate production," *Molecules*, vol. 24, no. 17, pp. 3163, 2019.
- [6] J. Voigt, and R. Lieberei, "Biochemistry of Cocoa Fermentation," In *Cocoa and coffee fermentations*, R. F. Schwan and G. H. Fleet, Ed., Boca Raton, FL, Florida, USA: CRC Press, 2015, pp. 193-226.
- [7] C. D. Di Mattia, G. Sacchetti, D. Mastrocola, and M. Serafini, "From cocoa to chocolate: The impact of processing on in vitro antioxidant activity and the effects of chocolate on antioxidant markers in vivo," *Front. Immunol.*, vol. 8, pp. 1207, 2017.
- [8] M. A. Briggs, Y. Lee, J. Fleming, C. Sponsky, and P. M. Kris-Etherton, "Nutritional and physiological aspects of chocolate," In *Chocolate and health chemistry, nutrition and therapy*, P. K. Wilson and W. J. Hurst, Ed., Cambridge, UK: The Royal Society of Chemistry, 2015, pp. 82-102.
- [9] Y. C. Cheng, J. M. Sheen, W. L. Hu, Y.C. Hung, "Polyphenols and oxidative stress in atherosclerosis-related ischemic heart disease and stroke," *Oxidative medicine and cellular longevity*, 2017.
- [10] L. Goya, M. Á. Martín, B. Sarriá, S. Ramos, R. Mateos, and L. Bravo, "Effect of cocoa and its flavonoids on biomarkers of inflammation: studies of cell culture, animals and humans," *Nutrients*, vol. 8, no. 4, pp. 212, 2016.
- [11] H. Cao, J. Ou, L. Chen, Y. Zhang, T. Szkudelski, D. Delmas, ... & J. Xiao, "Dietary polyphenols and type 2 diabetes: human study and clinical trial," *Crit. Rev. Food Sci. Nutr.*, vol. 59, no. 20, pp. 3371-3379, 2016.
- [12] T. Wahyudi and Misnawi, "Sejarah, Perkembangan Penelitian dan Prospek Kakao". In "Kakao (sejarah, botani, proses produksi, pengolahan dan perdagangan)" T. Wahyudi, Pujiyanto, Misnawi. Ed. Yogyakarta, Indonesia: Gadjah Mada University Press, 2015.
- [13] A. W. Susilo, "Botani, Keragaman Genetik, Dan Pengolahan Plasma Nutfah". In "Kakao (sejarah, botani, proses produksi, pengolahan dan perdagangan)". T. Wahyudi, Pujiyanto, Misnawi. Ed. Yogyakarta, Indonesia: Gadjah Mada University Press, 2015.
- [14] Fahrurrozi, "Microbiological and biochemical investigations of cocoa bean fermentation," Ph.D. dissertation, Staats-und Universitätsbibliothek Hamburg Carl von Ossietzky, Germany, 2015.
- [15] R. R. Utami, R. Armunanto, S. Rahardjo, and Supriyanto, "Effects of cocoa bean (*Theobroma cacao* L.) fermentation on phenolic content, antioxidant activity and functional group of cocoa bean shell," *Pakistan J. Nutr.*, pp. 948-953, 2016.
- [16] C. Kaur, and H. C. Kapoor, "Antioxidant activity and total phenolic content of some asian vegetables," *Int. J. Food Sci. Technol.*, vol. 37, pp. 153-161, 2002.
- [17] S. A. Baba, and S. A. Malik, "Determination of total phenolic and flavonoid content, antimicrobial and antioxidant activity of a root extract of *Arisaema jacquemontii* Blume," *J. Taibah Univ. Sci.*, vol. 9, pp. 449-454, 2015.
- [18] A. Peğal, and K. Pyrzynska, "Evaluation of aluminium complexation reaction for flavonoid content assay," *Food Anal. Methods*, pp. 1776-1782, 2014.
- [19] W. Zzaman, R. Bhat, M.Z. Abedin, and T. A. Yang, "Comparison between superheated steam and convectional roasting on changes in the phenolic compound and antioxidant activity of cocoa beans," *Food Science and Technology Research*, vol. 19 no. 6, pp. 949-56, 2013.
- [20] N. Niemenak, C. Rohsius, S. Elwers, D. O. Ndoumou, and R. Lieberei, "Comparative study of different cocoa (*Theobroma cacao* L.) clones in terms of their phenolics and anthocyanins contents" *Journal of Food Composition and Analysis*, 19(6-7), pp. 612-619. 2006.
- [21] S. Elwers, A. Zambrano, C. Rohsius, and R. Lieberei, "Differences between the content of phenolic compounds in Criollo, Forastero and Trinitario cocoa seed (*Theobroma cacao* L.)," *European Food Research and Technology*, 229(6), pp. 937-948. 2009.
- [22] B. Martono, "Karakteristik morfologi dan kegiatan plasma nutfah tanaman kakao. Bunga rampai inovasi teknologi bioindustri kakao," Jakarta, Indonesia: IAARD Press, 2013.
- [23] W. K. Amoa-Awua, "Methods of cocoa fermentation and drying," In *Cocoa and Coffe Fermentations*, R. F. Schwan, and G. H. Fleet, Ed., Boca Raton, FL, Florida, USA: CRC Press, 2015, pp. 71-128.
- [24] S. Sabahannur, S. Alimuddin, and Rahmawati, "Changes in phenol level and antioxidant activity of cocoa beans during fermentation and roasting," *J. Food Res.*, vol. 7, no. 4, pp. 22-29, 2018.
- [25] K. C. Racine, A. H. Lee, B. D. Wiersema, H. Huang, J. D. Lambert, A. C. Stewart, et al. development and characterization of a pilot-scale model cocoa fermentation system suitable for studying the impact of fermentation on putative bioactive compounds and bioactivity of cocoa, *Foods*, vol. 8, pp. 102, 2019.
- [26] P. E. Aikpokpodion, and L. N. Dongo, "Effects of fermentation intensity on polyphenols and antioxidant capacity of cocoa beans," *Int. J. Sustain. Crop Prod.*, pp. 66-70, 2010.
- [27] Y. Suazo, G. Davidov-Pardo, and I. Arozarena, Effect of fermentation and roasting on the phenolic concentration and antioxidant activity of cocoa from Nicaragua. *J. Food Qual.*, vol. 50-56, 2014.
- [28] M.S. Muñoz, J. R. Cortina, F. E. Vaillant, and S. Parra, "An overview of the physical and biochemical transformation of cocoa seeds to beans and to chocolate: Flavor formation. *Critical Rev. Food Sci. Nutr.*, vol. 60, no.10, pp1593-1613, 2019.
- [29] J. F. M. Cruz, P. B. Leite, S. E. Soares, and E. Bispo, "Bioactive compounds in different cocoa (*Theobroma cacao*, L) cultivars during fermentation," vol. 35 no. 2, pp. 279-284, 2015.
- [30] M. A. Martín, S. Ramos, I. Cordero-Herrero, L. Bravo, L., and L. Goya, (2013). Cocoa phenolic extract protects pancreatic beta cells against oxidative stress" *Nutrients*, 5(8), pp. 2955–2968. 2013.
- [31] M.R.A. Mokhtar, A. Ismail, A.G. Nawalyah, H. Muhajir, S.P.M. Bohari, ... and S.M. Mansor, "Hypoglycaemic Properties of Malaysian Cocoa (*Theobroma Cacao*) Polyphenols-Rich Extract" *International Food Research Journal*. 15. 2018.
- [32] D. Żyzelewicz, M. Zakłós-Szyda, J. Juśkiewicz, M. Bojczuk, J. Oracz, G. Budryn, ..., A. Jurgoński, "Cocoa bean (*Theobroma cacao* L.) phenolic extracts as PTP1B inhibitors, hepatic HepG2 and pancreatic β-TC3 cell cytoprotective agents and their influence on oxidative stress in rats" *Food Research International*. 89, pp. 946–957. 2016
- [33] C.M. Ryan, "Anti-Diabetic and Anti-Obesity Activities of Cacao (*Theobroma cacao*) via Physiological Enzyme Inhibition" (Master's thesis). Faculty of the Virginia Polytechnic Institute and State University, United States. 2016.
- [34] L. Bozzetto, G. Annuzzi, G. Pacini, G. Costabile, C. Vetrani, M. Vitale, ... A.A. Rivellese, "Polyphenol-rich diets improve glucose metabolism in people at high cardiometabolic risk: a controlled randomised intervention trial" *Diabetologia*, 58(7), pp. 1551–1560.