

















- pp. 1–7, 2016.
- [32] M. Karimi and D. Biriá, “The promiscuous activity of alpha-amylase in biodegradation of low-density polyethylene in a polymer-starch blend,” *Sci. Rep.*, vol. 9, no. 1, pp. 1–10, 2019.
- [33] S. F. Abd Karim, J. B. Jai, K. H. Ku Hamid, and A. W. Abdul Jalil, “Characteristics and mechanical properties changes due to incorporation of aloe vera in polyethylene-based film,” *Sci. Res. J.*, vol. 17, no. 2, pp. 61–80, 2020.
- [34] D. Datta and G. Halder, “Blending of phthalated starch and surface functionalized rice husk extracted nanosilica with LDPE towards developing an efficient packaging substitute,” *Environ. Sci. Pollut. Res.*, vol. 27, no. 2, pp. 1533–1557, 2020.
- [35] M. Sabetzadeh, R. Bagheri, and M. Masoomi, “Effect of Oxidized Starch on Morphology, Rheological and Tensile Properties of Low-Density Polyethylene/Linear Low-Density Polyethylene/Thermoplastic Oxidized Starch Blends,” *J. Polym. Environ.*, vol. 26, no. 6, pp. 2219–2226, 2018.
- [36] R. Minjares-Fuentes, A. Femenia, F. Comas-Serra, and V. M. Rodríguez-González, “Compositional and structural features of the main bioactive polysaccharides present in the aloe vera plant,” *J. AOAC Int.*, vol. 101, no. 6, pp. 1711–1719, 2018.
- [37] L. Wang *et al.*, “Effects of fatty acid chain length on properties of potato starch–fatty acid complexes under partially gelatinization,” *Int. J. Food Prop.*, vol. 21, no. 1, pp. 2121–2134, 2018.
- [38] S. Fatma, A. Karim, J. Jai, K. Halim, K. Hamid, and A. Wafi, “Effect of crude palm oil, Aloe vera, glycerol, and starch on characteristics and mechanical properties of polyethylene film,” *Malaysian J. Chem. Eng. Technol.*, vol. 3, no. 1, pp. 16–24, 2020.
- [39] L. Panahi, M. Gholizadeh, and R. Hajimohammadi, “Investigating the degradability of polyethylene using starch, oxo-material, and polylactic acid under the different environmental conditions,” *Asia-Pacific J. Chem. Eng.*, vol. 15, no. 1, pp. 1–12, 2020.
- [40] O. ard Saibuatong and M. Phisalaphong, “Novo aloe vera-bacterial cellulose composite film from biosynthesis,” *Carbohydr. Polym.*, vol. 79, pp. 455–460, 2010.
- [41] A. Ramírez-Hernández *et al.*, “Thermal, morphological and structural characterization of a copolymer of starch and polyethylene,” *Carbohydr. Res.*, vol. 488, p. 107907, 2020.
- [42] M. P. Ong-ard Saibuatong, “Novo aloe vera-bacterial cellulose composite film from biosynthesis,” *Carbohydr. Polym.*, vol. 79, pp. 455–460, 2010.
- [43] C. Agudelo-Cuartas, D. Granda-Restrepo, P. J. A. Sobral, and W. Castro, “Determination of mechanical properties of whey protein films during accelerated aging: Application of FTIR profiles and chemometric tools,” *J. Food Process Eng.*, vol. 44, no. 5, p. e13477, 2020.
- [44] L. Q. Khor and K. Y. Cheong, “Aloe vera gel as natural organic dielectric in electronic application,” *J. Mater. Sci. Mater. Electron.*, vol. 24, no. 7, pp. 2646–2652, 2013.
- [45] S. S. and G. H. Datta, Deepshikha, “Effect of thickness and starch phthalate/starch content on the degradability of LDPE/silane-modified nanosilica films: a comparative parametric optimization,” *Polym. Bull.*, vol. 78, pp. 2287–2328, 2021.
- [46] X. Liu *et al.*, “Thermal degradation and stability of starch under different processing conditions,” *Starch/Stärke*, vol. 65, pp. 48–60, 2013.
- [47] J. Chen, X. Wang, Z. Long, S. Wang, J. Zhang, and L. Wang, “Preparation and performance of thermoplastic starch and microcrystalline cellulose for packaging composites: Extrusion and hot pressing,” *Int. J. Biol. Macromol.*, vol. 165, pp. 2295–2302, 2020.
- [48] N. Nordin, S. H. Othman, S. A. Rashid, and R. K. Basha, “Effects of glycerol and thymol on physical, mechanical, and thermal properties of corn starch films,” *Food Hydrocoll.*, vol. 106, p. 105884, 2020.
- [49] L. Nieto-Suaza, L. Acevedo-Guevara, L. T. Sánchez, M. I. Pinzón, and C. C. Villa, “Characterization of Aloe vera-banana starch composite films reinforced with curcumin-loaded starch nanoparticles,” *Food Struct.*, vol. 22, p. 100131, 2019.
- [50] C. I. Nindo, J. R. Powers, and J. Tang, “Thermal Properties of Aloe Vera Powder and Rheology of Reconstituted Gels,” *Trans. ASABE*, vol. 53, no. 4, pp. 1193–1200, 2010.
- [51] E. Stasi *et al.*, “Biodegradable carbon-based ashes/maize starch composite films for agricultural applications,” *Polymers (Basel)*, vol. 12, no. 3, pp. 1–16, 2020.
- [52] D. Li, L. Zhou, X. Wang, L. He, and X. Yang, “Effect of Crystallinity of Polyethylene with Different Densities on Breakdown Strength and Conductance Property,” *Materials (Basel)*, vol. 12, no. 11, p. 1746, 2019.
- [53] A. L. Da Róz, M. D. Zambon, A. A. S. Curvelo, and A. J. F. Carvalho, “Thermoplastic starch modified during melt processing with organic acids: The effect of molar mass on thermal and mechanical properties,” *Ind. Crops Prod.*, vol. 33, no. 1, pp. 152–157, 2011.