









- a Maldivian Reef," *Remote Sens.* 2020, Vol. 12, Page 2093, vol. 12, no. 13, p. 2093, Jun. 2020, doi: 10.3390/RS12132093.
- [9] C. G. David, N. Kohl, E. Casella, A. Rovere, P. Ballesteros, and T. Schlurmann, "Structure-from-Motion on shallow reefs and beaches: potential and limitations of consumer-grade drones to reconstruct topography and bathymetry," *Coral Reefs 2021 403*, vol. 40, no. 3, pp. 835–851, May 2021, doi: 10.1007/S00338-021-02088-9.
- [10] J. T. Dietrich, "Bathymetric Structure-from-Motion: extracting shallow stream bathymetry from multi-view stereo photogrammetry," *Earth Surface Processes and Landforms*, vol. 42, no. 2. John Wiley and Sons Ltd, pp. 355–364, Feb. 2017, doi: 10.1002/esp.4060.
- [11] P. Agrafiotis, K. Karantzos, A. Georgopoulos, and D. Skarlatos, "Correcting image refraction: Towards accurate aerial image-based bathymetry mapping in shallow waters," *Remote Sens.*, vol. 12, no. 2, Jan. 2020, doi: 10.3390/rs12020322.
- [12] V. Raoult, S. Reid-Anderson, A. Ferri, and J. E. Williamson, "How Reliable Is Structure from Motion (SfM) over Time and between Observers? A Case Study Using Coral Reef Bommies," *Remote Sens.* 2017, Vol. 9, Page 740, vol. 9, no. 7, p. 740, Jul. 2017, doi: 10.3390/RS9070740.
- [13] S. Harwin and A. Lucieer, "Assessing the accuracy of geo-referenced point clouds produced via multi-view stereopsis from Unmanned Aerial Vehicle (UAV) imagery," *Remote Sens.*, vol. 4, no. 6, pp. 1573–1599, Jun. 2012, doi: 10.3390/RS4061573.
- [14] J. P. Duffy, J. D. Shutler, M. J. Witt, L. DeBell, and K. Anderson, "Tracking Fine-Scale Structural Changes in Coastal Dune Morphology Using Kite Aerial Photography and Uncertainty-Assessed Structure-from-Motion Photogrammetry," *Remote Sens.* 2018, Vol. 10, Page 1494, vol. 10, no. 9, p. 1494, Sep. 2018, doi: 10.3390/RS10091494.
- [15] O. Bagheri, M. Ghodsian, M. Saadatseresht, O. Bagheri, M. Ghodsian, and M. Saadatseresht, "Reach Scale Application of UAV+SfM Method in Shallow Rivers Hyperspectral Bathymetry," 2015, doi: 10.5194/isprsarchives-XL-1-W5-77-2015.
- [16] M. D. M. Manessa *et al.*, "Satellite-Derived Bathymetry Using Random Forest Algorithm and Worldview-2 Imagery," *Geoplanning J. Geomatics Plan.*, vol. 3, no. 2, pp. 117–126, Nov. 2016, doi: 10.14710/geoplanning.3.2.117-126.
- [17] M. D. M. Manessa, K. T. Setiawan, M. Haidar, S. Supriatna, A. Pataropura, and A. H. Supardjo, "Optimization of the random forest algorithm for multispectral derived bathymetry," *Int. J. Geoinformatics*, vol. 16, no. 3, 2020.
- [18] P. Agrafiotis, D. Skarlatos, A. Georgopoulos, and K. Karantzos, "Shallow Water Bathymetry Mapping from UAV Imagery based on Machine Learning," *ISPRS Ann. Photogramm. Remote Sens. Spat. Inf. Sci.*, vol. 42, no. 2/W10, pp. 9–16, Feb. 2019, doi: 10.5194/isprs-archives-XLII-2-W10-9-2019.
- [19] DJI, "P4 Multispectral - Specifications," 2020.
- [20] "Agisoft Metashape Support." Agisoft Metashape: Beginner Level, <https://www.agisoft.com/support/tutorials/beginner-level/>.
- [21] G. Verhoeven, "Taking computer vision aloft - archaeological three-dimensional reconstructions from aerial photographs with photoscan," *Archaeological Prospection*, vol. 18, no. 1. John Wiley & Sons, Ltd, pp. 67–73, Jan. 2011, doi: 10.1002/arp.399.
- [22] S. Jiang, C. Jiang, and W. Jiang, "Efficient structure from motion for large-scale UAV images: A review and a comparison of SfM tools," *ISPRS J. Photogramm. Remote Sens.*, vol. 167, no. April, pp. 230–251, 2020, doi: 10.1016/j.isprsjprs.2020.04.016.
- [23] A. Eltner and G. Sofia, "Structure from motion photogrammetric technique," *Dev. Earth Surf. Process.*, vol. 23, no. June, pp. 1–24, 2020, doi: 10.1016/B978-0-444-64177-9.00001-1.
- [24] D. R. Lyzenga, "Passive remote sensing techniques for mapping water depth and bottom features," *Appl. Opt.*, vol. 17, no. 3, pp. 379–383, 1978, doi: 10.1364/AO.17.000379.
- [25] L. Breiman, "Random forests," *Mach. Learn.*, vol. 45, no. 1, pp. 5–32, 2001, doi: 10.1017/CBO9781107415324.004.
- [26] M. Andy Liaw, Wiener and M. Andy Liaw, "Package 'randomForest' Title Breiman and Cutler's Random Forests for Classification and Regression," 2018, doi: 10.1023/A:1010933404324.