















- Nutr.*, vol. 60, no. 7, pp. 1228–1242, 2020, doi: 10.1080/10408398.2019.1565491.
- [37] H. Wang, W. Su, Y. Mu, and C. Zhao, “Correlation Between Microbial Diversity and Volatile Flavor Compounds of Suan zuo rou, a Fermented Meat Product From Guizhou, China,” *Front. Microbiol.*, vol. 12, no. October, pp. 1–14, 2021, doi: 10.3389/fmicb.2021.736525.
- [38] A. S. Talab and M. H. Ghanem, “Effects of different salt concentrations on the quality alterations and shelf-life of the grey mullet fish,” *Egypt. J. Aquat. Biol. Fish.*, vol. 25, no. 1, pp. 583–595, 2021, doi: 10.21608/EJABF.2021.147329.
- [39] V. B. Anihouvi, E. Sakyi-Dawson, G. S. Ayernor, and J. D. Hounhouigan, “Microbiological changes in naturally fermented cassava fish (*Pseudotolithus* sp.) for lanhouin production,” *Int. J. Food Microbiol.*, vol. 116, no. 2, pp. 287–291, 2007, doi: 10.1016/j.ijfoodmicro.2006.12.009.
- [40] D. Nicomrat, M. Lakhandee, N. Suenonmueng, and N. Marjang, “Lactic Acid Bacteria Starter Participating in Hygienic Long Shelf-Life of the Pla-Som Fermented Product,” *Appl. Mech. Mater.*, vol. 879, pp. 113–117, 2018, doi: 10.4028/www.scientific.net/amm.879.113.
- [41] K. Kamala, P. Sivaperumal, B. A. Paray, and M. K. Al-Sadoon, “Identification of haloarchaea during fermentation of *Sardinella longiceps* for being the starter culture to accelerate fish sauce production,” *Int. J. Food Sci. Technol.*, vol. 56, no. 11, pp. 5717–5725, 2021, doi: 10.1111/ijfs.15183.
- [42] Y. Fajri, A.A. Sukarso, and D.A.C. Rasmi, “Fermentasi Ikan Kembung (*Rastrelliger* sp.) dalam Pembuatan Peda dengan Penambahan Bakteri Asam Laktat (BAL) yang Terkandung dalam Terasi Empang pada Berbagai Konsentrasi Garam,” *J. Biol. Trop.*, vol. 14, no. 2, 2014, doi: 10.29303/jbt.v14i2.142.
- [43] A. Kusmarwati, U. Hizamah, and S. Wibowo, “Microbiological and chemical quality of a traditional salted-fermented fish (peda) product of Banten, Indonesia using *Leuconostoc mesenteroides* ssp. *Cremonis* BN12 as starter culture,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 462, no. 1, 2020, doi: 10.1088/1755-1315/462/1/012020.
- [44] M. L. Fadhli, Romadhon, and Sumardianto, “Karakteristik Sensori Pindang Ikan Kembung (*Rastrelliger* Sp.) Dengan Penambahan Garam Bledug Kuwu,” *J. Ilmu dan Teknol. Perikan.*, vol. 2, no. 1, pp. 1–9, 2020.
- [45] Y. Narzary, S. Das, A. K. Goyal, S. S. Lam, H. Sarma, and D. Sharma, “Fermented fish products in South and Southeast Asian cuisine: indigenous technology processes, nutrient composition, and cultural significance,” *J. Ethn. Foods*, vol. 8, no. 1, 2021, doi: 10.1186/s42779-021-00109-0.
- [46] L. Feng, N. Tang, R. Liu, M. Gong, Z. Wang, Y. Guo, Y. Wang, Y. Zhang, and M. Chang, “The relationship between flavor formation, lipid metabolism, and microorganisms in fermented fish products,” *Food & Function*, vol. 12, no. 13, pp. 5685–5702, 2021, doi: 10.1039/d1fo00692d.
- [47] R. W. Paparang, “Studi Pengaruh Variasi Konsentrasi Garam Terhadap Citarasa Peda Ikan Layang (*Decapterus russelli*),” *Media Teknol. Has. Perikan.*, vol. 1, no. 1, pp. 17–20, 2013, doi: 10.35800/mthp.1.1.2013.4141.
- [48] Ira, “Kajian pengaruh berbagai kadar garam terhadap kandungan asam lemak esensial omega-3 ikan kembung (*Rastrelliger Kanagurta*) Asin Kering,” UNS, Surakarta, Indonesia, 2013.
- [49] M. E. López-Caballero, M. C. Gómez-Guillén, M. Pérez-Mateos, and P. Montero, “A chitosan-gelatin blend as a coating for fish patties,” *Food Hydrocoll.*, vol. 19, no. 2, pp. 303–311, 2005, doi: 10.1016/j.foodhyd.2004.06.006.
- [50] M. Ali, J. Kusnadi, A. Aulanni’am, and Y. Yunianta, “Amino acids, fatty acids and volatile compounds of Terasi Udang, an Indonesian Shrimp paste, during fermentation,” *AACL Bioflux*, vol. 13, no. 2, pp. 938–950, 2020.
- [51] A. Giri, K. Osako, A. Okamoto, and T. Ohshima, “Olfactometric characterization of aroma active compounds in fermented fish paste in comparison with fish sauce, fermented soy paste and sauce products,” *Food Res. Int.*, vol. 43, no. 4, pp. 1027–1040, 2010, doi: 10.1016/j.foodres.2010.01.012.
- [52] Y. J. Cha and K. R. Cadwallader, “Volatile Components in Salt-Fermented Fish and Shrimp Pastes,” *J. Food Sci.*, vol. 60, no. 1, pp. 19–24, 1995, doi: 10.1111/j.1365-2621.1995.tb05597.x.
- [53] V. B. Anihouvi, E. Sakyi-Dawson, G. S. Ayernor, and J. D. Hounhouigan, “Biochemical changes and aroma development during the spontaneous fermentation of cassava fish into Lanhouin and their influence on product acceptability,” *J. Aquat. Food Prod. Technol.*, vol. 18, no. 4, pp. 370–384, 2009, doi: 10.1080/10498850903224919.
- [54] Y. Xu, L. Li, J. M. Regenstein, P. Gao, J. Zang, W. Xia, and Q. Jiang, “The contribution of autochthonous microflora on free fatty acids release and flavor development in low-salt fermented fish,” *Food Chemistry*, vol. 256, pp. 259–267, Aug. 2018, doi: 10.1016/j.foodchem.2018.02.142.
- [55] A. Singh, A. Dhami, D. Palariya, O. Prakash, R. Kumar, R. Kumar, AK Pant, Methyl nonyl ketone and linalool rich essential oils from three accessions of *Zanthoxylum armatum* (DC.) and their biological activities. *Int J Herb Med* 2019;7(3):20-28, Available: <https://www.researchgate.net/publication/334603364>.
- [56] V. Simat, J. Vlahovic, B. Soldo, D. Skroza, and I. Ljubenkova, “Production and Refinement of Omega-3 Rich Oils,” *Foods*, vol. 3, pp. 1–14, 2019.
- [57] L. Zhang, X. Dong, X. Feng, S. A. Ibrahim, W. Huang, and Y. Liu, “Effects of drying process on the volatile and non-volatile flavor compounds of *lentinula edodes*,” *Foods*, vol. 10, no. 11, pp. 1–13, 2021, doi: 10.3390/foods10112836.
- [58] K. Grigorakis, I. Giogios, A. Vasilaki, and I. Nengas, “Effect of the fish oil, oxidation status and of heat treatment temperature on the volatile compounds of the produced fish feeds,” *Anim. Feed Sci. Technol.*, vol. 158, no. 1–2, pp. 73–84, 2010, doi: 10.1016/j.anifeeds.2010.03.012.
- [59] W. Pan, S. Benjakul, C. Sanmartin, A. Guidi, X. Ying, L. Ma, X. Weng, J. Yu, and S. Deng, “Characterization of the Flavor Profile of Bigeye Tuna Slices Treated by Cold Plasma Using E-Nose and GC-IMS,” *Fishes*, vol. 7, no. 1, p. 13, Jan. 2022, doi: 10.3390/fishes7010013.
- [60] M. Feng, Z. Dai, Z. Yin, X. Wang, S. Chen, and H. Zhang, “The volatile flavor compounds of Shanghai smoked fish as a special delicacy,” *J. Food Biochem.*, vol. 45, no. 1, pp. 1–10, 2021, doi: 10.1111/jfbc.13553.
- [61] A. Ding, M. Zhu, X. Qian, L. Shi, H. Huang, G. Xiong, J. Wang, and L. Wang, “Effect of fatty acids on the flavor formation of fish sauce,” *LWT*, vol. 134, p. 110259, Dec. 2020, doi: 10.1016/j.lwt.2020.110259.
- [62] H. Wang, Y. Zhu, J. Zhang, X. Wang, and W. Shi, “Characteristic volatile compounds in different parts of grass carp by comprehensive two-dimensional gas chromatography/time-of-flight mass spectrometry,” *Int. J. Food Prop.*, vol. 23, no. 1, pp. 777–796, 2020, doi: 10.1080/10942912.2020.1758715.
- [63] C. Li, Y. Zhao, Y. Wang, L. Li, J. Huang, X. Yang, S. Chen, and Y. Zhao, “Contribution of microbial community to flavor formation in tilapia sausage during fermentation with *Pediococcus pentosaceus*,” *LWT*, vol. 154, p. 112628, Jan. 2022, doi: 10.1016/j.lwt.2021.112628.