

- Antraknose At Large Chilli. Study Program Plant Pests and Diseases, Faculty of Agriculture, University of Papua. Manokwari.
- [5] Khamma; S.A. Yukota; J.F. Peberdy and S. Lumyong. 2009. Antifungal Activity of *Streptomyces* spp. Isolated from Rhizosphere of Thai Medicinal Plant. *International Journal of Integrative Biology*. 6: 143-147.
- [6] Pit, J.I. and A. D. Hocking. 1997. *Fungi and food Spoilage*. Blackie Academic and Professional. Second Edition. London-Weinhein-New York-Tokyo-Melbourne-Madras.
- [7] Cano, J., Guarro, J. and Gene, J. 2004. Molecular and morphological identification of *Colletotricum* species of clinical interest (American Society for Microbiology). *Journal of Clinical Microbiology* 42: 2450-2454.
- [8] Nishizawa, T.; M. Zhaorigetu; Y. Komatsuzaki; N. Sato, Kaneko and H. Ohta. 2010. Molecular Characterization of Fungal Communities in Not-tilled, Cover-Cropped Upland Rice Field Soils. *Microbes and environment* 25 (3): 204-2010. [Cited on 4 Nov. 2011] Available from: <http://www.soc.nii.ac.jp/jsme2/doi:10.1264/jsme2.ME10108>.
- [9] Thompson, J. D., Gibson, T. J., Plewniak, F., Jeanmougin, F., and Higgins, D. G. 1997. The Clustal_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Research* 25 (24): 4876-4884.
- [10] Samson, R.A., E. S. Hoekstra, and A. N. V. Oorschot. 1981. *Introduction to Food-Borne Fungi*. Central bureau-Voor Schimmel cultures. Institute of the Royal Netherlands. Academic Of Art and Science.
- [11] Haggag, W.M. and H. A.L. A. Muhamed, 2007. Biotechnological Aspects of Microorganisms Used in Plant Biological Control. *American-Eurasian Journal of Sustainable Agriculture*, 1 (1): 7-12.
- [12] Budiarti, L and Nurhayati. 2014. The abundance of fungi antagonists on Long Bean (*Vignasinesis* (L.) Savi ax Hassk. *Prosiding National Seminar on Land Suboptimal*. Sriwijaya University in Palembang.
- [13] Meinawati; S. Khotimah, Mukarlina. 2014. Uji Antagonis *Pyricularia grisea* Sacc. Penyebab Penyakit Blas Pada Tanaman Padi Menggunakan Jamur Risosfir Lokal. *Protobiont*. Vol.3(1) : 17-24
- [14] Sudarma, I Made 2011. Potensi Antagonist Fungus Derived from Plants Habitat Pisang dengan and without symptoms of *Fusarium wilt* to Control *Fusarium oxysporum* sp. cubense In vitro. *Agroecotechnology Faculty of Agriculture, University of Udayana*.
- [15] Suprpta, D.N and Sudarma I Made, 2016. Potential antagonist fungus Derived from Plants Habitat Bananas with and without symptoms of *Fusarium wilt* to control *Fusarium oxysporum cubense* In vitro. *Department of Agrotechnology Faculty of Agriculture, University of Udayana*. Denpasar. Bali
- [16] Djafaruddin, 2004. *Fundamentals Pengendalian Plant Disease*, Publisher Earth Literacy
- [17] Petersen, L.M; Casper A; Jens C; Charlotte H; Gotfredsen; Thomas O. L. 2014. *Direplication Guide Discovery of Secondary metabolites of Mixed*
- [18] Amaria, W; Efi, T; Rita H. 2013. Selection and Identification of Fungi antagonists as White Root Fungus Biological Agents (*Rigidoporus microporus*) at the Rubber Plant. *Research Institute of Plant Industry*. Sukabumi, Indonesia.
- [19] Kaewchai, S. and K. Soyong. 2010. Application of biofungicides against *Rigidoporus microporus* causing white root disease of rubber trees. *Journal of Agricultural Technology* 6 (2): 349-363
- [20] Subowo YB. 2009. Isolation and selection of fungi Ascomycetes pengur some extreme environment in West Kalimantan. *Proceeding National Seminar on Economic Sector Empowerment and Culture-Based Environmental and initiation of the Establishment of the Association of Indonesian Environment*, University of March Surakarta, August 15 to 16, 2009.
- [21] Adebola, M.O. and J.E. Amadi, 2010. Screening three *Aspergillus* species for antagonistic activities against the cocoa black pod organism (*Phytophthora palmivora*). *Agriculture and Biology Journal of North America*. 1(3): 362-365.
- [22] Siddiqui, I.A., S.S. Shaukat and A. Khan. 2004. Differential impact of some *Aspergillus* species on *Meloidogyne javanica* biocontrol by *Pseudomonas fluorescens* CHA0 strain. *Applied Microbiology*. 39: 74-83.
- [23] Dawar, S., S. Hayat, M. Anis and M.J. Zaki. 2008. Effect of Seed Coating Material In The Efficacy of Microbial A antagonists For The Control of Root Fungi On Okra And Sunflower. *Sir. J. Bot.*, 40 (3): 1269-1278.
- [24] Ting, A.S.Y., S.W. Mah and C.S. Tee. 2010. Identification of Volatile metabolites from Fungal Endophytes with Potential Biocontrol towards *Fusarium oxysporum* F. sp. cubense Race4. *American Journal of Agricultural and Biological Sciences*, 5 (2): 177-182.
- [25] Fakhannisa, M.A and A. Ghafar. 2006. In Vitro Interaction of *Fusarium* spp. With other Fungi. *Pak. J. Bot*, 38(4) : 1317 - 1322
- [26] Bosah,O; C.A. Igeleke and V.I. Omorusi. 2010. In Vitro Microbial Control of Pathogenic *Sclerotium rolfsii*. *Int. J. Agric*. 12 : 474-476