









- tomato fruit." *Postharvest Biology and Technology*. Vol. 51, pp.110–117, 2009.
- [13] Bourtoom, T., Chinnan, M. S. "Preparation and properties of rice starch-chitosan blend biodegradable film." *LWT-Food Science and Technology*. Vol. 41, pp. 1633–1641, 2008.
- [14] Costas G. Biliaderis, D., Marta, S., Izydorczyk, P. *Functional Food Carbohydrates*, CRC Press Taylor & Francis Group, 2007.
- [15] Belgheysi, S., Azizi, M., Zohurian, G., Hadian, Z. "Physical properties of whey protein edible films - Monoglyceride and coating effects on moisture loss and sensory characteristics of fresh mutton". *Journal of Nutrition Science and Food Science of Iran*. Vol.3, pp. 83-93, 2009.
- [16] Garezi, H., Minaei, S., Basiri, A. "The effect of temperature, air velocity and thickness of product layer drying process of pistachio". *Journal of Agricultural Science of Iran*, Vol. 8, pp. 23-31, 2003.
- [17] Kamangar, K., Farrokhi, F. and Mehran, M. "Characteristics of pistachio kernel oil from Iranian cultivars". *JAACS*. Vol. 52, pp. 512-513, 1975.