

ACKNOWLEDGMENT

The authors would like to acknowledge School of Bioprocess Engineering, Universiti Malaysia Perlis and thankful to Ministry of Higher Education, Malaysia under the Research Acculturation Grant Scheme (RAGS) 9018-00087 for the financial support extended to this research.

REFERENCES

- [1] 10th Malaysia Plan (2011-2015), 2011.
- [2] 5th Fuel Diversification Policy, Malaysia, 2010.
- [3] 11th Malaysia Plan (2016-2020), 2016.
- [4] J. Oladeji, "Theoretical aspects of biomass briquetting: A review study," *Journal of Energy Technology and Policy*, vol. 5, no. 3, pp. 72-82, 2015.
- [5] D. B. Yahaya, and T. G. Ibrahim, "Development of rice husk briquette for use as fuel," *Research Journal in Engineering and Applied Science*, vol. 1, no. 2, pp. 130-133, 2012.
- [6] A. A. Rahman, F. Sulaiman, and N. Abdullah, "The physical, chemical and combustion characteristics of EFB fuel briquettes," *AIP Conference Proceedings*, vol. 1657, no. 1, p. 040010, 2015.
- [7] O. A. Sotannde, A. O. Oluyeye and G. B. Abah, *International Agrophysics 24*, p. 189-194, 2010.
- [8] J. Kers, P. Kulu, A. Arunitt, V. Laurmaa, P. Krizan, L. Soos and U. Kask, "Determination of physical, mechanical and burning characteristics of polymeric waste material briquettes," *Estonian Journal of Engineering*, vol. 16, no. 4, pp. 307, 2010.
- [9] K. Mohanta, D. Kumar, and O. Parkash, "Properties and industrial application of rice husk: A review," *International Journal of Emerging Technology and Advanced Engineering*, vol. 2, no. 10, pp. 86-90, 2012.
- [10] A. Ma'ruf, B. Pramudono, and N. Aryanti, "Lignin isolation process from rice husk by alkaline hydrogen peroxide: Lignin and silica extracted," *AIP Conference Proceedings*, vol. 1823, no. 1, p. 020013, 2017.
- [11] D. Mohapatra, S. Mishra, and N. Sutar, "Banana and its by-product utilization: An overview," *Journal of Scientific and Industrial Research*, vol. 69, p. 323-329, 2010.
- [12] M. D. Hussin, and R. William, "Status of banana cultivation and disease in Malaysia," *Crop Protection and Plant Quarantine Division, Department of Agricultural Malaysia*, p. 60, 2010.
- [13] M. Soffiner, "Pulp production from banana stem," University of Sao Paolo; 2011.
- [14] N. Saari, R. Hashim, O. Sulaiman, and M. Sato, "The Influenced of Compression on Properties of Binderless Compressed Veneer Made from Oil Palm Trunk," *International Journal on Advanced Science, Engineering and Information Technology*, vol. 5, no. 5, pp.280-283, 2015.
- [15] I. I. Ikelle, O. Sule, and P. Ivoms, "Determination of the heating ability of coal and corn cob," *IOSR Journal of Applied Chemistry*, vol. 7, no. 2, pp. 77-82, 2014.
- [16] D. Huko, D. N. Kamau and W. O. Ogola, "Effects of varying particle size on mechanical and combustion characteristics of mango seed shell and cashew nut shell composite briquette," *International Journal of Engineering Science Invention*, vol. 4, no. 5, pp. 32-39, 2015.
- [17] C. A. Raju, U. Praveena, M. Satya, K. R. Jyothi, and P. S. S. Rao, "Studies on Development of Fuel Briquettes using Biodegradable Waste Materials," *Journal of Bioprocessing and Chemical Engineering*, vol. 2, no. 1, 2014.
- [18] A. C. Adetogun, K. M. Ogunjobi, and D. Are, "Combustion properties of briquettes produced from maize cob of different particle sizes," *Journal of Research in Forestry*, vol. 6, no. 1, 2014.
- [19] D. K. Chirchir, and D. M. Nyaanga, "Effect of binder types and amount on physical and combustion characteristic," *International Journal of Engineering Research and Science & Technology*, vol. 2, no. 1, 2013.
- [20] N. Yalcin, and V. Sevinc, "Studies on silica obtained from rice husk," *Journal of Ceramics International*, vol. 27, pp.219-224, 2001.
- [21] D. Mohapatra, S. Mishra, and N. Sutar, "Banana and its by-product utilization: an overview," *Journal of Scientific and Industrial Research*, vol. 69, pp. 323-329, 2010.
- [22] N. A. Musa, "Comparative fuel characterization of rice husk and groundnut shell briquettes," *NJRED*, vol. 6, no. 4, pp. 23-27, 2007.
- [23] J. T. Oladeji, and M. Sc, "Fuel characterization of briquette produced from corncob and rice husk residue," *Pacific Journal of Science and Technology*, vol. 1, no. 1, pp. 101-106, 2010.
- [24] J. Taiwo, and O. Ropo, "Investigation into physical and fuel characteristics of briquettes produced from cassava and yam peels," *Journal of Energies Technologies and Policy*, vol. 3, no. 7, pp. 2007-2014, 2013.
- [25] M. Yerizam, M. Marsi, and N. Novia, "Characteristics of composite rice straw and coconut shell as biomass energy resources (Briquette) (Case study: Muara Telang Village, Banyuasin of South Sumatra)," *International Journal on Advanced Science, Engineering and Information Technology*, vol. 3, no. 3, pp.232-238, 2013.
- [26] C. C. Enweremadu, J. O. Ojediran, J. T. Oladeji, and I. O. Afolbi, "Evaluation of energy potential of huks from soybeans and cowpea," *Science Focus*, vol. 8, pp. 18-23, 2004.
- [27] G. M. T. Arellano, Y. S. Kato, and F. T. Bacani, "Evaluation of fuel properties of charcoal briquettes derived from combinations of coconut shell, corn cob and sugarcane bagasse," in *DSLUI Research Congress 2015*, 2015, paper 3, p. 1-6.
- [28] J. O. Akowuah, F. Kemausuor, and S. J. Mitchual, "Physico-chemical characteristics and market potential of sawdust charcoal briquette," in *Proc. International Convention of Society of Wood Science and Technology*, paper 3.1, p. 1, 2012.
- [29] B. B. Nyakuma, A. Johari, A. Ahmad, and T. A. Tuan Abdullah, "Thermogravimetric analysis of the fuel properties of empty fruit bunch briquette," *Journal Teknologi*, vol. 67, no. 3, pp. 79-82, 2014.