











- Bul. Anat. Dan Fisiol.*, vol. 12, no. 1, pp. 65–71, 2014. DOI: 10.14710/baf.v22i1.7810.
- [12] Z. Mukhtamar, S. Sudjarmiko, M. Chozin, N. Setyowati, and F. Fahrurrozi, "Sweet corn performance and its major nutrient uptake following application of vermicompost supplemented with liquid organic fertilizer," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 7, no. 2, pp. 602–608, 2017. DOI: 10.18517/ijaseit.7.2.1112.
- [13] F. Fahrurrozi, Z. Mukhtamar, N. Setyowati, S. Sudjarmiko, and M. Chozin, "Comparative effects of soil and foliar applications of tithonia-enriched liquid organic fertilizer on yields of sweet corn in closed agriculture production system," *Agrivita J. Agric. Sci.*, vol. 41, no. 2, pp. 238–245, 2019. DOI: 10.17503/agrivita.v41i2.1256.
- [14] S. Suparhun, M. Anshar, and Y. Tambing, "Pengaruh pupuk organik dan POC dari kotoran kambing terhadap pertumbuhan tanaman sawi (*Brassica juncea*, L)," *Agrotekbis*, vol. 3, no. 5, pp. 602–611, 2015.
- [15] Z. Mukhtamar, F. Fahrurrozi, D. Dwatmadji, N. Setyowati, S. Sudjarmiko, and M. Chozin, "Selected macronutrients uptake by sweet corn under different rates of liquid organic fertilizer in closed agriculture system," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 6, no. 2, pp. 258–261, 2016. DOI: 10.18517/ijaseit.6.2.749.
- [16] F. Fahrurrozi, Z. Mukhtamar, D. Dwatmadji, N. Setyowati, S. Sudjarmiko, and M. Chozin, "Growth and yield responses of three sweet corn (*Zea mays* L., var *Saccharata*) varieties to local based liquid organic fertilizer," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 6, no. 3, pp. 319–323, 2016. DOI: 10.18517/ijaseit.6.3.730.
- [17] F. Fahrurrozi, Z. Mukhtamar, N. Setyowati, S. Sudjarmiko, and M. Chozin, "Evaluation of tithonia-enriched liquid organic fertilizer for organic carrot production," *Int. J. Agric. Technol.*, vol. 11, no. 8, pp. 1705–1712, 2015.
- [18] Y. Sastro and I. P. Lestari, "The Growth and Yield of Sweet Corn Fertilized by Dairy Cattle Effluents Without Chemical Fertilizers in Inceptisols," *J Trop Soils*, vol. 16, no. 2, pp. 139–143, 2011. DOI: 10.5400/jts.2011.16.2.139.
- [19] M. O. Cardoso, A. P. Oliveira, W. E. Pereira, and A. P. Souza, "Growth, nutrition and yield of eggplant as affected by doses of cattle manure and magnesium thermophosphate plus cow urine," *Hortic. Bras.*, vol. 27, no. 3, pp. 307–313, 2009. DOI: 10.1590/S0102-05362009000300008.
- [20] O. S. Olabode, O. Sola, W. B. Akanbi, G. O. Adesina, and P. A. Babajide, "Evaluation of *Tithonia diversifolia* (Hemsl) A. Gray for soil improvement," *World J. Agric. Sci.*, vol. 3, no. 4, pp. 503–507, 2007.
- [21] F. Fahrurrozi, Y. Sariasih, Z. Mukhtamar, N. Setyowati, M. Chozin, and S. Sudjarmiko, "Identification of nutrient content of six potential green biomasses for developing liquid organic fertilizer in closed agriculture production system," *Int. J. Adv. Sci. Eng. Inf. Technol.*, vol. 7, no. 2, pp. 559–565, 2017. DOI: 10.18517/ijaseit.7.2.1889.
- [22] S. T. MacGregor, F. C. Miller, K. M. Psarianos, and M. S. Finstein, "Composting Process Control Based on Interaction Between Microbial Heat Output and Temperature †," *Appl. Environ. Microbiol.*, vol. 41, no. 6, pp. 1321–1330, 1981. DOI: 10.1128/AEM.41.6.1321-1330.1981.
- [23] M. U. F. Kirschbaum, "The temperature dependence of organic matter decomposition—still a topic of debate," *Soil Bio Biochem*, vol. 38, pp. 2510–2518, 2006.
- [24] J. Ryckebøer *et al.*, "A survey of bacteria and fungi occurring during composting and self-heating processes," *Ann. Microbiol.*, vol. 53, no. 4, pp. 349–420, 2003.
- [25] E. Pagan, R. Barrena, X. Font, and A. Sanchez, "Ammonia emissions from the composting of different organic wastes. Dependency on temperature," *Chemosphere*, no. 62, pp. 1534–1542, 2006. DOI: 10.1016/j.chemosphere.2005.06.044.
- [26] M. Tuomela, M. Vikman, A. Hatakka, and M. Itavaara, "Biodegradation of lignin in a compost environment: a review," *Bioresour. Technol.*, no. 72, pp. 169–183, 2000.
- [27] S. K. Khanal, W. H. Chen, L. Li, and S. Sung, "Biological hydrogen production: effects of pH and intermediate products," *Int. J. Hydrog. Energy*, no. 29, pp. 1123 – 1131, 2004. DOI: 10.1016/j.ijhydene.2003.11.002.
- [28] K. Fujii, S. Funakawa, C. Hayakawa, S. Sukartiningih, and T. Kosaki, "Quantification of proton budgets in soils of cropland and adjacent forest in Thailand and Indonesia," *Plant Soil*, vol. 316, pp. 241–255, 2009. DOI: 10.1007/s11104-008-9776-0.
- [29] F. Hellal, S. El-Sayed, R. Zewainy, and A. Amer, "Importance of phosphate rock application for sustaining agricultural production in Egypt," *Bull. Natl. Res. Cent.*, vol. 43, pp. 1–11, 2019. DOI: 10.1186/s42269-019-0050-9.
- [30] I. Raden, S. S. Fatahillah, M. Fadli, and Suyadi, "Nutrient content of liquid organic fertilizer by various bio-activator and soaking time," *Nusant. Biosci.*, vol. 9, no. 2, pp. 209–213, 2017. DOI: 10.13057/nusbiosci.n090217.
- [31] T. Phibunwatthanawong and N. Riddech, "Liquid organic fertilizer production for growing vegetables under hydroponic condition," *Int. J. Recycl. Org. Waste Agric.*, vol. 8, pp. 369–380, 2019. DOI: 10.1007/s40093-019-0257-7.
- [32] R. Ji, G. Dong, W. Shi, and J. Min, "Effects of liquid organic fertilizers on plant growth and rhizosphere soil characteristics of *Chrysanthemum*," *Sustainability*, vol. 9, no. 841, pp. 1–16, 2017. DOI: 10.3390/su9050841.
- [33] J. Perez, J. Munoz-Dorado, T. d. I. Rubia, and J. Martinez, "Biodegradation and biological treatments of cellulose, hemicellulose, and lignin: an overview," *Int. Biol.*, no. 5, pp. 53–63, 2002. DOI: 10.1007/s10123-002-0062-3.
- [34] M. Brebu and C. Vasile, "Thermal degradation of lignin: A review," *Cellul. Chem. Technol.*, vol. 44, no. 9, pp. 353–363, 2012.
- [35] S. Andersson and S. I. Nilsson, "Influence of pH and temperature on microbial activity substrate availability of soil solution bacteria and leaching of dissolved organic carbon in a mor humus," *Soil Biol. Biochem.*, vol. 33, no. 9, pp. 1181–1191, 2001.
- [36] D. Neina, "The role of soil pH in plant nutrition and soil remediation," *Hindawi Appl. Environ. Soil Sci.*, vol. 2019, pp. 1–9, 2019. DOI: 10.1155/2019/5794869.
- [37] Z. T. Cusumano and M. G. Camaron, "Citruiline protects *Streptococcus pyogenes* from acid stress using the arginine deiminase pathway and the F1Fo-ATPase," *J. Bacteriol.*, vol. 197, no. 7, pp. 1288–1296, 2015. DOI: 10.1128/JB.02517-14.
- [38] A. C. Braithwaite, "The use of chemical solubility tests in comparing phosphate fertilizer," *Fertil. Res.*, vol. 12, pp. 185–192, 1987.
- [39] W. L. Lindsay, *Chemical Equilibria in Soils*, John Wiley and Sons, New York: John Wiley and Sons, 1980.
- [40] A. Budelman, "Nutrient composition of the leaf biomass of three selected woody leguminous species," *Agrofor. Syst.*, vol. 8, pp. 39–51, 1989.