

IV. CONCLUSIONS

Subcarrier randomization is one of security method which applied on MIMO-OFDM wireless communication. This security method can secure information data from an eavesdropper. Subcarrier randomization needs synchronization to know the position of the randomized subcarrier. We use RSA algorithm for synchronization. Synchronization using the RSA algorithm not only helps to know the randomized subcarrier position on the receiver but also overcomes the phenomenon of CFO and STO. This is proven because the average packet loss is minimal in a MIMO-OFDM system with security is 0.145%.

ACKNOWLEDGMENT

This research was partially supported by the Penelitian Terapan Unggulan Perguruan Tinggi (PTUPT) Grant 2018 Program of Ristek-Dikti Indonesian Government.

REFERENCES

- [1] S. Aramvith and R. D. Cajote, "Handbook of Research on Secure Multimedia Distribution", ISBN-13: 978-1605662626 ,Pp. 211-240, Information Science Reference ,2009
- [2] I. G. P. Astawa, Y. Moegiharto, A. Zainudin, I. D. A. Salim, & N. A. Anggraeni, "Performance of MIMO-OFDM using convolution codes with QAM modulation", Proc. SPIE 9159, Sixth International Conference on Digital Image Processing (ICDIP), 2014.
- [3] L. Kansal, A. Kansal, K. Singh, "Performance Analysis of MIMO-OFDM System Using QOSTBC Code Structure for M-PSK", *Canadian Journal on Signal Processing*, vol.5, no. 2, May 2011.
- [4] Pathak, Neha. "OFDM (Orthogonal Frequency Division Multiplexing) Simulation Using MatLab." *International Journal of Engineering Research and Technology*. Vol. 1. No. 6 (August-2012). ESRSA Publications, 2012.
- [5] W. Stallings, "Network Security Essentials: Applications and Standards", Fourth edition, Prentice-Hall, Inc., 2011.
- [6] S. Gupta and C. Kumar, "Shared Information Based Security Solution for Mobile Ad Hoc Networks", *International Journal of wireless & mobile networks(IJWMN)*, Vol.2, No.1, February 2010, pp.176-187, 2010.
- [7] B.A. Forouzan, "Data Communications and Networking", McGraw-Hill, 4 th Edition.
- [8] W. Stallings, "Cryptography and Network Security: Principles and Practice", Pearson Education/Prentice Hall, 5 th Edition.
- [9] Singh, Gurpreet. "A study of encryption algorithms (RSA, DES, 3DES and AES) for information security." *International Journal of Computer Applications* 67.19 (2013).
- [10] Singhal, Nidhi, and J. P. S. Raina. "Comparative analysis of AES and RC4 algorithms for better utilization." *International Journal of Computer Trends and Technology* 2.6 (2011): 177-181.
- [11] Vincent, PM Durai Raj, and E. Sathiyamoorthy. "A novel and efficient public key encryption algorithm." *International Journal of Information and communication technology* 9.2 (2016): 199-211.
- [12] Zhang, Xiaozhong, et al. "A secure OFDM transmission scheme based on chaos mapping." *Computing and Communications Conference (IPCCC), 2015 IEEE 34th International Performance*. IEEE, 2015.
- [13] R.P. Hudhajanto, I.G.P. Astawa, and A. Sudarsono. "Covert Communication in MIMO-OFDM System Using Pseudo Random Location of Fake Subcarriers." *EMITTER International Journal of Engineering Technology* 4.1 (2016): 150-163.
- [14] I. Hen, "MIMO Architecture for Wireless Communication", in *Intel Technology Journal*, vol.10, issue02, May 2006.
- [15] Rohde and Schwarz, "Introduction to MIMO Systems", Munchen, 2006.
- [16] Y. S. Cho etc, "MIMO-OFDM Wireless Communication with Matlab," WILEY, 2010.