

- from the endomycorrhizal fungus *Glomus mosseae*. *Plant Physiologist*. 147 : 429-437.
- [13] [13]. Govindarajulu, M. Pfeffer P. E. Jin H. Abubaker J. Douds D. D. Allen J. W. Bucking H. Lammers P. J. dan Hill Y. S. 2005. Nitrogen transfer in the arbuscularmycorrhizal symbiosis. *Nature*. Vol. 435 : 819-823.
- [14] Husin, E. F., Syarif A., dan Kasli. 2012. Mikoriza sebagai pendukung sistem pertanian berkelanjutan dan berwawasan lingkungan. Andalas University Press. Padang. p. 100.
- [15] Leigh, J. Hodge A dan Fitter A. H. 2009. Arbuscular mycorrhizal fungi can transfer substantial amounts of nitrogen to their host plant from organic material. *New Phytologist*. 181 : 199-207.
- [16] Antibus, R.K., C. Lauber, R.L. Sinsabaugh, and D.R. Zak. 2006. Responses of Bradford-reactive soil protein to experimental nitrogen addition in three forest communities in northern lower Michigan. *Plant Soil*. 288:173-187.
- [17] Cornejo, P. Meier, S. Borie, G. Rillig, M. C. dan Borie, F. 2008. Glomalin-related soil protein in a Mediterranean ecosystem affected by a copper smelter and its contribution to Cu and Zn sequestration. *Science of Total Environment*. vol 406 (1-2) : 154-160.
- [18] Curaqueo, G. Acevedo, E. Cornejo, P. Sequel, A. Rubio, R dan Borie, F. 2010. Tillage effect on soil organic matter mycorrhizal hyphae and aggregates in a Mediterranean agroecosystem. *R. C. Suelo Nutr. Veg.* Vol. 10 (1) : 12 - 21.
- [19] DeForest, J. 2009. Achieving solid soil structure is keystone to healthy soils. The Department of environmental and plant biology at Ohio University.
- [20] Guether, M. Neuhauser B. Belestini R. Dynouski M. Ludewig U dan Bonfante P. 2009. A mycorrhizal specific ammonium transporter from *Lotus japonicus* acquires nitrogen released by arbuscularmycorrhizal fungi. *Plant Physiology*. Vol. 150 : 73-83
- [21] Hakim. 2001. Kemungkinan Penggunaan *Tithonia* sebagai Sumber Bahan Organik dan Nitrogen. Laporan Pusat Penelitian Pemanfaatan IPTEK Nuklir (P3IN) UNAND Padang.
- [22] Hodge, A dan Fitter, A. H. 2010. Substantial nitrogen acquisition by arbuscularmycorrhizal fungi from organic material has implications for N cycling. *PNAS* vol 107 (31) : 13754 - 13759.
- [23] Hoorman J. J., J. C. de Moraes (Juca) Sa and R. Reader. 2011. The Biology of Soil Compaction. American Society of Agronomy. *Crops and Soils Magazine* (July-August 2011) : 4 - 10.
- [24] Lier de Jong van, Q. 2014. Water availability to plants. In W.G. Teixeira et al. (eds.), *Application of Soil Physics in Environmental Analyses: Measuring, Modelling and Data Integration*, Progress in Soil Science, DOI 10.1007/978-3-319-06013-2_18, © Springer International Publishing Switzerland 2014. pp. 435-452.
- [25] Lovelock, C. E., S. F. Wright dan K. A. Nichols. 2004b. Using glomalin as an indicator for arbuscularmycorrhizal hyphal growth: an example from a tropical rain forest soil. *Soil Biol. Biochem.* 36 : 1009 – 1012.
- [26] Nouri, E., F. Breuillin, U. Feller and D. Reinhardt (2014). Phosphorus and nitrogen regulate arbuscular mycorrhizal symbiosis in *petunia hybrida*. *Plos One*, 9(3): 1-14. doi:10.1371/journal.pone.0090841.
- [27] Rillig, M. C. Wright, S. F. dan Eviner, V. T. 2002. The role of arbuscular mycorrhizal fungi and glomalin in soil aggregation : Comparing effects of five plant species. *Plant and Soil*, Vol. 238 : 325 - 333.
- [28] Tan, K. H. 2000. *Environmental soil science*. Marcel Dekker Inc, New York. NY.
- [29] Usda_Biorad Bradford Protein Assay -Usda Bio-Rad Bradford Total Protein Assay with Sodium Pyrophosphate Modification. Authors (Bradford, 1976; Nichols and Wright, 2004 & Wright et al., 2006) [Online]. Available at www.ars.usda.gov/.../Bradford%20Total%20Protein%20Assay.pdf
- [30] Wright, S. F. dan Upadhyaya, A. 1998. A survey of soil for aggregate stability and glomalin, a glycoprotein produced by hyphae of arbuscularmycorrhizal fungi. *Plant and Soil*, Vol. 98 : 97 - 107.
- [31] Wu, Q.S., S. Wang, M.Q. Cao, Y.N. Zou and Y.X. Yao (2014). Tempo-spatial distribution and related functionings of root glomalin and glomalin-related soil protein in a citrus rhizosphere. *J. Anim. Plant Sci.* 224 (1): 245-251.