

























- [9] R. McCaffrey, "The Tectonic Frame Work Of The Sumatran Subduction Zone," *Annu. Rev. Earth. Planet. Sci.*, 37:3.1–3.22, 2009.
- [10] D. Gentana, N. Sulaksana, E. Sukiyah, and E.T. Yuningsih, "Determination of tanggamus geothermal prospect area, Lampung Provinces, based on remote sensing and 3D micromine software," in *Proc. The 25th annual scientific conference & exhibitions. Federation International Surveyors*, 2017, pp. 1–12.
- [11] Amin. *The Geology of The Kotaagung, Sumatera Map, quadrangle 1010, scale 1: 250.000*. Bandung: Indonesia Geological Survey Institute, 1973
- [12] K. Umeda, "Localized extensional tectonics in an overall reverse-faulting regime, Northeast Japan," *Geoscience Letters*, vol. 2, no. 12., 2015.
- [13] H. Fossen, *Structural Geology*. Cambridge University Press, 2016.
- [14] E. Sukiyah, I. Syafri, A. Sjafrudin, E. Nurfadli, P. Khaerani, and D.A.P. Simanjuntak, "Morphotectonic and satellite imagery analysis for identifying quaternary fault at the southern part of Cianjur-Garut region, West Java, Indonesia," in *Proc. Asian Conference on Remote Sensing*, 2015, pp. 1–10.
- [15] I.S. Stewart and P.L. Hancock, *Neotectonics. In: Continental Tectonics*. London: Pergamon Press, 1994.
- [16] A. Demoulin, "Basin and river profile morphology: A new index with a high potential for relative dating of tectonic uplift," *Geomorphology* 126, 97 – 107, 2011.
- [17] M.J. Rickard, "Fault classification – discussion," *Geological Society of America Bulletin*, 2545-2546, 1972.
- [18] R.E. Horton, "Erosional development of stream and their drainage basins: a hydrophysical approach to quantitative morphology," *Geological Society of America Bulletin*, 1945.
- [19] NASA. (2016). ASTERG-DEM. Entity ID: ASTGDEM\_V2\_0S06 E104. [Online]. Available: <https://earthexplorer.usgs.gov/>.
- [20] J. Yangchan, A.K. Jain, A.K. Tiwari, and A. Sood, "Morphometric analysis of drainage basin through GIS: a case study of sukhnalake watershed in lower shivalik, India," *International Journal of Scientific & Engineering Research*, 6(2), 1015-1023, 2015.
- [21] H. Th. Verstappen, *Applied Geomorphology: Geomorphological Surveys for Environmental Development*. New York: Elsevier Science Pub. Co. Inc., 1983.
- [22] W.B. Bull and L.D. McFadden, "Tectonic geomorphology north and south of the Garlock fault, California," in *Proc. 8th annual geomorphology symposium*, 1977, pp. 115–137 .
- [23] M. Dehbozorgi, M. Pourkermani, M. Arian, A.A. Matkan, H. Motamedi, and A. Hosseiniasl, "Quantitative analysis of relative tectonic activity in the Sarvestan area, central Zagros, Iran," *Geomorphology* 121, 2010.
- [24] R. El Hamdouni, C. Irigaray, T. Fernández, J. Cahacón, and E.A. Keller, "Assessments of relative active tectonics, southwest border of the Sierra Nevada (southern Spain)," *Geomorphology* 96, 2008.
- [25] N. Sulaksana, Supriyadi, Ismawan. P.P. Raditya, and M. Sulastri, "Active fault analysis through quantitative assessment method in Cikapundung Sub-drainage basin," *International Journal of Study in Science & Technology*, vol.3, 147-153, 2017.
- [26] A. Habibi and M. Gharibreza, "Estimation of the relative active tectonics in Shahriary basin (Central Iran) using geomorphic and seismicity indices," *Natural Environment Change*, 1(1), 71-83. 2015.
- [27] E.J. Mosavi, M. Arian, M. Ghorshi, M. Nazemi, "Neotectonics of Tabas area, central Iran by Index of Active Tectonics (IAT)," *Open Journal of Geology*, 5, 209-223, 2015.