

In further research, it is recommended the study produces lightweight concrete and can be used for structural purposes. In addition, further research should conduct the testing of types of concrete other than gap-graded concrete.

REFERENCES

- [1] T. R. Naik, "Sustainability of concrete construction," *Pract. Period. Struct. Des. Constr.*, vol. 13, no. 2, pp. 98–103, 2008.
- [2] A. Neville and P.-C. Aitcin, "High performance concrete—an overview," *Mater. Struct.*, vol. 31, no. 2, pp. 111–117, 1998.
- [3] K. K. Sagoe-Crentsil, T. Brown, and A. H. Taylor, "Performance of concrete made with commercially produced coarse recycled concrete aggregate," *Cem. Concr. Res.*, vol. 31, no. 5, pp. 707–712, 2001.
- [4] G. H. Tattersall, *Workability and quality control of concrete*. CRC Press, 1991.
- [5] M. Tavakoli and P. Soroushian, "Strengths of recycled aggregate concrete made using field-demolished concrete as aggregate," *Mater. J.*, vol. 93, no. 2, pp. 178–181, 1996.
- [6] S. Lotfi, J. Deja, P. Rem, R. Mróz, E. van Roekel, and H. van der Stelt, "Mechanical recycling of EOL concrete into high-grade aggregates," *Resour. Conserv. Recycl.*, vol. 87, pp. 117–125, 2014.
- [7] S. W. Tabsh and A. S. Abdelfatah, "Influence of recycled concrete aggregates on strength properties of concrete," *Constr. Build. Mater.*, vol. 23, no. 2, pp. 1163–1167, 2009.
- [8] J. Purnomo, I. N. Saputro, and S. Sumarni, "Pengaruh Penggunaan Citric Acid sebagai Retarder pada Beton terhadap Waktu Pengikatan Semen, Kecelakaan Beton Segar dan Kuat Tekan Beton," vol. 4, no. 2, pp. 18–27, 2018.
- [9] A. R. Asrib, M. N. Abduh, and G. D. Dirawan, "Environmental sustainability: The case of the Sultan Hasanuddin International airport, Makassar, South Sulawesi," *World Trans. Eng. Technol. Educ.*, vol. 14, no. 3, pp. 431–437, 2016.
- [10] Z. Z. Ismail and E. A. Al-Hashmi, "Use of waste plastic in concrete mixture as aggregate replacement," *Waste Manag.*, vol. 28, no. 11, pp. 2041–2047, 2008.
- [11] C. Meyer, "The greening of the concrete industry," *Cem. Concr. Compos.*, vol. 31, no. 8, pp. 601–605, 2009.
- [12] W. Chen, T. M. Pham, H. Sichembe, L. Chen, and H. Hao, "Experimental study of flexural behaviour of RC beams strengthened by longitudinal and U-shaped basalt FRP sheet," *Compos. Part B Eng.*, vol. 134, pp. 114–126, 2018.
- [13] S. P. Shah and B. V. Rangan, "Fiber reinforced concrete properties," in *Journal Proceedings*, 1971, vol. 68, no. 2, pp. 126–137.
- [14] A. E. Naaman, "New fiber technology (cement, ceramic, and polymeric composites)," *Concr. Int.*, vol. 20, no. 7, pp. 57–62, 1998.
- [15] M. Perez-Pena and B. Mobasher, "Mechanical properties of fiber reinforced lightweight concrete composites," *Cem. Concr. Res.*, vol. 24, no. 6, pp. 1121–1132, 1994.
- [16] C. T. Gazda and J. M. Lalikos, "Poly-polymer plastic material and device made therefrom." Google Patents, 21-Oct-1975.
- [17] P. Gunawan, W. Wibowo, and N. Suryawan, "Pengaruh Penambahan Serat Polypropylene pada Betonringan Dengan Teknologi Foam Terhadap Kuat Tekan, Kuat Tarik Belah dan Modulus Elastisitas," *Matriks Tek. Sipil*, vol. 2, no. 2, pp. 206–213, 2014.
- [18] National Standardization Agency, "Indonesian National Standard SNI," 03-3449–2002, 2002.
- [19] V. S. Ramachandran, *Concrete Admixtures Handbook: Properties, Science and Technology*. Elsevier Science, 1996.
- [20] D. C. Teychenné, R. E. Franklin, H. C. Emtroy, D. W. Hobbs, and B. K. Marsh, *Design of Normal Concrete Mixes*. IHS BRE Press, 2005.
- [21] Y.-W. Chan and V. C. Li, "Age effect on the characteristics of fibre/cement interfacial properties," *J. Mater. Sci.*, vol. 32, no. 19, pp. 5287–5292, 1997.
- [22] R. H. Bogue, *The chemistry of Portland cement*, vol. 79, no. 4. LWW, 1955.
- [23] National Standardization Agency, "Indonesian National Standard SNI," 15-2049–2004, 2004.
- [24] B. W. H. Langer, *Natural Aggregates of the Conterminous United States*. U.S. Geological Survey bulletin, 1993.
- [25] H. Widhiarto and B. Sujatimiko, "Analisis Campuran Beton Berpori Dengan Agregat Bergradasi Terpisah Ditinjau Terhadap Mutu dan Biaya," *Extrapolasi J. Tek. Sipil Untag Surabaya*, vol. 05, no. 02, pp. 24–30, 2012.
- [26] R. M. Anderson and H. U. Bahia, "Evaluation and Selection of Aggregate Gradations for Asphalt Mixtures Using Superpave," *Transp. Res. Rec. J. Transp. Res. Board*, vol. 1583, no. 1, pp. 91–97, Jan. 1997.
- [27] G. A. Houry, "Compressive strength of concrete at high temperatures: a reassessment," *Mag. Concr. Res.*, vol. 44, no. 161, pp. 291–309, Dec. 1992.
- [28] H. L. Malhotra, "The effect of temperature on the compressive strength of concrete," *Mag. Concr. Res.*, vol. 8, no. 23, pp. 85–94, Aug. 1956.
- [29] J. M. Raphael, "Tensile Strength of Concrete," *ACI J. Proc.*, vol. 81, no. 2.
- [30] D.-H. Shen, M.-F. Kuo, and J.-C. Du, "Properties of gap-aggregate gradation asphalt mixture and permanent deformation," *Constr. Build. Mater.*, vol. 19, no. 2, pp. 147–153, Mar. 2005.
- [31] E. Pratama and E. S. Hisyam, "Kajian Kuat Tekan dan Kuat Tarik Belah Beton Kertas (Papercrete) dengan Bahan Tambah Serat Nylon," in *Forum Profesional Teknik Sipil*, 2016, vol. 4, no. 1.
- [32] W. Kartini, "Penggunaan Serat Polypropylene Untuk Meningkatkan Kuat Tarik Belah Beton," *J. Rekayasa Perenc.*, vol. 4, no. 1, 2007.
- [33] L. Rahmadiant, H. Mazaya, D. Purwanto, and R. Y. Adi, "Analisa Campuran Beton Dengan Perbandingan Volume Dan Pengamatan Karakteristik Beton Mutu Sedang," *J. KARYA Tek. SIPIL*, vol. 6, no. 2, pp. 55–69, 2017.