

grid-based clustering provides improved throughput and delay performance if a comparison with others, while for package delivery ratio, AODV can be considered as the best and OLSR is the worst. From throughput and delay results, DSR has stability and energy consume reduction if related to other routing protocols.

REFERENCES

- [1] X. Liu, "A survey on clustering routing protocols in wireless sensor networks," *Sensors (Switzerland)*, vol. 12, no. 8, pp. 11113–11153, 2012.
- [2] H. Farman, H. Javed, J. Ahmad, B. Jan, and M. Zeeshan, "Grid based hybrid network deployment approach for energy efficient wireless sensor networks," *Journal of Sensors*, vol. 2016, Article ID 2326917, 14 pages, 2016.
- [3] Naseem K. Baqer, Ameen M. Al-Modaffer, Esam A. AlKaldy, "A Study of Delay and Data Traffic of IEEE 802.15.4 ZigBee-Based WSN in a Smart Home", *International Journal on Advanced Science, Engineering and Information Technology*, Vol.8 (2018) No. 3, pages: 956-962.
- [4] S. Jannu and P. K. Jana, "Energy efficient grid based clustering and routing algorithms for wireless sensor networks," in *Proceedings of the 4th International Conference (CSNT '14)*, pp. 63–68, IEEE, Bhopal, India, April 2014.
- [5] R. N. Enam, R. Qureshi, and S. Misbahuddin, "A uniform clustering mechanism for wireless sensor networks," *International Journal of Distributed Sensor Networks*, vol. 10, no. 3, Article ID 924012, 2014.
- [6] H.-Y. Kim, "An energy-efficient load balancing scheme to extend the lifetime in wireless sensor networks," *Cluster Computing*, vol. 19, no. 1, pp. 279–283, 2016.
- [7] Adnan H. Ali., Farhood, A.D. Design and Performance Analysis of the WDM Schemes for Radio over Fiber System with Different Fiber Propagation Losses. *Fibers* **2019**, 7, 19.
- [8] Bilal Jan, H. Farman, H. Javed, B. Montrucchio, M. Khan, and Sh. Ali, "Energy Efficient Hierarchical Clustering Approaches in Wireless Sensor Networks: A Survey," *Wireless Communications and Mobile Computing*, Volume 2017, Article ID 6457942, 2017.
- [9] A. Hamzah, M. Shurman, Omar Al-Jarrah, Eyad Taqieddin, "Energy-Efficient Fuzzy-Logic-Based Clustering Technique for Hierarchical Routing Protocols in Wireless Sensor Networks", *Sensors* **2019**, 19(3), 561; <https://doi.org/10.3390/s19030561>.
- [10] Kareem, M. M., Ismail, M., Altahrawi, M. A., Arsad, N., Mansor, M. F., & Ali, Adnan H. (2018). Grid Based Clustering Technique in Wireless Sensor Network using Hierarchical Routing Protocol. 2018 IEEE 4th International Symposium on Telecommunication Technologies (ISTT). doi:10.1109/istt.2018.8701720.
- [11] Ali, A.H., Abdul-Wahid, S.N.: Analysis of self-homodyne and delayed self-heterodyne detections for tunable laser source linewidth measurements. *IOSR J. Eng.* 2(10), 1–6 (2012).
- [12] Ismat, N., Qureshi, R., and Imam, M., "Efficient Clustering for Mobile Wireless Sensor Networks", *IEEE 17th Inter. Multi Topic Conference*, pp. 110-114, December, 2014.
- [13] Mohammed, H. A., & Ali, A. H. "Effect of some Security Mechanisms on the Qos VoIP Application using OPNET", *International Journal of Current Engineering and Technology* 01 December 2013, 3(5).
- [14] Sharma, C. & Kaur, J., "Literature Survey of AODV and DSR Reactive Routing Protocols". *ICAET, IJCA* 14-17, 2015.
- [15] Adnan H. Ali, Ali N. Abbas, M. H. Hassan, (2013) "Performance Evaluation of IEEE 802.11g WLANs Using OPNET Modeler", (*AJER*) Volume-02, Issue-12, pp-09-15.
- [16] A. Nayyar and A. Gupta, "A comprehensive review of cluster based energy efficient routing protocols in wireless sensor networks," *International Journal of Research in Computer and Communication Technology*, vol. 3, pp. 104–110, 2014.
- [17] Kevre, P. & Shrivastava, L. "Compare Three Reactive Routing Protocols in Grid Based Cluster Wireless Sensor Network Using Qualnet Simulator", *International Journal of Applied Science and Engineering Research* 3(2): 532-539. 2014.
- [18] Jijesh J. J and Shivashankar, "Energy Efficient Routing Protocol Based on DSR", *International Journal of Ad hoc, Sensor & Ubiquitous Computing (IJASUC)* Vol.7, No.5, October 2016.
- [19] Bhat, M. S., Thontadharya, H. & Devaraju, J. "Performance Evaluation of Reactive Routing Protocols for IEEE 802.11", *World* 2(10): 01-05. 2012.
- [20] Adnan. H. Ali, "Simultaneous measurements for tunable laser source linewidth with homodyne detection", *Comput. Inf. Sci.*, vol. 4, no. 4, pp. 138-144, Jul. 2011.