

- 45th Midwest Symposium on Circuits and Systems, vol.5, III-433-III 436,2002.
- [21] J. Caldwell and M. Tummala, "Hyper Phase Shift Keying (HPSK) Modulation", Conference Record of the Forty-First Asilomar Conference on Signals, Systems and Computers, pp.1000-1004,2007.
- [22] K. Zhu, M. R. Haider, S. Yuan, S. K. Islam, "A Sub-1 μ A Low-Power FSK Modulator for Biomedical Sensor Circuits", IEEE Computer Society Annual Symposium on VLSI, pp. 263-265, 2010.
- [23] Y. Gao, Y. Dai, C. Shu, and S. He, "Wavelength Interchange of Phase-Shift-Keying Signal", IEEE Photonics Technology Letters, vol. 22, no. 11, pp.838-840, 2010.
- [24] H. Li, S. Chen, J. Fang, and K. Wang, "Frequency-Modulated Phase Shift Keying Communication for MEPT Control of Wireless Power Transfer", TPEL-Letter, vol. 36, No. 5, pp.1-5, 2021.
- [25] G. S. Kishore and H. Rallapalli, "Performance Assessment of-ary ASK, FSK, PSK, QAM and FQAM in AWGN Channel", International Conference on Communication and Signal Processing, pp.273-277,2019.
- [26] A. Al Safi and B. Bazuin, "FPGA Based Implementation of BPSK and QPSK Modulators using Address Reverse Accumulators", 7th IEEE Annual Ubiquitous Computing, Electronics & Mobile Communication Conference, pp.1-6, 2016.
- [27] D. Bala1, N. Islam, S. Alam, I. Abdullah, and M.A. Hossain, "Analysis the Performance of OFDM Using BPSK, QPSK, 64-QAM, 128-QAM & 256-QAM Modulation Techniques", Journal of Electrical Engineering, Electronics, Control, and Computer Science, vol. 7, no. 24, pp.31-38, 2021.
- [28] G. Hu, L. Xu, P. Zhao, and W. Wang," Confidence Evaluation of BPSK Signal Analysis Based on EVT", IEEE Transactions on Aerospace and Electronic Systems. J, vol. 56, no. 2, PP.1-21,2020.
- [29] S. Haldar, S. H. Chakraborty, "Implementation and Study of High-Speed Multimode Digital Modulator Using Ternary Logic", Emerging Trends in Electronic Devices and Computational Techniques, pp.1-4,2018.
- [30] P. R. Vázquez, J. Grzyb, Be. Heinemann and Ul. R. Pfeiffer, "A QPSK 110-Gb/s Polarization- Diversity MIMO Wireless Link with a 220–255 GHz Tunable LO in a SiGe HBT Technology", IEEE Transactions On Microwave Theory And Techniques, vol. 68, no. 9, pp.1-18,2020.
- [31] Usha S.M, and K.R Nataraj,"Low Power 8PSK Modulator using Cadence", International Conference on Recent Advances in Electronics and Communication Technology, pp.,279-282,2017.
- [32] A. Gael, "Generation of ASK, FSK, and PSK Using Esample & Hold IC LF 398", International Conference on Signal Processing and Communication, pp.51-54,2016.