

- Information, Knowl. Res. Electron. Commun. Eng.* 2, no. 2, pp. 662–665, 2013.
- [22] C. del Río Campos, A. Consoli, J. M. del Río Campos, and P. R. Horche, “Impact on the chirp effect of the shaped electrical-driven current of the directly-modulated 1.55 μ m VCSEL in an optical fiber link,” *Opt. Commun.*, vol. 435, pp. 326–333, 2019.
- [23] K. Fatima and S. Islam, “Performance Limitations of Optical Transmission System Due to the Combined Effects of Chirping, GVD and SPM,” *2016 3rd Int. Conf. Electr. Eng. Inf. Commun. Technol.*, pp. 1–5, 2016.
- [24] A. H. Malik, M. Azeem, M. Y. Hamza, and S. Tariq, “Comparison of interaction of GVD and SPM between normal and anomalous dispersion regimes of single mode fiber,” *2nd Int. Conf. Electr. Eng. ICEE*, no. March, pp. 1–6, 2008.
- [25] R. Gangwar, S. P. Singh, and N. Singh, “Soliton Based Optical Communication,” *Prog. Electromagn. Res.*, no. 74, pp. 157–166, 2007.
- [26] D. Gupta, G. Kumar, and K. Thyagarajan, “Nonlinear pulse propagation in dispersion decreasing fibers,” *Opt. Commun.*, vol. 237, no. 4–6, pp. 309–317, 2004.
- [27] F. Khair, I. W. Mustika, Fahmi, D. Zulherman, and F. Hario, “Comparative analysis of dispersion compensating fiber in DWDM system using 10 Gbps and 40 Gbps bit rate,” *Proc. 2018 10th Int. Conf. Inf. Technol. Electr. Eng. Smart Technol. Better Soc. ICITEE 2018*, pp. 412–417, 2018.
- [28] J. M. Senior and M. Y. Jamro, *Optical Fiber Communications: Principles and Practice*, 3rd ed. Pearson Education, 2009.
- [29] H. Yan, Z. Shilin, Z. Bin, M. Luhong, and G. Weilian, “Review on electro-optic modulator,” *Semicond. Technol.*, no. 4, pp. 286–288, 2008.
- [30] Corning, “Corning SMF-28 Ultra Optical Fiber Product Information.” [https://www.corning.com/media/worldwide/coc/documents/Fiber/SMF-28 Ultra.pdf](https://www.corning.com/media/worldwide/coc/documents/Fiber/SMF-28%20Ultra.pdf) (accessed May 23, 2020).
- [31] ITU-T Rec. G.652, “Transmission media and optical systems characteristics – Optical fibre cables,” 2016.
- [32] J. C. Campbell, “Recent Advances in Avalanche Photodiodes,” *J. Light. Technol.*, vol. 34, no. 2, pp. 278–285, 2016.
- [33] B. N. Hu, W. Jing, W. Wei, and R. M. Zhao, “Analysis on dispersion compensation with DCF based on optisystem,” *2010 2nd Int. Conf. Ind. Inf. Syst. IIS 2010*, vol. 2, pp. 40–43, 2010.
- [34] W. Cao, “Large predispersion for reduction of intrachannel nonlinear impairments in strongly dispersion-managed transmissions,” *Opt. Fiber Technol.*, vol. 29, pp. 13–19, 2016.