













- [6] Gupta P. Khan, "MODIS Aerosol Optical Depth Observations Over Urban Areas in Pakistan: Quantity and Quality of the Data for Air Quality Monitoring," *Atmospheric Pollution Research*, vol. 4, no. Atmospheric Pollution, pp. 43-52, 2013.
- [7] H. Kernel, "The Retrieval of Cloud Base Heights from MODIS and Three-Dimensional Cloud Fields from NASA's EOS Aqua Mission," *Journal of Remotes Sensing*, vol. 23, pp. 5249-5265, 2002.
- [8] H. Zhang et al., "A multi-angle aerosol optical depth retrieval algorithm for geostationary satellite data over the United States," *Atmos. Chem. Phys.*, vol. 11, no. 23, pp. 11977-11991, 2011.
- [9] Kaufman, Y.J., Tanre, D., Boucher, O., 'A satellite view of aerosols in climate systems.' *Nature* 419, 215-223. 2002.
- [10] L. Q. Wang C., "Air Quality Evaluation on an Urban Scale Based on MODIS Satellite Images," *Atmospheric Pollution Research*, pp. 132-133, 2013.
- [11] Levy R.C., "The Collection 6 MODIS Aerosol Products Over Land and Ocean," *Atmospheric Measurement Techniques*, vol. 6, pp. 2989-3034, 2013.
- [12] Muhammad Billal, "A Simplified high resolution MODIS Aerosol Retrieval Algorithm (SARA) for Use Over Mixed Surfaces," *Journal International Remote Sensing of Enviroment*, pp. 135 - 145, 2017.
- [13] O. Hagolle, G. Dedieu, B. Mougenot, V. Debaecker, B. Duchemin, and A. Meygret, "Correction of aerosol effects on multi-temporal images acquired with constant viewing angles: Application to Formosat2images," *Remote Sens. Environ.*, vol. 112, no. 4, pp. 1689-1701, Apr. 2008.
- [14] O. H. M. Y. Takemura Tagashi, "Global Three-Dimensional Simulation of Aerosol Optical Thickness Distribution of Various Origins," *Journal of Geophysical Research Atmospheres*, vol. 10, no. Atmosphere Research, pp. 12-17, 2000.
- [15] Péré J. C., "Influence of the Aerosol Solar Extinction on Photochemistry during the 2010 Russian Wildfires Episode," *Atmospheric Chemistry and Physics*, vol. 15, pp. 1098-1098, 2015.
- [16] R. U. I Gusti Hasan, 2017, " Correlation Test for Improvement of Settlements on Landsat 8 Images (Case Study: Surabaya), Semarang, Universitas Diponegoro, 2017, pp. 1 - 15.
- [17] Remer L.A., "Global Aerosol Climatology from the MODIS Satellite Sensors". *Atmospheric Pollution Research*, vol. 9, pp. 23-26, 2008.
- [18] Sapkota, A., Symons, J. M., Kleissl, J. A. N., Wang, L. U., Parlange, M. B., Ondov, J., dan Diette, G. B., "Impact of the 2002 Canadian Forest Fires on Particulate Matter Air Quality in Baltimore City", *Journal of Geophysical Research Atmospheres* 39(1), 24-32, 2005
- [19] X.Ma,J.Wang,F.Yu,H.Jia,andY.Hu,"Can MODIS AOD be employed to derive PM2.5 in Beijing-Tianjin-Hebei over China?" *Atmos. Res.*, vol. 181, pp. 250-256, Nov. 2016.
- [20] Zhang, M.; Huang, B.; He, Q. An evaluation of four MODIS collection 6 aerosol products in a humid subtropical region. *Remote Sens.*, 9, 1173. 2017.