located at home, then the current location's data cannot be measured. Accordingly, the researcher suggests improving the PTS for identifying patients' location in a wide range of areas, such as an indoors and outdoors tracking system based on mobile technology.

Moreover, the literature is still limited in the field of developing the PSS and the SMS management system as two subsystems of the remote healthcare monitoring systems. This was a limitation faced by the researcher during this study's execution. In the future, it is necessary to conduct more research in this field. Based on this research results, the researcher recommends the hospitals and healthcare centers in Yemen to implement the RPHMS. It was developed not only to improve the management of chronic illnesses but also to provide healthcare providers with financial value. Besides, the implementation of the RPHMS is very easy and not expensive because it uses cheap and commonly available technology. Furthermore, the researcher recommends the Ministry of Health in Yemen encourage and fund the implementation of the RPHMS in Yemeni hospitals.

REFERENCES

[1] N. K. Munjal and S. Ratan Singh, "Remote Health Monitoring System for Rural Areas," International Journal of Technical Research & Science, vol. 5, no. 6, pp. 1–7, Jun. 2020.

[2] Majumder, S., Mondal, T., Deen, M.J. (2017). "Wearable Sensors for Remote Health Monitoring. Sensors", 17(1):130. Published 2017 Jan 12. doi:10.3390/s17010130.

[3] Guo, M. (2020). "Application of Remote Sensing Technology in Macro-Ecological Environment Monitoring. Remote Sensing", 9(1), 27.

[4] Salehi, S., Olyaeemanesh, A., Mobinizadeh, M. et al. (2020). "Assessment of remote patient monitoring (RPM) systems for patients with type 2 diabetes: a systematic review and meta-analysis." Journal of Diabetes & Metabolic Disorders.

[5] Kalid, N., Zaidan, A.A., Zaidan, B.B. et al. (2018). "Based Real Time Remote Health Monitoring Systems: A Review on Patients Prioritization and Related Big Data Using Body Sensors information and Communication Technology". J Med Syst 42, 30. https://doi.org/10.1007/s10916-017-0883-4.

[6] TECHALONE (2009). GPRS, retrieved from http://www.techalone.com/wp-content/uploads/2009/04/gprs.doc.

[7] Daely, P., Rizal, A. & Hadiyoso, S. (2018). "Design of Wireless Vital Signs Monitoring System for Indoor Monitoring Activity". 7. 77-81. 10.14419/ijet. v7i4.44.26866.

[8] USTH (2018) Dataset: chronic diseases statistics.

[9] Andrews, L. J. B., et al. (2019). "Mobile android-based remote patient monitoring system through wearable sensors." Journal of Discrete Mathematical Sciences and Cryptography 22(4): 557-568.

[10] Kandukuri, K., Jency, A.A., Anita, R., Pavithra, K.S., Seema, V. (2015)."Android Based Women Safety Application with Blood Pressure, Heart Beat Monitoring and Location Tracking, Emergency Support System", IJSRD - International Journal for Scientific Research & Development, Vol. 3, Issue 01.

[11] Evans, J., Papadopoulos, A., Silvers, C. T., Charness, N., Boot, W. R., Schlachta-Fairchild, L., et al. (2016). "Remote Health Monitoring for Older Adults and Those with Heart Failure: Adherence and System Usability". Telemedicine journal and e-health: the official journal of the American Telemedicine Association, 22(6), 480–488. https://doi.org/10.1089/tmj.2015.0140.

[12] Izadi, V., Shahri, P.K. & Ahani, H. (2020). "A compressed-sensing-based compressor for ECG. Biomed. Eng. Lett. 10, 299–307. https://doi.org/10.1007/s13534-020-00148-7.

[13] Mukherjee, R., Ghorai, S.K., Gupta, B. et al. (2020). "Development of a Wearable Remote Cardiac Health Monitoring with Alerting System." Instrum Exp Tech 63, 273–283.

[14] Baheti, P. K., Garudadri, H., & Majumdar, S. (2010). "Low Complexity Sensors for Body Area Networks", PETRA'10, June 23 - 25, 2010, Samos, Greece.

[15] Nguyen, H. T. and T. V. Nguyen (2018). "Energy-Efficient and Low Complexity Channel Coding for Wireless Body Area Networks," 2018 5th NAFOSTED Conference on Information and Computer Science (NICS), Ho Chi Minh City, 2018, pp. 265-269, doi: 10.1109/NICS.2018.8606883.

[16] Djawad,Y.A., Suhaeb, S., Ridwansyah,Jaya, H., Fathahillah, Saharuddin. (2020). "Development of an intelligent mobile health monitoring system for the health surveillance system in Indonesia.".

[17] Zhang, Y., et al. (2015). "Remote Mobile Health Monitoring System Based on Smart Phone and Browser/Server Structure." Journal of Healthcare Engineering 6: 590401.

[18] Veyilazhagan, R. & Dinesh, E. (2017): Real Time Health Care Patient Monitoring System Using GSM/GPS Technology, International Journal of Advanced Science and Engineering Research, Volume: 2, Issue: 1, April 2017.

[19] Murphy, J., et al. (2020)."Tracking physical activity using smart phone apps: assessing the ability of a current app and systematically collecting patient recommendations for future development". BMC Med Inform Decis Mak 20, 17 (2020). https://doi.org/10.1186/s12911-020-1025-3.

[20] Noimanee, S. & Wattanasirichaigoon, S. (2008). "Implementation of Vital Signs Monitoring System Using Wireless Networks", International Journal of Applied Biomedical Engineering Vol.1, No.1.

[21] Valsalan, P., Baomar, T.A.B., Baabood, A.H.O. (2020). "IoT based health monitoring system." 7(4): 739-743.

[22] Kadhim, K.T., Alsahlany, A.M., Wadi, S.M. et al. (2020)."An Overview of Patient's Health Status Monitoring System Based on Internet of Things (IoT)." Wireless Personal Communications 114, 2235–2262.

[23] Cafazzo, J. A., Dunai, A, Feig, D. S., Hamill, M., Irvine, M. J., Logan, A.G., McIsaac, W.J., Tisler, A., Saunders, A., Rizo, C. A., & Trudel, M., (2007). "Mobile Phone–Based Remote Patient Monitoring System for Management of Hypertension in Diabetic Patients. Mount Sinai Hospital", University of Toronto, 600 University Avenue, Suite 435, Toronto, Ontario M5G 1X5, Canada.

[24] Fareen, N. (2009)."Use of mobile messaging in health care". Allama Iqbal Open University, H-8\4 Islamabad Pakistan.

[25] Oracle (2008). "Technical Comparison of Oracle Database 11g and SQL Server 2008: Focus on Manageability". Oracle White Paper. Retrieved from https://www.oracle.com/technetwork/database/manageability/ss-2008-vs-oracle-11g-tech-comparis-129127.pdf