

- [15] Sumardi, M. Basyuni, and R. Wati, "Antimicrobial activity of polyisoprenoids of sixteen mangrove species from North Sumatra, Indonesia," *Biodiversitas*, vol. 19, no. 4, pp. 1243–1248, 2018. doi: 10.13057/biodiv/d190409
- [16] I. E. H. Elgailani, M. A. M. G. Elkareem, E. A. A. Noh, O. E. A. Adam, and A. M. A. Alghamdi, "Comparison of two methods for the determination of vitamin C (ascorbic acid) in some fruits," *Am. J. Chem.*, vol. 2, no. 1, pp. 1–7, 2017. doi: 10.20448/812.2.1.1.7.
- [17] P. Rout, S. Singh, N. Kumar, and C.B. Uday. 2015. Nutritional and antioxidant potential of some selected edible mangrove fruits of Odisha coast. *Inter. J. Adv. Sci. Res.* vol. 1, no. 9, pp. 349–355. doi: 10.7439/ijasr.v1i9.2624.
- [18] A. C. S. Gonçalves, R. P. Rezende, E. L. S. Marques, M. R. Soares, "Biotechnological potential of mangrove sediments: Identification and functional attributes of thermostable and salinity-tolerant β -glucanase," *Int. J. Biol. Macromol.*, vol. 147, pp. 521–526, 2020. doi: 10.1016/j.ijbiomac.2020.01.078
- [19] H. S. Hossain, J. S. Bujang, and S. M. R. Alam, "Microclimate and distribution of mangrove soil carbon in mud lobster (*Thalassina anomala* Herbst 1804) mounds," *Reg. Stud. Mar. Sci.*, vol. 40, p. 101540, 2020, doi: 10.1016/j.rsma.2020.101540.
- [20] H. Mariam and A. N. M. Alamgir, "Micronutrient Contents of *Heritiera fomes* Species at Three Saline Zones of the Sundarban Mangrove Forest, Bangladesh," *OALib*, vol. 7, no. 6, pp. 1–9, 2020. doi: 10.4236/oalib.1106425.
- [21] G. Agoramoorthy, M. Chandrasekaran, V. Venkatesalu, and M. J. Hsu, "Antibacterial and antifungal activities of fatty acid methyl esters of the blind-your-eye mangrove from India," *Brazilian J. Microbiol.*, vol. 38 no. 4, pp. 739–742, 2017. doi: 10.1590/S1517-83822007000400028.
- [22] A. Minu, J. Routh, J. F. Machiwa, and S. Pamba, "Spatial variation of nutrients and primary productivity in the Rufiji Delta mangroves, Tanzania," *African J. Mar. Sci.*, vol. 42, no. 2, pp. 221–232, 2020, doi: 10.2989/1814232X.2020.1776391.
- [23] P. A. Patra and U. C. Basak, "Physicochemical characterization of pectin extracted from six wild edible fruits in Odisha, India," *Curr. Res. Nutr. Food Sci.*, vol. 8, no. 2, pp. 402–409, 2020. doi: 10.12944/CRNFSJ.8.2.05
- [24] M. Basyuni, M. Wasilah, P. A. Z. Hasibuan, N. Sulistiyono, S. Sumardi, Y. Bimantara, R. Hayati, H. Sagami and H. Oku, "Salinity and subsequent freshwater influences on the growth, biomass, and polyisoprenoids distribution of *Rhizophora apiculata* seedlings," *Biodiversitas*, vol. 20, no. 1, pp. 388–395, 2019. doi: 10.13057/biodiv/d200146
- [25] V. Abdi, I. Sourinejad, M. Yousefzadi, and Z. Ghasemi, Z. "Mangrove-mediated synthesis of silver nanoparticles using native *Avicennia marina* plant extract from southern Iran." *Chem. Eng. Commun.*, vol 205, no. 8 pp. 1069-1076, 2020. doi: 10.1080/00986445.2018.1431624
- [26] D. P. Sari, M. Basyuni, P. A. Z. Hasibuan, S. Sumardi, A. Nuryawan, and R. Wati, "Cytotoxic and antiproliferative activity of polyisoprenoids in seventeen mangroves species against WiDr colon cancer cells," *Asian Pac. J. Cancer Prev.*, vol. 19, no. 12, pp. 3393–3400, 2018. doi: 10.31557/APJCP.2018.19.12.3393
- [27] D. N. Illian, M. Basyuni, R. Wati, and P. A. Z. Hasibuan, "Polyisoprenoids from *Avicennia marina* and *Avicennia lanata* inhibit WiDr cells proliferation." *Pharmacogn. Mag.*, vol. 14, no. 58, pp. 513, 2018. doi: 10.4103/pm.pm.201.18
- [28] E. M. Jenoh, E. P de-Villiers, S. M. de-Villiers, S. Okoth, J. Jefwa, E. Kioko, and N. Koedam. "Infestation mechanisms of two woodborer species in the mangrove *Sonneratia alba* J. Smith in Kenya and co-occurring endophytic fungi." *PloS One*, vol. 14. no. 10, e0221285, 2019. doi: 10.1371/journal.pone.0221285
- [29] B. S. Nabeelah, M. M. Fawzi, Z. Gokhan, J. Rajesh, N. Nadeem, and S. K. Pandian. "Ethnopharmacology, phytochemistry, and global distribution of mangroves—A comprehensive review." *Marine drugs*, vol. 17, no. 4, pp. 231-239, 2019. doi: 10.3390/md17040231
- [30] S. Acharya, D. K. Patra, C. Pradhan and P. K. Mohapatra. "Anti-bacterial, anti-fungal and anti-oxidative properties of different-extracts of *Bruguiera gymnorrhiza* L. (Mangrove)." *Eur. J. Integr. Med.*, no 101140, 2020. doi: 0.1016/j.eujim.2020.101140
- [31] N. B. Sadeer, G. Rocchetti, B. Senizza, D. Montesano, G. Zengin, A. Uysal and M. F/ Mahomoodally. "Untargeted metabolomic profiling, multivariate analysis and biological evaluation of the true mangrove (*Rhizophora mucronata* Lam.)." *Antioxidants*, vol. 8, no. 10, p489, 2019. doi: 10.3390/antiox8100489
- [32] A. Chowdhury, A. Naz and S.K. Maiti. "Bioaccumulation of potentially toxic elements in three mangrove species and human health risk due to their ethnobotanical uses." *Environ. Sci. Pollut. Res.*, (2021). no 10.1007, 2021. doi: 10.1007/s11356-021-12566-w
- [33] K. Iqbal., A. Khan., and M. M. A. Khattak., "Biological Significance of Ascorbic Acid (Vitamin C) in Human Health - A Review," *Pakistan J. Nutr.*, vol. 3, no. 1, pp. 5–13, 2003, doi: 10.3923/pjn.2004.5.13.
- [34] S. J. Hossain *et al.*, "Nutrient compositions, antioxidant activity, and common phenolics of *Sonneratia apetala* (Buch.-Ham.) fruit," *Int. J. Food Prop.*, vol. 19, no. 5, pp. 1080–1092, 2016, doi: 10.1080/10942912.2015.1055361.