











- Inf. Sci.*, vol. 29, no. 4, pp. 428–448, Oct. 2017, doi: 10.1016/j.jksuci.2016.08.001.
- [4] J. Lee and S. Kim, “EnRI-MAC: an enhanced receiver-initiated MAC protocol for various traffic types in wireless sensor networks,” *Wirel. Networks*, vol. 26, no. 2, pp. 1193–1202, Feb. 2020, doi: 10.1007/s11276-018-1854-5.
- [5] A. Kochhar, P. Kaur, P. Singh, and S. Sharma, “Protocols for Wireless Sensor Networks: A Survey,” *J. Telecommun. Inf. Technol.*, vol. 1, pp. 77–87, Apr. 2018, doi: 10.26636/jtit.2018.117417.
- [6] H. J. Park, S. C. Kim, and H. Y. Kim, “Priority Aware Data Collection Mac Protocol in Wireless Sensor Networks,” *Int. J. Adv. Sci. Technol.*, vol. 124, pp. 69–78, Mar. 2019, doi: 10.33832/ijast.2019.124.06.
- [7] Z. Li, Y. Liu, M. Ma, A. Liu, X. Zhang, and G. Luo, “MSDG: A novel green data gathering scheme for wireless sensor networks,” *Comput. Networks*, vol. 142, pp. 223–239, Sep. 2018, doi: 10.1016/j.comnet.2018.06.012.
- [8] T. van Dam and K. Langendoen, “An adaptive energy-efficient MAC protocol for wireless sensor networks,” in *Proceedings of the first international conference on Embedded networked sensor systems - SenSys '03*, 2003, p. 171, doi: 10.1145/958491.958512.
- [9] Z. Tang and Q. Hu, “An Adaptive Low Latency Cross-Layer MAC Protocol for Wireless Sensor Networks,” in *2009 Eighth IEEE International Conference on Dependable, Autonomic and Secure Computing*, Dec. 2009, pp. 389–393, doi: 10.1109/DASC.2009.53.
- [10] K.-J. PAEK, J. KIM, U.-S. SONG, and C.-S. HWANG, “Priority-Based Medium Access Control Protocol for Providing QoS in Wireless Sensor Networks,” *IEICE Trans. Inf. Syst.*, vol. E90-D, no. 9, pp. 1448–1451, Sep. 2007, doi: 10.1093/ietisy/e90-d.9.1448.
- [11] K. Shim and H.-K. Park, “Priority-Based Pipelined-Forwarding MAC Protocol for EH-WSNs,” *Wirel. Commun. Mob. Comput.*, vol. 2019, pp. 1–7, May 2019, doi: 10.1155/2019/5418516.
- [12] S. Sarang, M. Drieberg, A. Awang, and R. Ahmad, “A QoS MAC protocol for prioritized data in energy harvesting wireless sensor networks,” *Comput. Networks*, vol. 144, pp. 141–153, Oct. 2018, doi: 10.1016/j.comnet.2018.07.022.
- [13] S. C. Kim, H. J. Park, and H. Y. Kim, “Improving the Network Lifetime of WSN Using An Intelligent Data Collection MAC Protocol,” *JP J. Heat Mass Transf.*, no. Special, pp. 99–106, Nov. 2019, doi: 10.17654/HMS1119099.
- [14] F. Alfouzan, A. Shahrabi, S. Ghoreyshi, and T. Boutaleb, “An Efficient Scalable Scheduling MAC Protocol for Underwater Sensor Networks,” *Sensors*, vol. 18, no. 9, p. 2806, Aug. 2018, doi: 10.3390/s18092806.
- [15] X. Yang, L. Wang, J. Su, and Y. Gong, “Hybrid MAC Protocol Design for Mobile Wireless Sensors Networks,” *IEEE Sensors Lett.*, vol. 2, no. 2, pp. 1–4, Jun. 2018, doi: 10.1109/LESENS.2018.2828339.
- [16] F. Rismanian Yazdi, M. Hosseinzadeh, and S. Jabbehari, “A Priority-Based MAC Protocol for Energy Consumption and Delay Guaranteed in Wireless Body Area Networks,” *Wirel. Pers. Commun.*, vol. 108, no. 3, pp. 1677–1696, Oct. 2019, doi: 10.1007/s11277-019-06490-z.
- [17] K. Oh, G. Gim, W. Lim, and B. M. Kim, “An Energy-Efficient and Collision-Avoidance MAC Protocol with Pre-scheduling for Wireless Sensor Networks,” *Wirel. Pers. Commun.*, vol. 102, no. 1, pp. 61–78, Sep. 2018, doi: 10.1007/s11277-018-5825-z.
- [18] G. Zheng, Y. Sun, B. Kang, H. Ma, J. Li, and Y. Wang, “A QoS-aware MAC protocol for Wireless Sensor Networks,” *Int. J. Comput. Sci. Issues*, vol. 14, no. 1, pp. 1–8, Jan. 2017, doi: 10.20943/01201701.18.
- [19] H. Y. Kim, S. C. Kim, and H. J. Park, “Priority Aware MAC Protocol for Delay-Bounded Applications in Wireless Sensor Networks,” *Int. J. Grid Distrib. Comput.*, vol. 11, no. 10, pp. 41–50, Oct. 2018, doi: 10.14257/ijgdc.2018.11.10.04.
- [20] W. Ye, J. Heidemann, and D. Estrin, “Medium Access Control With Coordinated Adaptive Sleeping for Wireless Sensor Networks,” *IEEE/ACM Trans. Netw.*, vol. 12, no. 3, pp. 493–506, Jun. 2004, doi: 10.1109/TNET.2004.828953.