



















- Proc. SPIE 11048, 17th International Conference on Optical Communications and Networks (ICOCN2018), 1104822 (14 February 2019); <https://doi.org/10.1117/12.2522838>.
- [26] Z. A. Abbas, N. B. Sulaiman, N. A. M. Yunus, W. Z. Wan Hasan and M. K. Ahmed, "An FPGA implementation and performance analysis between Radix-2 and Radix-4 of 4096 point FFT," 2018 IEEE 5th International Conference on Smart Instrumentation, Measurement and Application (ICSIMA), Songkla, Thailand, 2018, pp. 1-4, doi: 10.1109/ICSIMA.2018.8688777.
- [27] M. Patrikar and V. Tehre, "Design and power measurement of different points FFT using Radix-2 algorithm for FPGA implementation," 2017 International conference of Electronics, Communication and Aerospace Technology (ICECA), Coimbatore, 2017, pp. 190-195, doi: 10.1109/ICECA.2017.8203669.
- [28] P. P. Vinchurkar, S. V. Rathkantiwar and S. M. Kakde, "HDL Implementation of DFT Architectures Using Winograd Fast Fourier Transform Algorithm," 2015 Fifth International Conference on Communication Systems and Network Technologies, Gwalior, 2015, pp. 397-401, doi: 10.1109/CSNT.2015.147.
- [29] N. M. A. E. D. Wirastuti, J. M. Noras and S. M. R. Jones, "Evaluation of the very fast fourier transform applied to OFDM," 2005 The 2nd IEE/EURASIP Conference on DSPEnabledRadio (Ref. No. 2005/11086), London, UK, 2005, pp. 12-12/6, doi: 10.1049/ic:20050382.