













- [6] J. L. Zakrzewski, M. R. M. van den Brink, and J. A. Hubbell (2014). Overcoming immunological barriers in regenerative medicine. *Nat Biotech*, vol. 32: 786–794.
- [7] Ali Alallak (2010). Deburring of components: A survey of current and future deburring processes. Master Thesis in Production Engineering. Uppsala University.
- [8] A. Boschetto, L. Bottini and F. Veniali (2018). Surface roughness and radiusing of Ti6Al4V selective laser melting-manufactured parts conditioned by barrel finishing. *International Journal of Advance Manufacturing Technology*, 94: 2773–2790.
- [9] A. Boschetto and L. Bottini (2015). Roughness prediction in coupled operations of fused deposition modeling and barrel finishing. *Journal of Materials Processing Technology*, 219: 181–192.
- [10] Safian Sharif, Ibrahim Ogu Sadiq, Noordin Mohd Yusof, Amrifan Saladin Mohruni (2017). A Review of Minimum Quantity Lubrication Technique with Nanofluids Application in Metal Cutting Operations. *International Journal on Advance Science Engineering Information Technology*, 7 (2): 587-593.
- [11] Hinde, A.L. & Kalala, J.T. (2009). The application of a simplified approach to modelling tumbling mills, stirred media mills and HPGR's. *Minerals Engineering*, 22(7-8):633–641.
- [12] Ryu, J.J. & Shrotriya, P., (2013). Influence of roughness on surface instability of medical grade cobalt-chromium alloy (CoCrMo) during contact corrosion fatigue. *Applied Surface Science*, 273, pp.536–541.
- [13] Pradyot Patnaik (2002). *Handbook of Inorganic Chemicals*. McGraw-Hill, New York.
- [14] B. Mullany, H. Shahinian, J. Navare, F. Azimi, E. Fleischhauer, P. Tkacik and R. Keanini (2017). The application of computational fluid dynamics to vibratory finishing processes. *CIRP Annals - Manufacturing Technology*, 66: 309–312.
- [15] Wenhui Li, Li Zhang, Xiuhong Li, Shengqiang Yang and Fengfeng Wu (2017). Theoretical and simulation analysis of abrasive particles in centrifugal barrel finishing: Kinematics mechanism and distribution characteristics. *Powder Technology*, 318: 518–527.
- [16] Wenhui Li, Li Zhang, Xiuhong Li and Shengqiang Yang (2016). Discrete Element Simulation of Particle Behavior in Mass Finishing Process: A Parametric Study. *Journal of The Balkan Tribological Association*, 22 (3): 2380-2399.
- [17] Rupinder Singh, Alok Trivedi and Sunpreet Singh (2017). Experimental investigation on shore hardness of barrel-finished FDM. *Sadhana*, 42 (9): 1579–1584.
- [18] Henein, H., Brimacombe, J.K., Watkinson, A.P., 1983. Experimental study of transverse bed motion in rotary kilns. *Metall. Trans. B* 14B, 191–205.
- [19] Boateng, A.A., 1998. Boundary layer modeling of granular flow in the transverse plane of a partially filled rotating cylinder. *Int. J. Multiph. Flow* 24 (3), 499–521.
- [20] Boschetto, A., Veniali, F., 2009. Workpiece and media tracking in barrel finishing. *Int.J. Mach. Mach. Mater.* 6 (3–4), 305–321.
- [21] Mellmann, J., 2001. The transverse motion of solids in rotating cylinders – forms of motion and transition behaviour. *Powder Technol.* 118, 251–270.
- [22] Pérez-Alonso, C., Delgado, J.A., 2012. Experimental validation of 2D DEM code by digital image analysis in tumbling mills. *Miner. Eng.* 25 (1), 20–27.
- [23] Nakagawa, M., 1997. NMRI study: axial migration of radially segregated core of granular mixtures in a horizontal rotating cylinder. *Chem. Eng. Sci.* 52 (23), 4423–4428.
- [24] Bbosa, L.S., Govender, I., Mainza, A.N., Powell, M.S., 2011. Power draw estimations in experimental tumbling mills using PEPT. *Miner. Eng.* 24 (3–4), 319–324.
- [25] Domblesky J, Evans R, Cariapa V (2004) Material Removal Model for Vibratory Finishing. *International Journal of Production Research* 42(5):1029–1041.
- [26] Hashimoto F, Johnson SP, Chaudhari RG (2016) Modeling of Material Removal Mechanism in Vibratory Finishing Process. *Annals of the CIRP* 65(1):325–328.
- [27] Uhlmann E, Eulitz A, Dethlefs A (2015) Discrete Element Modelling of Drag Finishing. *Procedia CIRP* 31:369–374.
- [28] Naeini SE, Spelt JK (2011) Development of Single-cell Bulk Circulation in Granular Media in a Vibrating Bed. *Powder Technology* 211:176–186.
- [29] Alena Prudnikava, Yegor Tamashevich, Kazimir Yanushkevich, Heshmat Noei, Dieter Lott, Andreas Stierle and Brian Foster (2018). Toward Optimization of Centrifugal Barrel Polishing Procedure for Treatment of Niobium Cavities. *IEEE Transactions on Applied Superconductivity*, 28 (4): 1-5.
- [30] V. Vijayaraghavana and S. Castagne (2018). Measurement of surface characteristics of Ti6Al4V aerospace engineering components in mass finishing process. *Measurement*, 115: 279–287.
- [31] H. Chen, Y.G. Xiao, Y.L. Liu and Y.S. Shi (2017). Effect of Young's modulus on DEM results regarding transverse mixing of particles within a rotating drum. *Powder Technology*, 318: 507–517.
- [32] Fukuo Hashimoto, Hitomi Yamaguchi, Peter Krajnik, Konrad Wegener, Rahul Chaudhari, Hans-Werner Hoffmeister and Friedrich Kuster (2016). Abrasive fine-finishing technology. *CIRP Annals - Manufacturing Technology*, 65: 597–620.
- [33] Singh, R., Walia, R.S. & Suri, N.M. (2012). Study of Parametric Effect on Surface Roughness Improvement for Hybrid Centrifugal Force Assisted Abrasive Flow Machining Process, *International Journal of Latest Research in Science and Technology*, 1(3):198–201.
- [34] Bańkowski Damian, Krajcarz Daniel, Młynarczyk Piotr (2017). Deburring and smoothing the edges using vibro-abrasive machining. *Procedia Engineering* 192: 28 – 33.