













- [9] Nanri, A., Mizoue, T., Yoshido, D., Takaahashi, R. and Takayagi, R. Dietary patterns and A1C in Japanese men and women. *Diabetes Care*. 31 pp.1568-73. 2008.
- [10] Millet, W., Manson, J. and Liu, S. Glycemic index, glycemic load and risk of type-2 diabetes. *Am J Clin Nutr* 76, pp 2745-2805. 2002.
- [11] Wolever, T.M.S., Jenkins, D.J.A., Jenkins, A.L. and Josse, R.G. "The glycemic index :methodolgy and clinical implications" *American Journal of Clinical Nutrition*, vol.54, no.5, pp.846-854, 1991.
- [12] Wolever, T.M.S., Vorster, H.H. Björck, I. Determination of the glycemic index of foods: inter-laboratory study. *European Journal of Clinical Nutrition*, vol 57,no.3, pp. 475-482. 2003.
- [13] Bahado-Singh, P.S., Wheatly, A.O., Ahmad, M.H., Morrison, E.Y. and Asemota, H.N. Food processing methods influence the glycemic indices of some commonly eaten West Indian carbohydrate-rich foods. *Bitish Journal of Nutrition*, vol.96, no.3, pp. 476-481, 2006.
- [14] Neyman, J. On the 2 different aspects of representation methods: The method of Stratified Sampling and the method of Purposive Selection. *Journal of The Royal Statistical Society*, vo. 97, No. 4, pp. 588-625. 1934.
- [15] Etikan, I. Musa, S.A., Alkassim, R.S., Comparison of Convenience Sampling and Purposive Sampling. *American Journal of Theoretical and Applied Statistics*, vol.5, No.1, pp. 1-4. 2016.
- [16] Miller, J.B., Pang, E., and Bramall, L. Rice: A high or low glycemic index food?. *American Journal of Clinical Nutrition*, vol.56, no.6, pp.1034-36. 1992.
- [17] ChePa, N., Yusoff, N. and Ahmad, N. Determinants for grading Malaysian rice, AIP Conference Proceedigs 1761, 020035. 2016. <https://doi.org/10.1063/1.4960875>.
- [18] Bhattacharya, K.R. *Rice Quality: A guide to rice properties and analysis* published by Woodhead Publishing, Ltd 1st Edition ISBN-13:978-1845694852
- [19] Sharma, Y. *Elementary organic spectroscopy* 3rd Edn.:S Chand & Company Ltd. Ram Nagar New Delhi, India.
- [20] Silverstein, R.M., Webster, F.X. and Kiemle, D. *Spectrometric identification of organic compounds* 7th Edn: John Wiley & Sons:Hoboken, NJ. USA.
- [21] Herlina, A.R. and Syahira, I. NIR spectroscopy measurement: the assesment of amylose content in rice grain. *Sensor and Transducers* 156(9), pp 251-258. 2013.
- [22] Fu, X., Yu, X., Ye, Z. and Cui, H. Analysis of antioxidant activity of chinese brown rice by Fourier-Transformed Near infrared spectroscopy and chemometrics. *Journal of Chemistry*, vol.2015. Hindawi Publishing Corporation, pp.1-5, 2015. <http://dx.doi.org/10.1155/2015/379327>.
- [23] Natsuga, M and Rawam, S. Visible and NIR reflectance spectroscopy for determination of physicochemical properties of rice. *Transaction of the ASABE*, 49(4), pp1069-1076. 2006.
- [24] Colussi, R., Pinto, V.Z., El Halal, S.L.M., Vanier, N.L., Villanova, F.A., e Selva, R.M., Zavareze, E.da R. and Dias, A.R.G. Structural, morphological, and physicochemical properties of acetylated high-, medium- and low- amylose rice starches. *Carbohydrate Polymers*, 103, pp. 405-413. 2015.
- [25] Kubo, A., Yugichi, Y., Suzuki, S. Satoh, H and Kitamura, S. The use of microbeam X-ray diffraction for the characterisation of starch crystal structure in rice mutant kurnels of waxy, amylose extender and sugary1. *Journal of Cereal Science*, 48, pp.92-97. 2008.
- [26] Wani, A.A., Singh, P., Shah, M.A., Scweiggert, W.U., Gul, K. and Wani, I.A. Rice starch diversity: Effect on structural and morphological, thermal and physicochemical properties of six wild rice starchs- a review. *Comprehensive review in food science and food safety*, 11(5), pp.417-436. 2012.
- [27] Yu, S., Ma, Y., Menager, L. and Sun, D-W. Physicochemical properties of sarch and flour from different rice cultivars. *Food bioprocess Technology*, 5(2), 626-637. 2012.
- [28] Eckhoff, B., Kanngie Ber, B., Langhoff, N., Wadel, R. and Wolf, H. *Handbook of Practical X-Ray Fluorescence Analysis*. ISBN 3-540-28603-e 2006..
- [29] Kaur, J. and Kumar, A. Elemental analysis of different varieties of rice samples using XRF technique. *AIP Conference Proceedings* 1, vol.1728. 020350.2016. <https://doi.org/10.1063/1.4945401>
- [30] Fleming, D.E., Foran, K.A. Kim, J.S. and Guernsey, J.R. Portable X-Ray fluorescence for assessing trace eleents in rice and rice products: Comparison with inductively-mass spectrometry. *Appl Radiant Isot*, 104217-23, doi:10.1016/j.apradiso.2015.07.014.
- [31] Chuparina, E.V. and Azovsky, M.G. Elemental analysis of aquatic plants by X-ray fluorescence. *Analytical Letters*, vol.49, 12, pp. 1963-73. 2016.
- [32] Omotola, K.M. and Onojah, A.D. Elemental analysis of rice husk using X-Ray fluorescence technique. *International Journal of Physical Sciences*, vol.4(4), pp.189-193. 2009.
- [33] Rosli, W.I.W. and Ain, I.N. Morphology and characterisations of selected brown rice commercially available in East Coast of Peninsular Malaysia. *Annals of microscopy*, vol.14, pp.1-17. 2014.
- [34] Xi, M., Lin, Z., Liu, Z., Li, G., Wang, Q., Wang, S. and Ding, Y. Endosperm structure of white-belly and white-core rice grains shown by scanning electron microscopy. *Plant Prod. Sci.* 17(4), pp. 285-290 2014.
- [35] Se, H-E., Chuah, K.A., Mishra, A. Wickneswari, R. and Karupaih, T. Evaluating crossbred red rice varieties for postprandial glucometabolis responses: A comparison with commercial Varieties. *Nutrients*, 8, 308, pp 1-16.2016.
- [36] Bahado-Singh, P.S., P.S., Riley, C.K., Wheatly, A.O. and Lowe, H.I.C. Relationship between processing method and the glycemic indeces of ten sweet potato (*Ipomoea batatas*) cultivars commonly consumed in Jamaica. *Journal of Nutrition and Metabolism* (Hindawi Pub Cor), Article ID 584832, pp. 1-6.2011.
- [37] FAO/WHO. *Carbohydrates in Human Nutrition: Report of joint FAO/WHO Expert consultation ; FAO Food and Nutrition Paper ; Food and Agricultural Organization; Rome, Italy, volume 66, p 1-140. 1998.*