

sandy layers throughout the young oil palm soil profile might cause a higher proportion of drainage pores and result in less water content compared to denser clay layers under the mature oil palm.

ACKNOWLEDGMENT

We would like to thank Muhamad Faisal and Ade Novaria (undergraduate students at the University of Bengkulu) to assist in the field works. This research was fully funded by the Directorate of Research and Community Service, Ministry of Research, Technology, and the Higher Education Republic of Indonesia, Contract No: 165/SP2H/LT/DRPM/2019.

REFERENCES

- [1] L.E. Muñoz-Villers, F. Holwerda, M.S. Alvarado-Barrientos, D.R. Geissert, T.E. Dawson, "Reduced dry season transpiration is coupled with shallow soil water use in tropical montane forest trees," *Oecologia*, vol. 188 no. 1, pp 303-317, 2018.
- [2] B.M Flohr, J.R. Hunt, J.A. Kirkegaard, B.S.T. Rheinheimer, L. Goward, J.R. Evans, M. Bullock, "Deep soil water-use determines the yield benefit of long-cycle wheat," *Frontiers in Plant Science*, vol. 11, pp 1-13, 2020.
- [3] F. Faridani, A. Farid, H. Ansari, S. Manfreda, "A modified version of the SMAR model for estimating root-zone soil moisture from time-series of surface soil moisture," *Water SA*, vol 43. no. 3, pp. 492-498, 2017.
- [4] P. Matgen, S. Heitz, S. Hasenauer, C.Hissler, L. Broccal, H.H.G. Savanije, "On the potential of MetOp ASCAT-derived soil wetness indices as a new aperture for hydrological monitoring and prediction: a field evaluation over Luxembourg," *Hydrol. Process*, vol. 26, no. 15, pp. 2346-2359, 2012.
- [5] E. Wallor, A. Herrmann, J. Zeitz, "Hydraulic properties of drained and cultivated fen soils part II — Model-based evaluation of generated van Genuchten parameters using experimental field data," *Geoderma* vol. 319, pp. 208-218, 2018.
- [6] M. Rashmi, V. Pandey, "Reference evapotranspiration (ET_o) and crop water requirement (ET_c) of wheat and maize in Gujarat," *Journal of Agrometeorology*, vol. 17 no.1, pp. 107-, Jun. 2015.
- [7] A. Klute, Ed., *Methods of Soil Analysis: Part I—Physical and Mineralogical Methods*, 2nd ed., Madison, USA: ASA—SSSA. 1986, vol. 9.
- [8] M. A. Dafalla; A. M. Al-Mahbashi; A. Almajed; M. Al-Shamrani, "Predicting soil-water characteristic curves of clayey sand soils using area computation," *Mathematical Problems in Engineering (2020)*, pp. 1-9, 2020. DOI: 10.1155/2020/4548912.
- [9] M.B. Duygu, Z. Akyürek, "Using cosmic-ray neutron probes in validating satellite soil moisture products and land surface models," *Water*, vol. 11, no. 7, p. 1362, 2019.
- [10] B. Hermawan, "Monitoring soil water content by measuring electrical properties on corn land," *Indonesian Journal of Agricultural Sciences*, vol. 7 no.1, pp. 15-22, 2005.
- [11] M.B. Duygu, Z. Akyürek, "Using cosmic-ray neutron probes in validating satellite soil moisture products and land surface models," *Water*, vol. 11, no. 7, p 1362, 2019.
- [12] T.E. Franz, A. Wahbi, M. Vreugdenhil, G. Weltin, L. Heng, M. Oismueller, P. Strauss, G. Dercon, D. Desilets. "Using Cosmic-Ray Neutron Probes to monitor landscape scale soil water content in mixed land use agricultural systems," *Applied and Environmental Soil Science (2016)*, doi: <http://dx.doi.org/10.1155/2016/4323742>.
- [13] X. Tan, J. Wu, J. Huang, M. Wu, W. Zeng, Wenzhi, "Design of a new TDR probe to measure water content and electrical conductivity in highly saline soils," *Journal of Soils & Sediments: Protection, Risk Assessment, & Remediation*, vol. 18, no.3, pp. 1087-1099. 2018.
- [14] C. Chen, X. Yan, Y. Ma, S. Yu, Q. Xu, D.A. Grantz, P. Schulze Lammers, Z. Wang, Y. Sun, Q. Cheng, "Monitoring near-surface soil water content using an innovative perforated cylinder coaxial dielectric sensor," *Journal of Hydrology*, vol. 573, pp.746-754, 2019.
- [15] H.H. Tao, C. Donough, J. Gerendas, M. Hoffmann, A. Cahyo, H. Sugianto, R. Wandri, G.A. Rahim, M. Fisher, R. Rötter, K. Dittert, L. Pardon, T. Oberthür, "Fertilizer management effects on oil palm yield and nutrient use efficiency on sandy soils with limited water supply in Central Kalimantan," *Nutrient Cycling in Agroecosystems*, vol. 112, no. 3, pp. 317-333, 2018.
- [16] C. B. S. Teh, "Development and validation of an unsaturated soil water flow model for oil palm," *Pertanika Journal of Tropical Agricultural Science*, vol. 41, no. 2, pp. 787-800, May 2018.
- [17] B. Hermawan, E. Suparjo, K.S. Hindarto, R. Silalahi, F. Barchia, "A Quick Dielectric Method to Determine Insitu Soil Water Content for Precision Water Use under Sustainable Agricultural Practices," *International Journal of Advanced Science Engineering Information Technology*, vol. 7, no. 3, pp. 910-915, May-June 2017.
- [18] E. Z. Bean, R.G. Huffaker, K.W. Migliaccio, "Estimating field capacity from volumetric soil water content time series using automated processing algorithms," *Vadose Zone J.*, vol. 17, no. 1, April 2018, doi:10.2136/vzj2018.04.0073.
- [19] L. Maik, S. Schlüter, Hans-Jörg Vogel, D. Vetterlein, "Soil structure formation along an agricultural chronosequence," *Geoderma*, vol. 350, pp. 61-72, September 2019.
- [20] R. Naghdi, A. Solgi, E.R. Labelle, M. Nikooy, "Combined effects of soil texture and machine operating trail gradient on changes in forest soil physical properties during ground-based skidding," *Pedosphere*, vol. 30, no. 4, pp. 508-516, 2020.
- [21] J. Pöhlitz, J. Rücknagel, S. Schlüter, Hans-Jörg Vogel, O. Christen, "Estimation of critical stress ranges to preserve soil functions for differently textured soils," *Soil & Tillage Research*, vol. 200, 2020. DOI: 10.1016/j.still.2020.104637.
- [22] J. A. S. de Freitas, V.R. da Silva, F.B. da Luz, D.R. Kaiser, A.L. Zwirtes, "Soil carbon and physical-mechanical properties after successive applications of swine and poultry organic waste," *Pesquisa Agropecuária Tropical*, vol 48, no. 4, pp. 390-398, 2018.
- [23] G. Singh, S. Anand, B. Lall, A. Srivastava, V. Singh, "A low-cost portable wireless multi-frequency electrical impedance tomography system," *Arabian Journal for Science & Engineering*, vol. 44, no. 3, pp. 2305-2320, 2019.
- [24] V.I. Bulavin, I.N. V'yunnik, A.V. Kramarenko, "Kinetic solvation and electrical conductance of proton in infinitely diluted solutions of hydrogen halides in primary alcohols and in water: influence of temperature and solvent," *Journal of Molecular Liquids*, vol. 242, pp.1296-1309, 2017.
- [25] A. Bartnik, P. Tomalski, "Diurnal variations of the basic physico-chemical characteristics of a small urban river – the sokołowka in Łódź – a case study," *Acta Scientiarum Polonorum: Formatio Circumiectus*, vol. 17, no. 3, pp. 23-38, 2017.
- [26] D. Bertermann, H. Schwarz, "Bulk density and water content-dependent electrical resistivity analyses of different soil classes on a laboratory scale," *Environmental Earth Sciences*, vol. 7, no. 16, pp. 570-583, 2018.
- [27] K. Noborio, T. Kubo, "Evaluating a dual-frequency-phase-shift soil moisture and electrical conductivity sensor," *Paddy Water Environ* vpl. 15, pp. 573–579, 2017. DOI 10.1007/s10333-016-0574-7.
- [28] B. Hermawan, "Determination of soil water content by measuring a dielectrical property: a laboratory experiment at various compaction levels," *Indonesian Journal of Agricultural Sciences*, vol. 6 no. 2, pp. 66-74, 2004.
- [29] Y. Paillet, N. Cassagne, and J.-J. Brun, "Monitoring forest soil properties with electrical resistivity," *Biol Fertil Soils*, vol. 46, pp. 451-460, 2010.
- [30] W. Widiyatmoko, Sudibyakto, E. Nurjani, E.W. Safriani, "Spatial-temporal patterns of agricultural drought in upper Progo Watershed based on remote sensing and land physical characteristics," *International Journal of Advanced Science Engineering Information Technology*, vol. 9, no. 2, pp. 480-488, July 2019.
- [31] D. Daoed, B. Rusman, B. Istijono, A. Hakam, M. Syukur, "Evaluation of drought vulnerability on watersheds in West Sumatera Province by using Cropwat-8 and GIS," *International Journal of Advanced Science Engineering Information Technology*, vol. 8, no. 6, pp. 2443-2449, 2018.
- [32] R. Herawati, Masdar, D.W. Ganefianti, B. Hermawan, Alnopri, "Screening and identification of upland rice lines derived recurrent selection for drought tolerance," *International Journal of Advanced Science Engineering Information Technology*, vol. 7, no. 6, pp. 2323-2327, 2017.