









of the seismic susceptibility index (Kg) micro zonation in the *Lhokseumawe* District are shown in Fig.6.

#### REFERENCES

- [1] N. Haerudin, R. Rustadi, H. Fitriawan, D. Siska, and M. Farid, "Earthquake Disaster Mitigation Mapping by Modeling of Land Layer and Site Effect Zone in The Kota Baru of South Lampung," *J. Ilm. Pendidik. Fis. Al-BiRuNi*, vol. 8, no. 1, pp. 53–61, 2019.
- [2] E. Caffagni, D. W. Eaton, J. P. Jones, and M. van der Baan, "Detection and analysis of microseismic events using a Matched Filtering Algorithm (MFA)," *Geophys. J. Int.*, p. ggw168 May 2016.
- [3] Government of the Republic of Indonesia, "Law of the Republic of Indonesia Number 17 of 2017 on Long Term National Development Plan of 2005-2025," no. 17, 2007.
- [4] P. Akademisi, P. Gedung, T. Gempa, P. Hazard, R. Gempa, and S. Perencanaan, "Cakupan : • Alasan Mengapa Perlu Melakukan Revisi Peta Gempa • Kondisi Tektonik dan Kegempaan Indonesia," 2013.
- [5] I. Towhata, *Springer Series in Geomechanics and Geoenvironmental Engineering: Geotechnical Earthquake Engineering*. 2008.
- [6] Nakamura, "Microsoft Word - 14WCEE YN HV," pp. 1–10, 2008.
- [7] L. Gualtieri *et al.*, "Modelling secondary microseismic noise by normal mode summation," *Geophys. J. Int.*, vol. 193, no. 3, pp. 1732–1745, Jun. 2013.
- [8] H. Chen, "Development status of microseismic monitoring technology in China," *IOSR J. Eng.*, vol. 4, no. 1, pp. 16–19, 2014.
- [9] F. Aminzadeh, T. A. Tafti, and D. Maity, "An integrated methodology for sub-surface fracture characterization using microseismic data: A case study at the NW Geysers," *Comput. Geosci.*, vol. 54, pp. 39–49, Apr. 2013.
- [10] N. Sugianto, M. Farid, and W. Suryanto, "Local geology condition of Bengkulu city based on seismic vulnerability index (Kg)," *ARPN J. Eng. Appl. Sci.*, vol. 11, no. 7, pp. 4797–4803, 2016.
- [11] A. Susilo and S. H. Wiyono, "Frequency Analysis and Seismic Vulnerability Index by Using Nakamura Methods at a New Artery Way in Porong, Sidoarjo, Indonesia," *Int. J. Appl. Phys. Math.*, vol. 2, no. 4, pp. 227–230, 2013.
- [12] I. Kassaras, N. Voulgaris, and K. Makropoulos, "Determination of Site Response in Lefkada Town (W. Greece) by Ambient Vibration Measurements," no. September, pp. 7–12, 2008.
- [13] M. Pando, L. Cano, L. E. Suárez, R. Ritta, and L. A. Montejo, "Weak-Motion Earthquakes and Micro tremors," 2008.
- [14] M. Rodríguez, F. Chávez-García, and W. Stephenson, "Site Effects in An Alluvial Valley: A Comparison of Estimates from Earthquake and Microtremor Records," *Proc. 12th World Conf. Earthq. Eng. Auckland, New Zeal.*, vol. Paper No., pp. 1–8, 2000.
- [15] P. Bard, "European Commission – Research General Directorate Site Effects assessment using Ambient Excitations Sixth progress report," *October*, pp. 1–20, 2004.
- [16] A. L. Stork, J. P. Verdon, and J.-M. Kendall, "The microseismic response at the In Salah Carbon Capture and Storage (CCS) site," *Int. J. Greenh. Gas Control*, vol. 32, pp. 159–171, Jan. 2015.
- [17] J. I. Sabbione and D. R. Velis, "A robust method for microseismic event detection based on automatic phase pickers," *J. Appl. Geophys.*, vol. 99, pp. 42–50, Dec. 2013.
- [18] X. L. Wang, F. W. Zwiers, V. R. Swail, and Y. Feng, "Trends and variability of storminess in the Northeast Atlantic region, 1874–2007," *Clim. Dyn.*, vol. 33, no. 7–8, pp. 1179–1195, 2009.